

MATERIAL SAFETY DATA SHEET

Revision Date: 1/1/09

Review Date: 1/1/13

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: BRASS SHIM & BRASS THICKNESS GAGE

Product Codes: 17, 70, 74 & 76 Chemical Name: Metal Alloy

Synonyms: Copper-Zinc Alloys, UNS/CDA Alloy Nos. C20000 - C29999

Chemical Family: Copper-Zinc
Formula: Not applicable - mixture
Product Use: Metallurgical Products

COMPANY ADDRESS TECHNICAL EMERGENCY PHONE NUMBER CHEMTREC:

Precision Brand Products Inc. INFORMATION: 1-800-424-9300 USA & Canada 2250 Curtiss Street 630-969-7200 202-483-7616 International

Downers Grove IL 60515 USA www.precisionbrand.com

2.COMPOSITION/INFORMATION ON INGREDIENTS

CAS Number	Components	% by Weight	EINECS/ELINCS #	EU Classification	
				Symbol	R-Phrase
7440-50-8	Copper	59 - 96	231-159-6	None	None
7440-66-6	Zinc	4 - 41	231-096-4	None	None
7439-92-1	Lead	0.03 - 0.3	231-104-6	None	None

OSHA REGULATORY STATUS: In solid form, not hazardous. Dust or fume: carcinogen, irritant, lung, blood, kidney, reproductive and developmental toxin, neurotoxin

In solid form, this material is not hazardous. Dust and fumes are hazardous materials.

3. HAZARDS IDENTIFICATION

WARNING!

EXPOSURE TO DUST OR FUMES CAN CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION. CONTAINS A MATERIAL WHICH MAY CAUSE BLOOD, KIDNEY, REPRODUCTIVE AND NEUROLOGICAL EFFECTS. CONTAINS A MATERIAL WHICH MAY CAUSE CANCER. USE ONLY WITH ADEQUATE VENTILATION. AVOID CONTACT WITH EYES, SKIN AND CLOTHING. WASH THOROUGHLY AFTER HANDLING.

HAZARD RATINGS (for dust or fume) Degree of hazard (0 = low, 4 = extreme)

<u>Hazardous Materials Identification</u> Health: 2* Flammability: 0 Physical Hazard: None

System (HMIS)

<u>National Fire Protection Association</u> Mixture. Not rated

(NFPA)

HUMAN THRESHOLD RESPONSE DATA

Odor Threshold: Unknown
Irritation Threshold: Unknown

(IDLH) : IDLH for copper and lead is 100mg/m³.

POTENTIAL HEALTH EFFECTS

ACUTE EFFECTS

Inhalation:

Ingestion:

Eye: Dust or fume can cause irritation consisting of redness, swelling, and

pain. May cause conjunctivitis with repeated exposures.

Skin: Material not expected to be absorbed through the skin. Contact with

dust may cause mild irritation consisting of redness and/or swelling. Harmful if inhaled. Inhalation of high concentrations of powder, dust, or fume may cause severe respiratory and pasal irritation, coughing.

or fume may cause severe respiratory and nasal irritation, coughing, and difficulty breathing. Inhalation of high concentrations of metallic copper dusts or fumes may cause nasal irritation and/or nausea,

vomiting and stomach pain. The metal fume may also produce influenzalike symptoms, known as metal fume fever. Symptoms of this reaction may include metallic taste, runny nose, nausea, fever and chills. These effects usually disappear within 24 hours, but may be delayed in onset.

Ingestion of large amounts of dust may cause nausea, diarrhea and or

stomach pain.

fume may cause more severe irritation. Chronic exposure to lead can cause kidney damage, anemia, reproductive effects, developmental

effects and permanent nervous system damage in humans including changes

in cognitive function.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Exposure to dust or fume may aggravate an existing dermatitis, blood condition, asthma, emphysema, or other respiratory disease.

POTENTIAL ENVIRONMENTAL EFFECTS: None known. Product has not been tested for environmental properties.

4. FIRST AID MEASURES

EYE CONTACT: Immediately flush out fume and dust particles with large amounts

of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. If eye irritation develops, call a physician at

once.

SKIN CONTACT: If exposed to dust or fumes, wash skin with plenty of water.

Remove contaminated clothing and shoes and launder before reuse. If skin irritation or rash develops and persists or recurs, get

medical attention.

INHALATION: If symptoms of lung irritation occur (coughing, wheezing or

breathing difficulty), remove from exposure area to fresh air immediately. If breathing has stopped, perform artificial respiration. Keep affected person warm and at rest. Get medical

attention.

<u>INGESTION</u>: Not a likely route of exposure for finished metal alloy. If dust

is ingested, immediately drink water to dilute. Consult a

physician if symptoms develop.

NOTE TO PHYSICIANS: There is no specific antidote to the active ingredients in this

product; use symptomatic treatment.

FIRE FIGHTING MEASURES

PROPERTY	VALUE	PROPERTY	VALUE
Explosive:	No	Flammable	No
Combustible:	No	Pyrophoric	No
Flash Point (°C):	Not applicable	Burning Rate of Material:	Not applicable
Lower Explosive	Not applicable	Autoignition Temp.:	Not applicable
Limit:			
Upper Explosive Limit:	Not applicable	Flammability Classification: (defined	Not applicable
		by 29 CFR 1910.1200)	

UNUSUAL FIRE AND EXPLOSION HAZARDS: Dust may cause an ignitable and/or an explosive

atmosphere.

For localized powder fires, smother with dry EXTINGUISHING MEDIA: sand, dry dolomite, sodium chloride or soda ash.

Use fire-extinguishing media appropriate to fight

surrounding fire. None required.

SPECIAL FIREFIGHTING PROCEDURES:

6. ACCIDENTAL RELEASE MEASURES

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC AT 800-424-9300. In dust form, this product may be an explosion hazard. Remove all sources of ignition. Dust or fume may be suppressed by the use of a local exhaust system. Dispose of per guidelines under Section 13, WASTE DISPOSAL.

7. HANDLING AND STORAGE

HANDLING: Avoid dispersion of dust in air. STORAGE:

No special requirements.

None known. Shelf Life Limitations: Incompatible Materials for Packaging: None known.

Incompatible Materials for Storage or Transport: None known.

OTHER PRECAUTIONS: Do not shake clothing, rags or other items to remove dust. Dust should be removed by washing or HEPA vacuuming.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	CHEMICAL NAME	ACGIH TLV	OSHA PEL	INTERNATIONAL OELS
7440-50-8	Copper	0.2 mg/m ³ (fume), 1mg/m ³ (dusts and mists)	0.1mg/m ³ (fume) 1mg/m ³ (dusts and mists)	Austria, Belgium, Canada: 0.2 mg/m³ (fumes), 1 mg/m³ (dusts) Denmark: 1.0 mg/m³ (dust and powder) Germany (MAK): 0.1 mg/m³ (fume), 1 mg/m³ (dusts and mists)
7440-66-6	Zinc	None established	None established	None established
7439-92-1	Lead	0.05 mg/m ³	0.05 mg/m ³	Austria, Denmark, Germany, Sweden, Switzerland: 0.1 mg/m ³ Norway, Poland: 0.05 mg/m ³

If this product is heated and fumes are generated, zinc oxide fumes could be formed. The ACGIH TLV and OSHA PEL for zinc oxide fume is 5 mg/m^3 .

ENGINEERING CONTROLS: Local exhaust ventilation is recommended if significant dusting occurs

or fumes are generated. Otherwise, use general exhaust ventilation.

EYE / FACE PROTECTION: Use safety glasses.

SKIN PROTECTION: Wear impervious (cut-resistant) gloves and other protective clothing

(aprons, coveralls) as appropriate to prevent skin contact when using this product. If generating a dust, wash thoroughly after handling,

especially before eating, drinking, or smoking.

RESPIRATORY PROTECTION: Respiratory protection not normally needed. If dusting occurs or fumes

are generated above the PEL/TLV, use a NIOSH-approved half-face or full-face respirator equipped with High Efficiency Particulate (HEPA) $\,$

filter cartridges.

GENERAL HYGIENE Do not eat, drink, or smoke while using this product in dust form.

CONSIDERATIONS:

9. PHYSICAL AND CHEMICAL PROPERTIES

PROPERTY	VALUE	PROPERTY	VALUE
Appearance:	Red/gold metallic	Vapor Density (air = 1):	Not applicable
Odor:	None	Boiling Point (°F):	No data
Molecular Weight:	Not applicable -	Melting point:	L:930 - 1065°C (1710-
	Mixture		1950°F)
			S:905-1050°C (1650-1920°F)
Physical State:	Solid	Specific gravity (g/cc):	8.66
pH:	Not applicable	Bulk Density:	8.66g/cc
Vapor Pressure (mm Hg):	Not applicable	Viscosity (cps):	Not applicable
Vapor Density	Not applicable	Decomposition	Not applicable
		Temperature:	
Solubility in Water (20°C):	Negligible	Evaporation Rate:	Not applicable
Volatiles, Percent by	Not applicable	Octanol/water partition	Unknown
volume:		coefficient:	

10. STABILITY AND REACTIVITY

STABILITY: Stable under normal temperatures and pressure.

CONDITIONS TO AVOID: Not affected by mechanical impact or shock or by electrical discharge.

MATERIALS TO AVOID: Acetylene, chlorine

HAZARDOUS DECOMPOSITION When heated to decomposition, may produce metal oxides and fumes.

PRODUCTS: Inhalation of high concentrations of metal fumes may cause a condition

known as "metal fume fever" which is characterized by flu-like symptoms.

HAZARDOUS POLYMERIZATION: Will not occur.

11. TOXICOLOGICAL INFORMATION

POTENTIAL EXPOSURE ROUTES: For dust: ingestion, inhalation, and eye contact. For fume: inhalation and eye contact. The finished alloy metal is not hazardous.

ACUTE ANIMAL TOXICITY DATA:

For Product: (dust or fume):		For Components				
		Copper	Lead	Zinc		
Oral LD ₅₀	Believed to be moderately toxic	3.5 mg/kg (mouse, intraperitoneal)	No data	No data		
Dermal LD ₅₀	Believed to be >2g/kg	375 mg/kg (rabbit, subcutaneous)	No data	No data		
Inhalation LC_{50}	Believed to be slightly to moderately toxic	No data	No data	No data		
Irritation	Believed to be an eye and respiratory irritant		Not irritating	Eye irritant		

SUBCHRONIC / CHRONIC TOXICITY:

CARCINOGENICITY:

MUTAGENICITY:

REPRODUCTIVE, TERATOGENICITY, OR DEVELOPMENTAL EFFECTS:

NEUROLOGICAL EFFECTS:

INTERACTIONS WITH OTHER CHEMICALS WHICH ENHANCE TOXICITY:

No information for product. Lead has caused blood, kidney and nervous system damage in laboratory animals.

This product is not known or reported to be carcinogenic. The International Agency for Research on Cancer (IARC) lists lead

as possibly carcinogenic to humans, group 2B.

This product is not known or reported to be mutagenic. Lead has been shown to be mutagenic in several *in vitro* assays. This product is not known or reported to cause reproductive or developmental effects. Lead has been shown to affect fetal development including birth defects and reduce male function in laboratory animals.

This product is not known or reported to cause neurological effects. Lead has caused peripheral and central nervous system damage and behavioral effects in laboratory animals.

None known or reported.

ECOLOGICAL INFORMATION

ECOTOXICITY: No data is available on this product. Individual constituents are as follows:

 $\underline{\text{Copper}} \colon \quad \text{The toxicity of copper to aquatic organisms varies significantly not only with}$

the species, but also with the physical and chemical characteristics of the water, such as its temperature, hardness, turbidity and carbon dioxide content. Copper concentrations varying from 0.1 to 1.0 mg/l have been found by various investigators to be not toxic for most fish. However, concentrations of 0.015 to 3.0 mg/l have been reported as toxic, particularly in soft water

to many kinds of fish, crustaceans, mollusks, insects, and plankton. Lead: LC_{50} (48 hrs.) to bluegill (Lepomis macrochirus) is reported to be 2-5 mg/l.

Lead is toxic to waterfowl.

MOBILITY: Dissolved lead may migrate through soil.

PERSISTANCE/DEGRADABILITY: Lead may persist and accumulate in the environment.

 ${\it BIOACCUMULATION:}\ {\it No}\ {\it data}$

13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D. Care must be taken to prevent environmental contamination from the use of this material. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and non-hazardous wastes. This product may be a candidate for metal reclamation.

14. TRANSPORT INFORMATION

	U.S. DOT	RID/ADR	IMDG	IATA	IMO	Canada TDG
PROPER SHIPPING NAME:	Not regulated					
HAZARD CLASS:						
UN NO.:						
PACKING GROUP:						
LABEL:						
REPORTABLE QUANTITY:						

15. REGULATORY INFORMATION

US FEDERAL

TSCA	The components of this product are listed on the Toxic Substance Control Act inventory.						
CERCLA:	Zinc, R.Q.=1000 lbs.; Copper, R.Q.= 5000 lbs.; Lead, R.Q.= 10 lbs. No reporting is required if diameter of the pieces of metal is equal to or exceeds 100 micrometers (0.004 inches)						
SARA 313:	Copper, Zinc (f	ume or dust),	Lead				
SARA 313 Hazard	Health: Fire: Reactivity: Release of Pressure:						
Class:	For dust or Acute-Yes None None None						
	fume only	Chronic-Yes					
SARA 302 EHS List:	None of the components of this product are listed.						

^{*}RQ - Reportable Quantity

STATE RIGHT-TO-KNOW STATUS

Component	*CA Prop. 65	New Jersey	Pennsylvania	Massachusetts	Michigan
Copper	Not listed	X	X	X	X
Zinc	Not listed	X	Not listed	X	X
Lead	X	X	X	X	X

^{*&}quot;WARNING: This product contains detectable amounts of a chemical(s) known to the State of California to cause cancer and/or birth defects or other reproductive harm."

EUROPEAN REGULATIONS

Because this may material contain lead at > 0.2%, this material is classified as \mathbf{Xn} , $\mathbf{Harmful}$. However, this material in its massive solid form is not required to be labeled under EC regulations.

German WGK Classification: Unknown

CANADIAN REGULATIONS

DSL LIST: The components of this product are on the DSL or are exempt from reporting

under the New Substances Notification Regulations.

IDL: Copper, Lead

WHMIS: This product is considered to be a manufactured article and therefore not

subject to WHMIS requirements.

NOTE: The information contained herein is provided in good faith and is believed to be correct as of the date hereof. However, Precision Brand Products, Inc. makes no representation as to the comprehensiveness or accuracy of the information. It is expected that individuals receiving the information will exercise their independent judgment in determining its appropriateness for a particular period. Accordingly, Precision Brand Products, Inc. will not be responsible for damages of any kind resulting from the use of or reliance upon such information. NO REPRESENTATIONS, OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER NATURE ARE MADE HEREUNDER TO WHICH THE INFORMATION REFERS. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment.