

An array of Megoimmeters to choose from

AEMC® offers a full line of megohmmeters with test voltages from 50V to 15kV, model dependent, capable of measuring insulation resistances from 1000Ω to $29T\Omega$. These rugged, weather resistant meters are accurate, reliable and built to perform. Battery, AC powered and hand-cranked models are available.









Our products are backed by over 100 years of experience in test and measurement equipment, and encompass the latest international standards for quality and safety.

Technical Hotline: (800) 343-1391
www.aemc.com



Understanding Insulation Resistance Testing

Why have an insulation testing program?

A regular program of testing insulation resistance is strongly recommended to prevent electrical shocks, assure personnel safety and to reduce or eliminate down time. It helps to detect deterioration of insulation in order to schedule repair work such as: vacuum cleaning, steam cleaning, drying and rewinding or test newly installed conductors. It is also helpful when evaluating the quality of the repairs before the equipment is put back into operation.

What causes insulation failure?

Some of the more common causes of insulation failure include: excessive heat or cold, moisture, dirt, corrosive vapors, oil, vibration, aging and nicked wiring.

What tests are used to detect insulation deterioration?

There are numerous maintenance tests for assessing insulation quality. The three tests primarily used to test motor, generator and transformer insulation are: polarization index, spot reading and step voltage.



Model 6555 performing insulation test.

What equipment is necessary for conducting insulation resistance tests?

- ▶ Megohmmeter with a timed test function
- ► Temperature indicator
- ▶ Humidity meter (not necessary if equipment temperature is above the dew point)

Four questions for selecting the proper megohmmeter

What is the proper voltage range?

Typically 2x equipment operating 1000V and equal to the operating voltages above 1000V

What is the desired power source?

Battery, AC powered, hand-cranked

What is the resistance range of interest? $M\Omega$, $G\Omega$, $T\Omega$

What type of display is preferred?

Analog (best for trend analysis), or Digital (eliminate guesswork), or gives exact reading and shows trend

APPLICATIONS

- Motors (AC and DC), transformers, cables, switchgears and electrical wiring installations
- ► Test industrial commercial wiring and motor control centers
- Acceptance testing and preventive maintenance
- Domestic and industrial contracting
- ▶ Dielectric Absorption Ratio (DAR) and Polarization Index (PI) measurements
- Spot reading tests
- ▶ High resistance or absorption tests
- ▶ Timed resistance measurements
- Low insulation test range for testing old or flooded installations
- Drying out conductors
- Continuity checks
- ▶ Cable testing (including telecom)
- ▶ Test transformers
- Heaters, relays, circuit breakers



DataView

Data Analysis and Reporting Software for Ground Testers








- Print reports of all test results
- Select test voltage and run tests from your computer with a simple click and execute process
- · Capture and display data in real-time
- · Retrieve data from the instrument's memory:
 - Over 1500 insulation resistance measurements
 - Over 4000 resistance measurements
- Display DAR and PI ratios
- · Plot graphs of manual and timed tests
- · Include your analysis comments section with the report
- · Store a library of setups for different applications
- · Certification of results through report generation
- Free updates are available on our website www.aemc.com




Model 5070 includes Ramp Function which allows programming of three different ramp test profiles, each containing up to five voltage steps between 40 and 5100V and time per step of up to 10 hours.



Four tabbed dialog boxes allow for clear and easy setup of all functions of the Model 5070, including setup for variable voltage and alarm set points, as well as step voltage tests and temperature compensation.



Clear and easy setup from one dialog box for Model 5060



Run test and display text and graphical results from one dialog box. Model 5070 also displays step voltage.



MEGOHMMETER SELECTION GUIDE



50V & 100V Megohmmeters

AEMC® offers low voltage insulation testers designed for both field and shop use. They are well suited for measuring the qualities of phone cables, data cables and power cables. Measurement of AC and DC voltage, resistance, continuity, cable capacitance, cable length and AC current can also be performed.



500V Megohmmeters

AEMC® offers a complete line of insulation testers designed to test the quality of insulation on equipment powered from sources up to 240V using test voltages up to 500V. Both analog and digital meters are available. AC powered, battery powered and hand-cranked models are available. Measurements can be in the $M\Omega$, $G\Omega$ and $T\Omega$ range. Most models offer multi-function capability, measuring AC/DC volts, resistance and continuity, as well as insulation resistance.



1000V Megohmmeters

AEMC® offers a complete line of insulation testers designed to test the quality of insulation using 1000V test voltage required for testing equipment powered from sources up to 480VAC. Both analog and digital meters are available. AC powered, battery powered and hand-cranked models are available. Many models will measure into the $G\Omega$ and $T\Omega$ range. Most models offer multi-function capability, measuring AC/DC volts, resistance and continuity, as well as insulation resistance. Both hand-held instruments and rugged instruments built into portable cases are available.



5000V Megohmmeters

AEMC® offers a complete line of insulation testers designed to test the quality of insulation using 5000V test voltages required for testing large motors, generators, transformers, cables and large rotating machinery. AC powered and battery powered models are available. Most models will measure into the $G\Omega$ and $T\Omega$ ranges. All models offer multifunction capability, measuring AC/DC volts, resistance and continuity, as well as insulation resistance.



10kV & 15kV Megohmmeters

AEMC® offers a complete line of safe and accurate insulation testers that are ideal for use on rotating equipment and machinery operating at 10kV or higher. They are the only fully automated 10,000V and 15,000V graphical insulation testers. They provide insulation measurements up to 30,000G Ω (30T Ω). Test results include DAR, PI, DD, Δ R, Capacitance, Leakage Current, as well as programmable temperature correction of resistance readings.

Expert tools for testing

10kV & 15kV

Digital Megohmmeters

High-end portable instruments for measuring a variety of electrical insulation resistance values.

The Megohmmeter Models 6550 and 6555 are the right tools for testing insulation safely and accurately, and are ideal for use on rotating equipment and machinery operating at 10kV or higher. They are the only fully automated 10,000V and 15,000V graphical insulation testers on the market. They provide insulation measurements up to 30,000G Ω (30T Ω). Test results include DAR, PI, DD, ΔR, Capacitance, Leakage Current, as well as programmable temperature correction of resistance

The Models 6550 & 6555 also offer the ability to program up to three step voltage profiles (from 40 to 10,000 or 15,000V – model dependent), each containing up to ten steps. They also

readings.







include three ramp profiles and three programmable test voltages in addition to the standard fixed voltages of 500, 1000, 2500, 5000, 10,000 and 15,000V. These units have a USB interface and a data storage function, which permits storage of test results in files specific to the device under test. The included DataView® software configures and runs tests directly from a PC and creates data analysis reports.

Note: 1000V, 5000V, 10kV & 15kV megohmmeters offer memory storage and PC connection for report generation (model dependent).



Safely & Accurately Models 6550 &

Multiple Voltage Ramp & Step Test Modes

MODEL	6550		
Test Voltage	500V, 1000V, 2500V, 5000V, 10,000V		
Insulation Range	10k Ω to 25,000G Ω		
Other Measurements	Auto DAR, PI, DD, ∆R (ppm/V) ratios		
Leakage Current	0 to 8mA		
Voltage Test	40 to 10kV		
Power Source	NiMH rechargeable batteries		
Display	Digital		
Communication	DataView® software/USB optically-isolated port		
Dimensions	13.39 x 11.81 x 7.87"		
Weight	approx. 13.7lb (6.2kg)		
Catalog No.	2130.31		


MODEL	6555		
Test Voltage	500V, 1000V, 2500V, 5000V, 10,000V, 15,000V		
Insulation Range	10k Ω to 29,000G Ω		
Other Measurements	Auto DAR, PI, DD, ∆R (ppm/V) ratios		
Leakage Current	0 to 8mA		
Voltage Test	40 to 15kV		
Power Source	NiMH rechargeable batteries		
Display	Digital		
Communication	DataView® software/USB optically-isolated port		
Dimensions	13.39 x 11.81 x 7.87"		
Weight	approx. 13.7lb (6.2kg)		
Catalog No.	2130.32		

► PRODUCT INCLUDES


Small classic tool bag, set of color-coded (red/blue/black) 9 ft (15kV) integral leads and alligator clips (1000V CAT IV), one 15kV jumper lead (blue), set of two color-coded test probes (red/black-1000V CAT IV), optical USB cable, 115V US power cord, 9.6V rechargeable NiMH batteries.




"Burn-In" Test Mode



Voltage Step Test Mode



Voltage Ramp Test Mode



1000V Digital/Analog Megohmmeter **Model 1026**

1000V True Megohmmeter® Model 1015

500V & 1000V Hand-cranked True Megohmmeter® Models 6501 & 6503















Test Voltage	250, 500, 1000Vpc	
Insulation Rar	ige $1 \text{k}\Omega$ to $4000 \text{M}\Omega$ (4G Ω)	
Resistance Ra	inge 4000Ω	
Continuity Rai	nge ≤40Ω	
Voltage Meas	urement 600Vac	
Power Source	Eight 1.5V AA batteries	
Display	Digital/Analog	
Other Ho	ld, Lock & Test Time functions	
Dimensions	7.72 x 4.41 x 2.52"	
Weight	1.5 lbs	
Catalog No.	2117.72	

Test Voltage	500, 1000Vpc		
Insulation Range	100k Ω to 1000M Ω		
Resistance Range	9 1000Ω		
Continuity Range	±10Ω		
Voltage Measurement 600VAC			
Power Source	Eight 1.5V AA batteries		
Display	Analog		
Other	Rubber housing		
Dimensions	6.6 x 4.2 x 2.2"		
Weight	1.45 lbs		
Catalog No.	1403.01		










MODELS	6501	6503	
Test Voltage	500V DC	250, 500, 1000Vpc	
Insulation Range	$500 \text{k}\Omega$ to $200 \text{M}\Omega$	1 to 5000MΩ	
Resistance Range	0 to $500k\Omega$	_	
Continuity Range	100Ω	_	
Voltage Measurement 600VAC			
Power Source	ce Hand-cranked		
Display	Analog		
Test Current 1mA constant current —			
Other ABS plastic with overmolded protection			
Dimensions	4.7 x 4.4 x 5	.3" with lid	
Weight	3.3	lbs	
Catalog No.	2126.51	2126.52	

1000V Digital/Analog



True Megohmmeter®
Model 1050



1000V Digital/Analog True Megohmmeter®



PATING Rated			
Test Voltage	50, 100, 250, 500, 1000Vpc		
Insulation Range	ge $2k\Omega$ to $4000G\Omega$ (4TΩ)		
Other Measurem	ent DAR, PI, Capacitance		
Resistance Rang	e 0.01Ω to 400 k Ω		
Continuity Range	Continuity Range 0.01 to 39.99Ω		
Voltage Measurement 1000Vac/dc			
Power Source 9.6V NiMH battery pack			
Display D	igital/Analog, bargraph, backlight		
Communication DataView® software/ 128kB memory with RS-232 to USB adapter			
Dimensions	sions 9.45 x 7.28 x 4.33"		
Weight	7.5 lbs		
Catalog No.	2130.03		

5000V Digital/Analog True Megohmmeter® Model 6505



Test Voltage	500, 1000, 2500, 5000Vpc
Insulation Range	$30k\Omega$ to $10T\Omega$
Other Measureme	ent DAR, PI, Capacitance
Leakage Current	1pA to 3mA
Voltage Measure	ment 1 to 5100Vac
Power Source	9.6V NiMH battery pack
Display	Digital/Analog
Communication	_
Dimensions	10.63 x 9.84 x 7.09"
Weight	9.5 lbs
Catalog No.	2130.18



Display

Weight

1000V Digital True Megohmmeter® Model 6527

500V Multi-Function True Megohmmeter® Models 1035 & 1039

1000V Digital/Analog True Megohmmeter® Models 1030, 1040 & 1045

































Test Voltage	250, 500, 1000Vpc		
Insulation Range $1k\Omega$ to $4000M\Omega$ ($4G\Omega$)			
Resistance Range 400kΩ			
Continuity Range 400Ω			
Voltage Measuren	nent 600V (AC); 1000V (DC)		
Power Source Six 1.5V AA batteries			
Display Digital dual	display with backlight		
Other Hold, Test	Time & Lock functions		
Dimensions 7.9 x 3.6 x 2.0"			
Weight	1.5 lbs		
Catalog No.	2126.53		

MODELS	1035	1039	
Test Voltage	50, 100, 250, 500Vpc	50, 100Vpc	
$\begin{array}{c} \textbf{Insulation Range} & 10 \text{k}\Omega \text{ to} \\ & 20,000 \text{M}\Omega \text{ (20G}\Omega) \end{array}$		10 k Ω to 400 M Ω	
Resistance Range 400		kΩ	
Continuity Range —			
Voltage Measurement 600Vac/bc			
Power Source Six 1.5V AA batteries			
Display	play Digital/Analog, bargraph, backlight		
Other	Alarm & ∆ relative		
Dimensions	8.31 x 4.26 x 2.36"		
Weight	1.81 lbs		
Catalog No.	2116.90	2116.91	
Ala! - - -			

Also available as complete Test Kit (1035 only)

MODELS	1030	1040	1045	
Test Voltage	250, 500Vpc	500, 1000VDC	250, 500, 1000Vpc	
Insulation Range		100k Ω to 2000M Ω (2G Ω)	$50 \text{k}\Omega$ to $2000 \text{M}\Omega$ (2G Ω)	
Resistance Rang	e —	40	OkΩ	
Continuity Range	je 20Ω			
Voltage Measure	age Measurement 600Vac/dc			
Power Source	Six 1.5V AA batteries			
Display	Digital/Analog, bargraph, backlight (backlight available for Models 1040 & 1045 only)			
Other	_	Alarm set point	Alarm & timer	
Dimensions	8.31 x 4.26 x 2.36"			
Weight	1.81 lbs			
Catalog No.	2116.89	2116.92	2116.93	

Also available as complete Test Kits (1040 & 1045 only)

5000V Digital/Analog True Megohmmeter® Model 5050



Test Voltage	500, 1000, 2500, 5000Vpc	
Insulation Range	$30k\Omega$ to $10T\Omega$	
Other Measurement DAR, PI, DD, Capacitance		
Dielectric Discha	arge 0.02 to 50.00	
Leakage Current	3mA	
Voltage Measure	ement 1 to 2500Vac/dc	
Power Source	9.6V NiMH battery pack	
Display Digita	al/Analog, bargraph, backlight	
Communication	_	
Dimensions	10.63 x 9.84 x 7.09"	
Weight	9.5 lbs	
Catalog No.	2130.20	

5000V Digital/Analog True Megohmmeter® Model 5060



Hateu		
Test Voltage	500, 1000, 2500, 5000Vpc	
Insulation Range	e 30 k Ω to 10 T Ω	
Other Measurement DAR, PI, DD, Capacitance		
Dielectric Discha	arge 0.02 to 50.00	
Leakage Curren	t 3mA	
Voltage Measure	ement 1 to 2500Vac/dc	
Power Source	9.6V NiMH battery pack	
Display Digita	al/Analog, bargraph, backlight	
Communication DataView® software/ 128kB memory with RS-232 to USB adapter		
Dimensions	10.63 x 9.84 x 7.09"	
Weight	9.5 lbs	
Catalon No	2130 21	

5000V Graphical True Megohmmeter®



Test Voltage 5	500, 1000, 2500, 5000Vpc	
Insulation Range	$30 \text{k}\Omega$ to $10 \text{T}\Omega$	
Other Measurement DAR, PI, DD, Capacitance, Step Voltage & Temperature Correction		
Dielectric Discharge	0.02 to 50.00	
Leakage Current	3mA	
Voltage Measuremen	t 1 to 2500Vac/dc	

Power Source 9.6V NiMH battery pack **Display** Graphical 300 x 240 resolution **Communication** DataView® software/ 128kB memory with RS-232 to USB adapter

Dimensions 10.63 x 9.84 x 7.09" Weight 9.5 lbs Catalog No. 2130.30



www.aemc.com

Since its creation in 1893, Chauvin Arnoux® has continued to successfully innovate and develop new products in response to customer needs and applications. Over the years, Chauvin Arnoux® has developed extensive expertise and knowledge in many product lines, including: current probes, multimeters (the first multimeter patented in 1937!), ground testers, insulation testers, environmental testers and many others in the portable test instrument realm.

One product line that stands out is Insulation Testers/Megohmmeters.

Our megohmmeter line finds its roots in the early 1900s. Limited technology was available, so a galvanometer and a decade resistance box combined with a DC power source was used to make one of the first megohmmeters. Years later, hand-cranked technology, first using a generator, provided the test voltage. Today, similar technology is used in the Models 6501 and 6503 hand-cranked magnetizer, but a regulated alternator provides rectified test voltage and a sealed case protects the meter from the environment. Electronics set in the 1950s and 60s gave birth to electronic megohmmeters with electronic amplifiers. Eventually, digital displays came to the scene, though analog meters remained due to customer habits and preference.

Today, megohmmeters are digital and incorporate many intelligent features. Timers, alarms and variable test voltages are becoming common. AEMC® introduced a unique line of professional megohmmeters (Models 1050, 1060, 5050, 5060, 5070, 6505, 6527, 6550 & 6555) with added features, such as: memory; automated tests and results (internal calculations of DAR, PI and other measurements); graphical displays; PC control; and, report compliant software. Market feedback has been very positive and the megohmmeters are setting new industry standards. All AEMC® manufactured megohmmeters are designed to the latest international safety and testing standards, and are CE marked.



First Megohmmeter introduced 1909



Visit our website at www.aemc.com



