









Go Getter Sound System



Technical Specifications

The Go Getter is perfect for voice projection in an indoor or outdoor setting, and for playing music during school activities. The unit delivers 109dB of intelligible speech, and is designed for users with little-to-no technical background.

Featuring a quick set-up and easy-to-use controls, the new Go Getter is a truly versatile sound system with true AC/DC operation, optional Bluetooth capability and improved battery life. The system is ideal for schools, corporate training, and places of worship.





Features

Reach Crowds of 500+
True AC/DC - 110/220V Power Supply
Single or Dual UHF Wireless with 16 User Selectable Channels
Optional CD/MP3 Combo Player
Comes with Standard Built-in Bluetooth
Remote Control for CD/MP3 Combo Player
LED Displays Charging and Low Battery
Two Microphone Combo Input Jacks
6.5" Woven Fiber Woofer & High-Output Horn Tweeter
Lightweight at just 20 Pounds
Improved "Limiter" Circuitry Reduces Distortion & Increases Intelligibility
Operates 6 - 8 Hours on a Single Charge

Speaker Out to Power Companion Speaker

GO GETTER MODELS

GG-8000	Go Getter with Bluetooth
GG-8000U1	Go Getter with Bluetooth & 1 wireless receiver
GG-8000U2	Go Getter with Bluetooth & 2 wireless receivers
GG-8000C	Go Getter with Bluetooth & CD/MP3 combo player
GG-8000CU1	Go Getter with Bluetooth, CD/MP3 combo player & 1 wireless receiver
GG-8000CU2	Go Getter with Bluetooth, CD/MP3 combo player & 2 wireless receivers
GG-8001	Unpowered companion speaker

UHF WIRELESS

WH-8000	Wireless handheld microphone/
	transmitter (540-570 MHz)

WB-8000 Wireless body-pack transmitter (540-570 MHz) (requires handsfree microphone) Microphone options include: Over-the-Ear/EM-TA4F, Lapel/LM-60, Collar/CM-60, Headband/HBM-TA4F

Rated Power Output
Max SPL @ Rated Powe
Frequency Response
AC Power Reqs.
Dimensions (HWD)
Weight (AC/DC)

75 watts AC/DC mode 109dB @ 1 meter 60 Hz - 16 kHz 90 - 264 VAC, 50/60 Hz 18" x 11" x 9" (46 x 28 x 23 cm) 20 lbs/ 9.07 Kg

Input	5
Micro	phone

TECHNICAL SPECIFICATIONS

inpois	
Microphone (Two combo)	
	12 VDC condenser microphone
	phantom power
	Hi-Z (10 KΩ), balanced 1/4" phone
Auxiliary (line)	Hi-Z (10 KΩ), balanced 1/4" phone
Outputs	
Line (post fader)	Lo-Z, buffered, 1/4"unbalanced/
	balanced
Speaker Out	4-pole Neutrik Speakon® jack

(Features & Specifications Subject to Change Without Notice)

800.262.4671

Anchor Audio, Inc. Portable Sound Systems • Carlsbad, California

