



Are you providing the best visual learning experience?










# **Why AVer Document Cameras?**

**HD** High image quality cameras



Flexible designs

Annotation capabilities

# **A+ Interactive Software Suite**

Interactive and engaging software for any lesson plan with the ability to annotate, screencast, livestream, and create.



















outube

Dropbox

куре

Google Hangouts Google Drive

# AVerVision F70W

Part Number: VSIONF70W









Wireless casting with Miracast





# AVerVision F50-8M

Part Number: VISIF508M









Smoothest video quality







# AVerVision F17-8M

Part Number: VISIF178M








Exceptional HD resolution



Why AVer FlexArm Doc Cams?









Classroom ideas:

- Study all angles of a 3-D object.

How to outfit your classroom with an AVer document camera?

FlexArm Doc Cam + AVer IFP + Sphere2 Software



# AVerVision M70HD

Part Number: VISIONM70









Display precise details







# **USB Document Cameras**

# AVerVision 300AFHD

Part Number: VIS3AFHDM









Illuminate learning










Lightbox

Premium quality performance



Why AVer Mechanical Arm and Platform Doc Cams?









One-touch auto focus




Classroom ideas:

Demonstrate science experiments.

**⊘** Give a sprouting seed a big-screen debut!

How to outfit your classroom with an AVer document camera?

Mechanical Arm Doc Cam + AVer IFP



# AVerVision U70

Part Number: VISIONU70

4K visual quality













# AVerVision **U50**









Configuration made simple





















How to outfit your classroom with an AVer document camera?

USB Doc Cam + Chromebook + AVer IFP



# Activate Learning

# **Incorporate more WOW moments**

The world is ours to explore with a finger touch! Use built-in screen share technology to instantly and wirelessly share content across all platforms.





CP864i

Part Number: IFCP864i0



CP654i

Part Number: IFCP654i0

Share student work instantly from any classroom device with built-in, one-touch wireless screen casting.


Part Number: IFCP754i0

Use the glass mode annotation tool to annotate over any content or application.

CP754i

- Oreate a wireless classroom experience with AVer's document camera, and teach from anywhere in the classroom!
- Create a lesson for every subject with unlimited content space and templates on the feature-rich whiteboard.





# Why AVer charging solutions?











management Best warranty program





design





Part Number: CHRGET018

18 Device Charging Tower

Simultaneous charging Front cable management





# AVerCharge C20i

20 Device Intelligent Charging Cart

Part Number: CHRGEC20i

Clever cable management technology



SPACE-SAVING DESIGN FOR SMALLER CLASSROOMS.

# AVerCharge C30u



CONVENIENT USB CHARGING AND SYNCING. THE BEST 30-DEVICE CHARGING CART.


AVerCharge C30i+

# AVerCharge C36i+



**VERSATILE AND** COMPACT CHARGING.





averusa.com/charge-cart

# **Doc Cam Comparison Chart**















						1		4
<b>S</b> ber	U50 VISIONU50	U70 VISIONU70	F17-8M VISIF178M	F50-8M VISIF508M	F70W VSIONF70W	300AFHD VIS3AFHDM	M70HD VISIONM70	PL50 VSIONPL50
	Flex Arm					Mechanical Ar	m	
1P)	5	8	8	8	2	5	5	5

Models Part Number	U50 VISIONU50	U70 VISIONU70	F17-8M VISIF178M	F50-8M VISIF508M	F70W VSIONF70W	300AFHD VIS3AFHDM	M70HD VISIONM70	PL50 VSIONPL50
	Flex Arm Mechanical Arm							
Sensor (MP)	5	8	8	8	2	5	5	5
Wireless Connectivity	No	No	No	No	•	No	No	No
Digital Zoom	8x	16x	27.2x	20x	12x	16x	16x	15x
Optical zoom	1x	1x	1x	10x	1x	1x	12x	16x
Max Display Resolution	2592x1944 *via USB	3840x2160 *via USB	1080p	1080p	1080p	1080p	1080p	1080p
Shooting area	19.02" x 14.25"	20.8" x 15.5"	22.83" x 12.83"	17.2" x 9.29"	13.3" x 9.88"	13.66" x 10.28"	16.54" x 12.4"	15.74" x 11.8"
Max FPS	30fps	1080P @ 60fps	30fps	60fps	30fps	30fps	30fps	30fps
External Storage	No	No	SD/USB	SD/USB	SD	SD/USB	SD/USB	SD/USB
USB to PC	~	~	<b>~</b>	~	~	~	<b>~</b>	~
Webcam Support (UVC)	<b>~</b>	~	<b>~</b>	<b>~</b>	<b>~</b>	<b>~</b>	~	~
Built-in Mic	<b>~</b>	~	<b>~</b>	~	~	~	<b>~</b>	~
Speaker Out	No	No	<b>~</b>	~	~	~	<b>~</b>	~
One Touch Recording	No	No	<b>~</b>	~	~	~	~	~
Onboard Annotation	No	No	No	<b>~</b>	No	~	<b>~</b>	~
HDMI	No	No	In/Out	In/Out	In/Out	In/Out*	In/Out*	Out
VGA	No	No	In/Out	In/Out	N/A	In/Out	In/Out	In/Out(x2)
RS-232	No	No	No	~	~	~	~	~
Onboard Camera Controls	No	No	<b>~</b>	<b>~</b>	<b>~</b>	<b>~</b>	<b>~</b>	~
Remote Control	No	No	~	~	~	~	~	~
Rechargeable Battery	No	No	No	No	~	No	No	No
Warranty	2 years	2 years	5 years	5 years	5 years**	5 years	5 years	5 years
Advanced Replacement	N/A	N/A	5 years	5 years	5 years	5 years	5 years	1st year
MSRP	\$199.99	\$299.99	\$399.99	\$699.99	\$699.99	\$699.99	\$799.99	\$999.99

<sup>\* 2017</sup> version \*\* 1 year for battery

# **Cart Comparison Chart**















Models	
Part Number	

E36c

C30i+

B30

T18

Part Number	CHRGS42i+	CHRGC36i+	CHRGEE36c	CHRGC30i+	CHRGEC30u	CHRGEB030	CHRGEC20i	CHRGET018
Device Capacity	42	36	36	30	30	30	20	18
Supported Devices	Laptop/Chromebook/Tablets up to 14" screens	Chromebooks/iPads/Android/ Windows Tablets/Netbooks up to 15" screens, 1.42" wide	Laptops/Chromebooks/Tablets up to 16" screens	Chromebooks/iPads/Android, Windows Tablets/Netbooks up to 15" screens, 1.34" wide	All USB charged tablets	Chromebooks, iPads, Android, Windows Tablets, Netbooks up to 14" screens, 0.95" wide	Laptop/Chromebook/Tablets up to 16" screens	Laptop/Chromebook/Tablets up to 16" screens
Slot Dimensions (W x D x H)	1.34" x 14.96" x 9.84"	1.42" x 14.96" x 10.24"	1.26" x 14.96" x 10.24"	1.34" x 14.96" x 10.24"	1.34" x 14.96" x 8.86"	0.95" x 14.74" x 10.2"	1.423" x 16.5" x 13"	12.6" x 17.7" x 2.36"
Cart Dimensions (W x D x H)	32.25" x 24.92" x 42.58"	31.1" x 25.0" x 42.1"	27.09" x 25.20" x 42.83"	27.09" x 25.08" x 41.73"	27.01" x 25.08" x 40.83"	24.6" x 21.3" x 38.1"	27.09" x 25.08" x 41.73"	18.5" x 20.1" x 57.9"
LED Indicator Lights	<b>✓</b>	~	×	<b>~</b>	<b>✓</b> Individual	×	•	×
Sync/Charging	<b>x</b> / <b>~</b>	<b>x</b> / <b>~</b>	<b>x</b> / <b>~</b>	<b>X</b> / <b>~</b>	<b>~</b> / <b>~</b>	<b>x</b> / <b>~</b>	<b>x</b> / <b>~</b>	<b>X</b> / <b>&gt;</b>
Power Management	Adaptive Intelligent Charging	Adaptive Intelligent Charging	Cycle Charging	Self-monitoring, Smart AC Charging	USB Hub	Simultaneous Power Strip Charging	Self-Monitoring, Smart AC Charging	Simultaneous Power Strip Charging
Cable Management (Organized Cabling System)	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>	•	<b>✓</b>	•	<b>~</b>
Individual AC Adapter Compartments	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>	N/A	×	<b>✓</b>	<b>✓</b>
Shelves	Sliding	Sliding	Fixed	Sliding	Sliding	Fixed	Fixed	Fixed
Net Weight	177.52 lbs	155 lbs	132.3 lbs	145 lbs	168 lbs	88 lbs	145 lbs	143.3 lbs
External Power Outlets	2	2	0	2	2	0	2	0
Warranty (Mechanical/Electrical)	10 yr/5 yr	10 yr/5 yr	10 yr/5 yr	10 yr/5 yr	10 yr/5 yr	10 yr / 5 yr	10 yr / 5 yr	10 yr / 5 yr
MSRP	\$1,799.99	\$1,499.99	\$999.99	\$1,399.99	\$1,999.99	\$699.99	\$1,199.99	\$899.99

# **Interactive Displays Comparison Chart**

	Ser.	Ser.	The same of the sa
Models Part Number	<b>CP654i</b> IFCP654i0	<b>CP754i</b> IFCP754i0	<b>CP864i</b> IFCP864i0
Active Screen Size (inches)	65 "	75 "	86 "
Display Backlight	LED	LED	LED
Display Ratio	Landscape 16:9	Landscape 16:9	Landscape 16:9
Resolution	UHD3840 x 2160	UHD3840 x 2160	UHD3840 x 2160
LCD Brightness	450cd/m2	450cd/m2	450cd/m2
Contrast Ratio (typical)	1200:1	1200:1	1200:1
Response Time (typical)	<6ms	8ms	8ms
Viewing Angle	178°	178°	178°
CPU	Quad Core, ARM Cortex A53,1.4GHz	Quad Core, ARM Cortex A53,1.4GHz	Quad Core, ARM Cortex A53,1.4GHz
GPU	Mali450MP4 (4+2)	Mali450MP4 (4+2)	Mali450MP4 (4+2)
RAM	2GB	2GB	2GB
ROM	16GB	16GB	16GB
Power Consumption	<180W Standby Mode ≤0.5W	<320W Standby Mode ≤0.5W	<500W Standby Mode ≤0.5W
Touch Surface Technology	Tempered Glass 4mm, Level 7 MoHS	Tempered Glass 4mm, Level 7 MoHS	Tempered Glass 4mm, Level 7 MoHS
Transparency	>88%	>88%	>88%
Touch Sensor	Infrared	Infrared	Infrared
Touch Points	10 Points	10 Points	10 Points
Touch Screen Writing Tools	Writing Pen or Finger	Writing Pen or Finger	Writing Pen or Finger
Positioning Accuracy	+-2mm (90% area)	+-2mm (90% area)	+-2mm (90% area)
Communication Interface	USB-B	USB-B	USB-B
Android Annotation	Yes	Yes	Yes
OPS Embedded Computer	Optional	Optional	Optional
Speaker Max.Power Output	2 x 10W	2 x 10W	2 x 10W
Panel Dimension	1510 x 106.1 x 926.5 (L*W*H) mm	1736.8x109.5x1055.3 (L*W*H) mm	1990 x 114.5 x 1201 (L*W*H) mm
Packing Dimension	1765 x 320 x 1165 (L*W*H) mm	1990 x 350 x 1315 (L*W*H) mm	2200 x 360 x 1490 (L*W*H) mm
Net Weight	116 lbs (52.95Kg ± 1.5Kg) (incl. wall mount/accessory)	136 lbs (61.95 Kg ± 1.5 Kg) (incl. wall mount/accessory)	198 lbs (89.95 Kg ± 1.5Kg) (incl. wall mount/accessory)
Gross Weight	146 lbs (66.45Kg ±1.5Kg)	174 lbs (79.1Kg ±1.5Kg)	239 lbs (108.4kg ± 1.5Kg)
VESA Mount Installation Position	400 x 400mm (4 x M6)	600 x 400mm (4 x M8)	700 x 400mm (4 x M8)
Warranty	5 Years on Site	5 Years on site	5 Years on Site
MSRP	\$3,649.99	\$5,599.99	\$8,499.99



# **AVer Service & Warranty**







program



UL product safety Superior warranty Complete customer care & service

### **Document Camera Warranty**



- **5-Yr** Limited Warranty\*
- **5-Yr** Free 2-Way RMA Shipping
- **5-Yr** Worry-Free Standard Advanced Replacement\*

**Technical Support** 

### **Charging Cart Warranty**



- **10-Yr** Limited Warranty (Mechanical)
- **5-Yr** Limited Warranty (Electrical)
- **Technical Support Onsite Repair**

# **Interactive Flat Panel Warranty**



- **5-Yr** Limited Warranty
- **5-Yr** Onsite Repair
- **5-Yr** Worry-Free Standard Advanced Replacement

**Technical Support** 

- \*UL certification applies to charging solutions \*Available for Continental USA/Alaska/ Hawaii only \*Available for select models

Contact our technical support team at 1.877.528.7824



"AVer is making a significant difference in the lives of our students and staff, we are grateful for the support!"

- Mike Thomason, Ed. D. Superintendent, Higley Unified School District, Gilbert, AZ



**Highest Quality Products** 



First-Class Customer Care



Best Onsite Repair and Training

















