

## Safety Data Sheet PTG-4043

according to U.S. Code of Federal Regulations 29 CFR 1910.1200, Hazard Communication.

Date of issue: 05/25/2015 Version: 1.0

## SECTION: 1. Product and company identification

1.1. Product identifier

Product form : Mixture

Formula : Non-flammable, Non-oxidizing gas mixture containing one or more of the following

components: Carbon Monoxide, Hydrogen, Oxygen, Nitrogen.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Calibration / Reference

Use of the substance/mixture : Industrial use

1.3. Details of the supplier of the safety data sheet

BACHARACH, INC. 621 Hunt Valley Circle

New Kensington, PA 15068-7074 - USA

T Tel: 724-334-5000, Toll Free in U.S.A.: 1-800-736-4666 - F Fax: 724-334-5001

1.4. Emergency telephone number

Emergency number : Onsite Emergencies: 1-800-645-4633

CHEMTREC: USA 1-800-424-9300, International 001-703-527-3887 (Collect calls accepted,

contract 17729)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

#### Classification (GHS-US)

Compressed gas H280

#### 2.2. Label elements

#### **GHS-US** labeling

Hazard pictograms (GHS-US)



GHS04

Signal word (GHS-US) : WARNING

Hazard statements (GHS-US) : H280 - CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED

Precautionary statements (GHS-US) : P410+P403 - Protect from sunlight when ambient temperature exceeds 52°C (125°F). Use and

store only outdoors or in a well-ventilated place.

CGA-PG27 - Read and follow the Safety Data Sheet (SDS) before use.

CGA-PG21 - Open valve slowly.

CGA-PG12 - Do not open valve until connected to equipment prepared for use. CGA-PG11 - Never put cylinders into unventilated areas of passenger vehicles.

CGA-PG10 - Use only with equipment rated for cylinder pressure. CGA-PG06 - Close valve after each use and when empty. CGA-PG05 - Use a back flow preventive device in the piping.

CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F).

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

No data available

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Not applicable

EN (English US) SDS ID: PTG-4043 1/9

This document is only controlled while on the Praxair, Inc. website and a copy of this controlled version is available for download. Praxair cannot assure the integrity or accuracy of any version of this document after it has been downloaded or removed from our website.



## Safety Data Sheet PTG-4043

according to U.S. Code of Federal Regulations 29 CFR 1910.1200, Hazard Communication.

Date of issue: 05/25/2015 Version: 1.0

#### **Mixture** 3.2.

Name	Product identifier	%
Nitrogen	(CAS No) 7727-37-9	79.1 - 99.999
Oxygen	(CAS No) 7782-44-7	0.0001 - 20.9
Hydrogen	(CAS No) 1333-74-0	0.0001 - 3
Carbon monoxide	(CAS No) 630-08-0	0.0001 - 0.0999

## **SECTION 4: First aid measures**

#### **Description of first aid measures**

: Immediately remove to fresh air. If not breathing, give artificial respiration. If breathing is First-aid measures after inhalation

difficult, qualified personnel may give oxygen. Call a physician.

First-aid measures after skin contact

: Adverse effects not expected from this product. Immediately flush eyes thoroughly with water for at least 15 minutes. Hold the eyelids open and First-aid measures after eye contact

away from the eyeballs to ensure that all surfaces are flushed thoroughly. Contact an

ophthalmologist immediately.

First-aid measures after ingestion : Ingestion is not considered a potential route of exposure.

#### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

#### Indication of any immediate medical attention and special treatment needed 4.3.

None.

## **SECTION 5: Firefighting measures**

### **Extinguishing media**

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

#### Special hazards arising from the substance or mixture 5.2.

Reactivity : No reactivity hazard other than the effects described in sub-sections below.

## **Advice for firefighters**

Firefighting instructions

: Evacuate all personnel from the danger area. Use self-contained breathing apparatus (SCBA) and protective clothing. Immediately cool containers with water from maximum distance. Stop flow of gas if safe to do so, while continuing cooling water spray. Remove ignition sources if safe to do so. Remove containers from area of fire if safe to do so. On-site fire brigades must comply with OSHA 29 CFR 1910.156 and applicable standards under 29 CFR 1910 Subpart –Firé Protection.

Special protective equipment for fire fighters

Standard protective clothing and equipment (Self Contained Breathing Apparatus) for fire fighters.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

No additional information available

#### 6.2. **Environmental precautions**

Prevent waste from contaminating the surrounding environment. Prevent soil and water pollution. Dispose of contents/container in accordance with local/regional/national/international regulations. Contact supplier for any special requirements.

### Methods and material for containment and cleaning up

No additional information available

#### Reference to other sections 6.4.

See also sections 8 and 13.

EN (English US) SDS ID: PTG-4043 2/9



## Safety Data Sheet PTG-4043

according to U.S. Code of Federal Regulations 29 CFR 1910.1200, Hazard Communication.

Date of issue: 05/25/2015 Version: 1.0

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling

: Wear leather safety gloves and safety shoes when handling cylinders. Protect cylinders from physical damage; do not drag, roll, slide or drop. While moving cylinder, always keep in place removable valve cover. Never attempt to lift a cylinder by its cap; the cap is intended solely to protect the valve. When moving cylinders, even for short distances, use a cart (trolley, hand truck, etc.) designed to transport cylinders. Never insert an object (e.g., wrench, screwdriver, pry bar) into cap openings; doing so may damage the valve and cause a leak. Use an adjustable strap wrench to remove over-tight or rusted caps. Slowly open the valve. If the valve is hard to open, discontinue use and contact your supplier. Close the container valve after each use; keep closed even when empty. Never apply flame or localized heat directly to any part of the container. High temperatures may damage the container and could cause the pressure relief device to fail prematurely, venting the container contents. For other precautions in using this product, see section 16.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

Store in a cool, well-ventilated place. Store and use with adequate ventilation. Store only where temperature will not exceed 125°F (52°C). Firmly secure containers upright to keep them from falling or being knocked over. Install valve protection cap, if provided, firmly in place by hand. Store full and empty containers separately. Use a first-in, first-out inventory system to prevent storing full containers for long periods.

OTHER PRECAUTIONS FOR HANDLING, STORAGE, AND USE: When handling product under pressure, use piping and equipment adequately designed to withstand the pressures to be encountered. Never work on a pressurized system. Use a back flow preventive device in the piping. Gases can cause rapid suffocation because of oxygen deficiency; store and use with adequate ventilation. If a leak occurs, close the container valve and blow down the system in a safe and environmentally correct manner in compliance with all international, federal/national, state/provincial, and local laws; then repair the leak. Never place a container where it may become part of an electrical circuit.

#### 7.3. Specific end use(s)

None.

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

Carbon monoxide (630-08-0)			
ACGIH	ACGIH TLV-TWA (ppm)	25 ppm	
USA OSHA	OSHA PEL (TWA) (mg/m³)	55 mg/m³	
USA OSHA	OSHA PEL (TWA) (ppm) 50 ppm		
Hydrogen (1333-74-0)			
ACGIH	Not established		
USA OSHA	Not established		
Oxygen (7782-44-7)			
ACGIH	Not established		
USA OSHA	Not established		
Nitrogen (7727-37-9)			
ACGIH	Not established		
USA OSHA	Not established		

#### 8.2. Exposure controls

Appropriate engineering controls

EN (English US) SDS ID: PTG-4043 3/9

<sup>:</sup> Provide adequate general and local exhaust ventilation. Ensure exposure is below occupational exposure limits (where available).



## Safety Data Sheet PTG-4043

according to U.S. Code of Federal Regulations 29 CFR 1910.1200, Hazard Communication.

Date of issue: 05/25/2015 Version: 1.0

: Gloves. Safety glasses. Personal protective equipment





: Wear safety glasses when handling cylinders; vapor-proof goggles and a face shield during Eye protection

cylinder changeout or whenever contact with product is possible. Select eye protection in

accordance with OSHA 29 CFR 1910.133.

Skin and body protection : Wear metatarsal shoes and work gloves for cylinder handling, and protective clothing where

needed. Wear appropriate chemical gloves during cylinder changeout or wherever contact with

product is possible. Select per OSHA 29 CFR 1910.132, 1910.136, and 1910.138. Respiratory protection

When workplace conditions warrant respirator use, follow a respiratory protection program that meets OSHA 29 CFR 1910.134, ANSI Z88.2, or MSHA 30 CFR 72.710 (where applicable). Use an air-supplied or air-purifying cartridge if the action level is exceeded. Ensure that the respirator has the appropriate protection factor for the exposure level. If cartridge type respirators are used, the cartridge must be appropriate for the chemical exposure (e.g., an organic vapor cartridge). For emergencies or instances with unknown exposure levels, use a self-contained breathing apparatus (SCBA). Self contained breathing apparatus (SCBA) or

positive pressure airline with mask are to be used in oxygen-deficient atmospheres.

: Wear cold insulating gloves when transfilling or breaking transfer connections. Thermal hazard protection

No data available

## **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

Physical state : Gas Colorless Color

Odor threshold : No data available Not applicable. Relative evaporation rate (butyl acetate=1) : No data available Relative evaporation rate (ether=1) : Not applicable. Melting point No data available : No data available Freezing point : No data available Boiling point No data available Flash point Auto-ignition temperature : No data available Decomposition temperature No data available : No data available Flammability (solid, gas) Vapor pressure : Not applicable. Relative vapor density at 20 °C : No data available : No data available Relative density

Log Pow : Not applicable. : Not applicable. Log Kow Viscosity, kinematic : Not applicable. Viscosity, dynamic : Not applicable. Explosive properties : Not applicable.

**Explosion limits** : No data available

92 Other information

Oxidizing properties

Odor

Solubility

No additional information available

Water: No data available

: None.

EN (English US) SDS ID: PTG-4043 4/9



## Safety Data Sheet PTG-4043

according to U.S. Code of Federal Regulations 29 CFR 1910.1200, Hazard Communication.

Date of issue: 05/25/2015 Version: 1.0

SECT	ION 10: Stability and reactivity	
10.1.	Reactivity	
		No reactivity hazard other than the effects described in sub-sections below.
10.2.	Chemical stability	
		Stable under normal conditions.
10.3.	Possibility of hazardous reactions	
		None.
10.4.	Conditions to avoid	
		None.
10.5.	Incompatible materials	
		None.
10.6.	Hazardous decomposition products	

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Carbon monoxide (630-08-0)		
LC50 inhalation rat (ppm)	3760 ppm/1h	
ATE US (gases)	1880.000 ppmV/4h	
Hydrogen (1333-74-0)		
LC50 inhalation rat (ppm)	> 15000 ppm/1h	

Skin corrosion/irritation : Not classified

pH: Not applicable.

None.

Serious eye damage/irritation : Not classified

pH: Not applicable.

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated : Not classified

exposure)

Aspiration hazard : Not classified

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

No additional information available

## 12.2. Persistence and degradability

PTG-4043			
Persistence and degradability  No ecological damage caused by this product.			
Hydrogen (1333-74-0)			
Persistence and degradability  No ecological damage caused by this product.			
Oxygen (7782-44-7)			
Persistence and degradability	No ecological damage caused by this product.		

EN (English US) SDS ID: PTG-4043 5/9



# Safety Data Sheet PTG-4043

according to U.S. Code of Federal Regulations 29 CFR 1910.1200, Hazard Communication.

Date of issue: 05/25/2015 Version: 1.0

Nitrogen (7727-37-9)				
Persistence and degradability	No ecological damage caused by this product.			
12.3. Bioaccumulative potential				
PTG-4043				
Log Pow	Not applicable.			
Log Kow	Not applicable.			
Bioaccumulative potential	No ecological damage caused by this product.			
Carbon monoxide (630-08-0)				
Log Kow	Not applicable.			
Hydrogen (1333-74-0)				
BCF fish 1	(no bioaccumulation expected)			
Log Pow	Not applicable.			
Log Kow	Not applicable.			
Bioaccumulative potential	No ecological damage caused by this product.			
Oxygen (7782-44-7)				
Log Pow	Not applicable.			
Log Kow	Not applicable.			
Bioaccumulative potential	No ecological damage caused by this product.			
Nitrogen (7727-37-9)				
Log Pow	Not applicable.			
Log Kow	Not applicable.			
Bioaccumulative potential	No ecological damage caused by this product.			
12.4. Mobility in soil				
PTG-4043				
Mobility in soil	No data available.			
Carbon monoxide (630-08-0)				
Mobility in soil	No data available.			
Hydrogen (1333-74-0)				
Mobility in soil	No data available.			
Ecology - soil	No ecological damage caused by this product.			
Oxygen (7782-44-7)				
Mobility in soil	No data available.			
Ecology - soil	No ecological damage caused by this product.			
Nitrogen (7727-37-9)				
Mobility in soil	No data available.			
	1			

# 12.5. Other adverse effects

Effect on ozone layer : None.

## SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Do not attempt to dispose of residual or unused quantities. Return container to supplier.

## **SECTION 14: Transport information**

In accordance with DOT

Transport document description : UN1956 Compressed gas, n.o.s., 2.2

UN-No.(DOT) : UN1956

Proper Shipping Name (DOT) : Compressed gas, n.o.s.

EN (English US) SDS ID: PTG-4043 6/9



## Safety Data Sheet PTG-4043

according to U.S. Code of Federal Regulations 29 CFR 1910.1200, Hazard Communication.

Date of issue: 05/25/2015 Version: 1.0

Transport hazard class(es) (DOT) : 2.2 - Class 2.2 - Non-flammable compressed gas 49 CFR 173.115

Hazard labels (DOT) : 2.2 - Non-flammable gas

2

DOT Symbols : G - Identifies proper shipping name (PSN) requiring the addition of technical name(s) in

parentheses following the PSN.

**Additional information** 

Emergency Response Guide (ERG) Number : 126

Other information : No supplementary information available.

Special transport precautions : Avoid transport on vehicles where the load space is not separated from the driver's

compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers:
- Ensure there is adequate ventilation. - Ensure that containers are firmly secured. - Ensure cylinder valve is closed and not leaking. - Ensure valve outlet cap nut or plug (where provided)

is correctly fitted. - Ensure valve protection device (where provided) is correctly fitted.

Transport by sea

UN-No. (IMDG) : 1956

Proper Shipping Name (IMDG) : COMPRESSED GAS, N.O.S.

 Class (IMDG)
 : 2 - Gases

 Limited quantities (IMDG)
 : 120ml

 EmS-No. (1)
 : F-C

 MFAG-No
 : 620

 EmS-No. (2)
 : S-V

Air transport

UN-No.(IATA) : 1956

Proper Shipping Name (IATA) : Compressed gas, n.o.s.

Class (IATA) : 2
Instruction "cargo" (ICAO) : 200
Instruction "passenger" (ICAO) : 200

Instruction "passenger" - Limited quantities : FORBIDDEN

(ICAO)

### **SECTION 15: Regulatory information**

# 15.1. US Federal regulations

No additional information available

# 15.2. International regulations

**CANADA** 

## Carbon monoxide (630-08-0)

Listed on the Canadian DSL (Domestic Substances List)

## Hydrogen (1333-74-0)

Listed on the Canadian DSL (Domestic Substances List)

## Oxygen (7782-44-7)

Listed on the Canadian DSL (Domestic Substances List)

EN (English US) SDS ID: PTG-4043 7/9



# Safety Data Sheet PTG-4043

according to U.S. Code of Federal Regulations 29 CFR 1910.1200, Hazard Communication.

Date of issue: 05/25/2015 Version: 1.0

#### Nitrogen (7727-37-9)

Listed on the Canadian DSL (Domestic Substances List)

### **EU-Regulations**

## 15.2.2. National regulations

No additional information available

15.3.	<b>US Stat</b>	e requ	lations
-------	----------------	--------	---------

PTG-4043()		
U.S California - Proposition 65 - Carcinogens List	No	
U.S California - Proposition 65 - Developmental Toxicity	No	
U.S California - Proposition 65 - Reproductive Toxicity - Female	No	
U.S California - Proposition 65 - Reproductive Toxicity - Male	No	

Carbon monoxide (63	0-08-0)			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
No	Yes	No	No	
Hydrogen (1333-74-0)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
No	No	No	No	
Oxygen (7782-44-7)				<u> </u>
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
No	No	No	No	
Nitrogen (7727-37-9)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
No	No	No	No	

## Carbon monoxide (630-08-0)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

### Hydrogen (1333-74-0)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

#### Oxygen (7782-44-7)

U.S. - Massachusetts - Right To Know List

EN (English US) SDS ID: PTG-4043 8/9



## Safety Data Sheet PTG-4043

according to U.S. Code of Federal Regulations 29 CFR 1910.1200, Hazard Communication.

Date of issue: 05/25/2015 Version: 1.0

#### Oxygen (7782-44-7)

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

#### Nitrogen (7727-37-9)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

## **SECTION 16: Other information**

Other information

: When you mix two or more chemicals, you can create additional, unexpected hazards. Obtain and evaluate the safety information for each component before you produce the mixture. Consult an industrial hygienist or other trained person when you evaluate the end product. Before using any plastics, confirm their compatibility with this product.

Praxair asks users of this product to study this SDS and become aware of the product hazards and safety information. To promote safe use of this product, a user should (1) notify employees, agents, and contractors of the information in this SDS and of any other known product hazards and safety information, (2) furnish this information to each purchaser of the product, and (3) ask each purchaser to notify its employees and customers of the product hazards and safety information.

The opinions expressed herein are those of qualified experts within Praxair, Inc. We believe that the information contained herein is current as of the date of this Safety Data Sheet. Since the use of this information and the conditions of use are not within the control of Praxair, Inc., it is the user's obligation to determine the conditions of safe use of the product.

Praxair SDSs are furnished on sale or delivery by Praxair or the independent distributors and suppliers who package and sell our products. To obtain current SDSs for these products, contact your Praxair sales representative, local distributor, or supplier, or download from www.praxair.com. If you have questions regarding Praxair SDSs, would like the document number and date of the latest SDS, or would like the names of the Praxair suppliers in your area, phone or write the Praxair Call Center (Phone: 1-800-PRAXAIR/1-800-772-9247; Address: Praxair Call Center, Praxair, Inc., P.O. Box 44, Tonawanda, NY 14151-0044).

PRAXAIR and the Flowing Airstream design are trademarks or registered trademarks of Praxair Technology, Inc. in the United States and/or other countries.

Bacharach SDS - 0099-0020

Bacharach Part Numbers:

0024-0492 0051-4039 0023-4005 0051-4025 0051-4024

0051-1994 0051-4088

0051-4023

0051-4041

0051-4040

0051-4026

SDS US (GHS HazCom 2012) - Praxair

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EN (English US) SDS ID: PTG-4043 9/9