

Easy-Lift Series

The Easy-Lift Series features workstations that are height-adjustable at any time. The worksurface is easily raised or lowered with either a push-button or smooth action crank handle. Easy-Lift Series stations are essential for multi-shift facilities where several employees may be using the same workbench.

Attach accessories to your Easy-Lift Series workstation using Uprights. Uprights are constructed of robust unistrut, similar to our signature C-Leg Series frames.


Accessories are attached using the Basic Nut and Bolt allowing for micro-adjustment of your accessories to the most comfortable position.




General Information - Easy-Lift Series

- Stock frame color on all Electric Station, Dual Leg and Hand Crank, Dual Leg Stations is a Black frame with extruded aluminum legs. Worksurface is either White standard laminate or Grey ESD laminate.
- Stock color on all 4-post workstations is Blue with White standard laminate or Grey ESD laminate.
- Other frame colors for 4-post workstations available upon request at no additional charge are Almond, White, Grey, and Black.
- Other laminate colors available upon request at no additional charge are White, Beige and Grey.
- Workstation kits noted as “ESD” include ESD laminate and ground bolt.
- Laminate worksurfaces are constructed of 1.25” thick industrial grade particle board. ESD laminate measures within the static dissipative range of 10^6 to 10^9 ohms to ground.
- Most Easy Lift Series workstations ship fully assembled, except for accessories.
- Unless noted, worksurface depth (D) is always specified first in dimension notation. Station width (W) is specified second.
- Height adjustability range varies by workstation. See product notes for specific ranges.
- Workstation components are constructed of steel except for extruded aluminum leg.
- Choose accessories for your Easy-Lift Series workstation on pages 55-76.
- Most above surface accessories are compatible with Easy Lift Series using Uprights.
- Weight capacity varies by workstation. See product notes for maximum evenly distributed load specifications.
- Custom frame colors are available at an additional charge.
- Custom laminate colors are available at an additional charge.
- For options not specified in this section, review the Custom Options section of this Product Specifier (pages 77-83) or call Production Basics.

NEW



Dual-Leg-Electric &
Hand Crank, 36"W, pg. 36



Hand Crank 4-post-36"W, pg. 37

Product Details


Description

Dimensions

Item Number

Notes

NEW
SIZE



Hand-Crank Adjustable Table, 4-post


This table provides excellent stability, high weight capacity and easy worksurface height adjustment with a hand crank.

- 30"D x 36"W
- 30"D x 48"W
- 30"D x 60"W
- 30"D x 72"W
- 36"D x 36"W
- 36"D x 48"W
- 36"D x 60"W
- 36"D x 72"W

- 2403
- 2400
- 2405
- 2410
- 2404
- 2402
- 2406
- 2411

- 30-42" height adjustability
- 1000 lb weight capacity

NEW
SIZE




Hand-Crank Adjustable Table, 4-post, ESD

This table provides excellent stability, high weight capacity and easy worksurface height adjustment with a hand crank. Includes ESD laminate worksurface.

- 30"D x 36"W
- 30"D x 48"W
- 30"D x 60"W
- 30"D x 72"W
- 36"D x 36"W
- 36"D x 48"W
- 36"D x 60"W
- 36"D x 72"W

- 2503
- 2500
- 2505
- 2510
- 2504
- 2502
- 2506
- 2511

- 30-42" height adjustability
- 1000 lb weight capacity
- includes standard ground bolt & wire




4-Post Adjustable Table, Electric Option

Four-post tables that are 48" wide or wider are available with electric push-button height adjustment.

4397

- compatible with tables 48" wide or wider



4-Post Adjustable Table, Caster Option

Add mobility to an Electric or Hand-Crank 4-post table. Caster frame maintains height adjustability range. Includes four (4) 4" thermoplastic casters.

8975

- includes four (4) 4" casters
- specify at time of order with item numbers 2400-2511
- mobile at lowest height
- workstation not included