The Easy-Lift Series features workstations that are height-adjustable at any time. The worksurface is easily raised or lowered with either a push-button or smooth action crank handle. Easy-Lift Series stations are essential for multi-shift facilities where several employees may be using the same workbench.


Attach accessories to your Easy-Lift Series workstation using Uprights. Uprights are constructed of robust unistrut, similar to our signature C-Leg Series frames.

Accessories are attached using the Basic Nut and Bolt allowing for micro-adjustment of your accessories to the most comfortable position.



General Information - Easy-Lift Series

- Stock frame color on all Electric Station, Dual Leg and Hand Crank, Dual Leg Stations is a Black frame with extruded aluminum legs. Worksurface is either White standard laminate or Grey ESD laminate.
- Stock color on all 4-post workstations is Blue with White standard laminate or Grey ESD laminate.
- Other frame colors for 4-post workstations available upon request at no additional charge are Almond, White, Grey, and Black.
- Other laminate colors available upon request at no additional charge are White, Beige and Grey.
- · Workstation kits noted as "ESD" include ESD laminate and ground bolt.
- Laminate worksurfaces are constructed of 1.25" thick industrial grade particle board. ESD laminate measures within the static dissipative range of 10° to 10° ohms to ground.
- Most Easy Lift Series workstations ship fully assembled, except for accessories.
- Unless noted, worksurface depth (D) is always specified first in dimension notation. Station width (W) is specified second.
- Height adjustability range varies by workstation. See product notes for specific ranges.
- Workstation components are constructed of steel except for extruded aluminum leg.
- Choose accessories for your Easy-Lift Series workstation on pages 55-76.
- Most above surface accessories are compatible with Easy Lift Series using Uprights.
- Weight capacity varies by workstation. See product notes for maximum evenly distributed load specifications.
- Custom frame colors are available at an additional charge.
- Custom laminate colors are available at an additional charge.
- For options not specified in this section, review the Custom Options section of this Product Specifier (pages 77-83) or call Production Basics.



EASY-LIFT SERIES > DUAL-LEG PRODUCT DETAILS

Product Details	Descriptor	Dinerators	Hem Nur	Mag _e
	Electric Station, Dual Leg Use this workstation to improve ergonomics. Effortless push button height adjustment travels the full range within 20 seconds. Store up to 4 height settings.	30"D x 36"W 30"D x 48"W 30"D x 60"W 30"D x 72"W	4203 4200 4205 4210	• 30-42" height adjustment • 400 lb weight capacity
		36"D x 36"W 36"D x 48"W 36"D x 60"W 36"D x 72"W	4223 4202 4220 4225	
NEW CONTRACTOR OF THE PARTY OF	Electric Station, Dual Leg, ESD Use this workstation with ESD laminate to improve ergonomics. Effortless push button height adjustment travels the full range within 20 seconds. Store up to 4 height settings.	30"D x 36"W 30"D x 48"W 30"D x 60"W 30"D x 72"W	4303 4300 4305 4310	• 30-42" height adjustment • 400 lb weight capacity • includes standard ground bolt & wire
		36"D x 36"W 36"D x 48"W 36"D x 60"W 36"D x 72"W	4323 4302 4320 4325	
	Hand Crank Adjustable Table, Dual Leg Use this workstation to address ergonomic	30"D x 36"W 30"D x 48"W 30"D x 60"W 30"D x 72"W	2003 2000 2005 2010	• 30-42" height adjustment • 400 lb weight capacity
	Smooth crank action allows the operator to precisely position the height of the worksurface.	36"D x 36"W 36"D x 48"W 36"D x 60"W 36"D x 72"W	2023 2002 2020 2025	
	Hand Crank Adjustable Table, Dual Leg, ESD Use this workstation to address ergonomic	30"D x 36"W 30"D x 48"W 30"D x 60"W 30"D x 72"W	2103 2100 2105 2110	• 30-42" height adjustment • 400 lb weight capacity • includes standard ground bolt & wire
	Smooth crank action allows the operator to precisely position the height of the ESD laminate worksurface.	36"D x 36"W 36"D x 48"W 36"D x 60"W 36"D x 72"W	2123 2102 2120 2125	
	Caster Option, Dual Leg Add mobility to an Electric or Hand Crank Dual Leg Station. Caster frame maintains height adjustability range. Includes four (4) 4" thermoplastic casters.		8974	 includes four (4) 4" casters must specify at time of order with Item Numbers 2000-2125 & 4200-4325 workstation not included
		Electric Station, Dual Leg Use this workstation to improve ergonomics. Effortless push button height adjustment travels the full range within 20 seconds. Store up to 4 height settings. Electric Station, Dual Leg, ESD Use this workstation with ESD laminate to improve ergonomics. Effortless push button height adjustment travels the full range within 20 seconds. Store up to 4 height settings. Hand Crank Adjustable Table, Dual Leg Use this workstation to address ergonomic concerns and increase operator comfort. Smooth crank action allows the operator to precisely position the height of the worksurface. Hand Crank Adjustable Table, Dual Leg, ESD Use this workstation to address ergonomic concerns and increase operator comfort. Smooth crank action allows the operator to precisely position the height of the ESD laminate worksurface. Caster Option, Dual Leg Add mobility to an Electric or Hand Crank Dual Leg Station. Caster frame maintains height adjustability range. Includes four (4)	Electric Station, Dual Leg Use this workstation to improve ergonomics. Effortless push button height adjustment travels the full range within 20 seconds. Store up to 4 height settings. Electric Station, Dual Leg, ESD Use this workstation with ESD laminate to improve ergonomics. Effortless push button height adjustment travels the full range within 20 seconds. Store up to 4 height settings. Electric Station, Dual Leg, ESD Use this workstation to address push button height adjustment travels the full range within 20 seconds. Store up to 4 height settings. Hand Crank Adjustable Table, Dual Leg Use this workstation to address ergonomic concerns and increase operator comfort. Smooth crank action allows the operator to precisely position the height of the worksurface. Hand Crank Adjustable Table, Dual Leg, ESD Use this workstation to address ergonomic concerns and increase operator comfort. Smooth crank action allows the operator to precisely position the height of the worksurface. Caster Option, Dual Leg Add mobility to an Electric or Hand Crank Dual Leg Station. Caster frame maintains height adjustability range. Includes four (4)	Selectric Station, Dual Leg 30"D x 36"W 4203 30"D x 48"W 4205 30"D x 48"W 4205 30"D x 36"W 4205 36"D x 36"W 4220 36"D x 36"W 4220 36"D x 60"W 4220 30"D x 60"W 4220 30"D x 60"W 4220 30"D x 60"W 4200 30"D x 60"W 4220 30"D x 60"W 4200

36>> Production Basics 800.318.2770 www.pbasics.com