INTEGRATORS CHOICE Reference Guide

4TH QUARTER 2017

Home Cinema Projectors



HT8050

- 4K UHD with XPR Technology, 8.3 million pixels
- THX Certification for Superb Cinematic Performance
- 2,200 Lumens, 50,000:1 Contrast Ratio
- Rec. 709 HDTV Standard
- HDMI 2.0 and HDCP2.2 Compatibility
- H/V Lens Shift, I.5x Zoom
- Whisper Quiet Design
- Spare Lamp Kit P/N: 5J.JFY05.001
- 3 Year Advance Replacement

















HT9050

- 4K UHD with XPR Technology, 8.3 million pixels
- Superb CinematicColor DCI-P3 Color Accuracy
- · ColorSpark HLD LED Technology
- H/V Lens Shift & Big Zoom Lens for Installation Flexibility
- Instant On/Off and Lamp Maintenance Free



HT6050

- 1080p (1920x1080) Resolution
- 2,000 Lumens, 50,000:1 Contrast Ratio
- H/V Lens Shift
- Vertical Keystone
- HDMI x2, MHL x1 (shared with HDMI)
- 5 Optional Lenses Throw Ratio (see chart below)
- Spare Lamp Kit P/N: 5J.04J05.001
- Ceiling Mount CM00G3 P/N: 5J.JAM10.001
- 3 Year Advance Replacement

STD Lens	1.54~1.93:1	P/N: 5J.JDH37.021
Wide Fix	0.77:1	P/N: 5J.JDH37.001
Wide Zoom	1.1~1.3:1	P/N: 5J.JDH37.011
Long Zoom I	3.0~5.0:1	P/N: 5J.JDH37.041
Semi Long Zoom	1.93~2.9:1	P/N: 5J.JDH37.031









205 Westwood Ave, Long Branch, NJ 07740 Phone: 866-94 BOARDS (26273) / (732)-222-1511 Fax: (732)-222-7088 | E-mail: sales@touchboards.com



Projectors: Interchangeable Lens



LU9715

- Native WUXGA (1920x1200) Resolution
- 8,000 ANSI Lumens; 100,000:1 Contrast Ratio
- Powered Focus, Zoom & Lens Shift
- Portrait & 360 degree Projection
- Lens Memory, Panasonic Lens Compatible
- LAN Control, HDMI, DVI & Display Port SDI in/out
- 8 Optional Lenses Throw Ratio (see chart below)
- Ceiling Mount CM00G4 5J.JCY10.001
- 3 Year Advance Replacement





INNOVATIVE PRODUCTS

Interchangeable Lenses:			
Lens	Throw Ratio	Part Number	
STD Lens	1.81~2.38:1	P/N: 5J.JAM37.001	
Wide Fix	0.8:1	P/N: 5J.JAM37.01 I	
Wide Zoom	1.31~1.87:1	P/N: 5J.JAM37.021	
Long Zoom I	3.76~5.64:1	P/N: 5J.JAM37.03 I	
Long Zoom 2	5.56~8.57:1	P/N: 5J.JAM37.041	
Semi Long Zoom	2.33~3.86:1	P/N: 5J.JAM37.05 I	
UltraWide Zoom	0.75~0.93:1	P/N: 5J.JAM37.061	
Ultra Short Throw	0.38:1	P/N: 5J.JCY37.001	



PU9730

- Native WUXGA (1920x1200) Resolution
- 7,000 ANSI Lumens; 2,800:1 Contrast Ratio
- Powered Focus, Zoom & Lens Shift
- 360 degree Projection
- · Changeable Color Wheel
- Lens Memory, Panasonic Lens Compatible "
- LAN Control
- 7 Optional Lenses Throw Ratio (see chart below)
- Spare Lamp Kit P/N 5J.JAM05.001
- Ceiling Mount CM00G4 5J.JCY10.001
- 3 Year Advance Replacement





PW9620

- Native WXGA (1280x800) Resolution
- 6,700 ANSI Lumens; 2,800: I Contrast Ratio
- Powered Focus, Zoom & Lens Shift
- 360 degree Projection
- Changeable Color Wheel
- Lens Memory, Panasonic Lens Compatible "
- LAN Control
- 7 Optional Lenses Throw Ratio (see chart below)
- Spare Lamp Kit P/N 5J.JAM05.001
- Ceiling Mount CM00G4 5J.JCY10.001
- 3 Year Advance Replacement





PX9710

- Native XGA (1024x768) Resolution
- 7,700 ANSI Lumens; 2,800:1 Contrast Ratio
- Powered Focus, Zoom & Lens Shift
- 360 degree Projection
- Changeable Color Wheel
- Lens Memory, Panasonic Lens Compatible"
- LAN Control
- 7 Optional Lenses Throw Ratio (see chart below)
- Spare Lamp Kit P/N 5J.JAM05.001
- Ceiling Mount CM00G4 5J.JCY10.001
- 3 Year Advance Replacement





PU9530

- Native WUXGA (1920x1200) Resolution
- 6,000 ANSI Lumens; 2,800: I Contrast Ratio
 Powered Focus, Zoom & Lens Shift
- 360 degree Projection
- Changeable Color Wheel
- LAN Control & Panasonic Lens Compatible
- 7 Optional Lenses Throw Ratio (see chart below)
- Spare Lamp Kit P/N 5J.JAM05.001
- Ceiling Mount CM00G4 5J.JCY10.001
- 3 Year Advance Replacement



Native WXGA (1280x800) Resolution

- 6,000 ANSI Lumens; 2,800: I Contrast Ratio
- Powered Focus, Zoom & Lens Shift
- 360 degree Projection
- Changeable Color Wheel
- LAN Control & Panasonic Lens Compatible
- 7 Optional Lenses Throw Ratio (see chart below)
- Spare Lamp Kit P/N 5J.JAM05.001
- Ceiling Mount CM00G4 5I.JCY10.001
- 3 Year Advance Replacement



PX9510

- Native XGA (1024x768) Resolution
- 6,500 ANSI Lumens; 2,800:1 Contrast Ratio
- Powered Focus, Zoom & Lens Shift
- 360 degree Projection
- Changeable Color Wheel
- LAN Control & Panasonic Lens Compatible
- 7 Optional Lenses Throw Ratio (see chart below)
- Spare Lamp Kit P/N 5|.|AM05.001
- Ceiling Mount CM00G4 5J.JCY10.001
- 3 Year Advance Replacement



Fixed Lens High Brightness Projectors



SU931

- Native WUXGA (1920x1200) Resolution
- 6,000 ANSI Lumens, 3,000: I Contrast Ratio
- •Throw Ratio I.07~I.7I
- Vertical Lens Shift
- Dual HDMI with MHL
- V + H Keystone Geometric Correction
- LAN Control
- Optional Wireless Display
- Spare Lamp Kit P/N: 5J.JEH05.001
- Ceiling Mount 5J.JAM10.001
- 3 Year Advance Replacement



LK970

- 4K UHD with XPR Technology, 8.3 million pixels
- 5000 ANSI Lumens
- Excellent 50,000: I Contrast Ratio
- Blue Core Laser Light Source Performance
- 360 degree and Portrait Projection
- 3 year advance replacement warranty







SH963

- Native Full HD (1920x1080) Resolution
- 6,000 ANSI Lumens, 8,300: l'Contrast Ratio
- Throw Ratio 1.62 2.81:1
- Lens Shift Vertical & Horizontal
- H+V Keystone, I.5x Zoom
- HDMI x2
- RJ45 (LAN Control)
- Standard Lens Included
- Spare Lamp Kit #1 P/N: 5J.J8C05.001
- Spare Lamp Kit #2 P/N: 5J.J8C05.002
- Ceiling Mount CM00G3 P/N: 5J.JAM10.001
- 3 Year Advance Replacement



SU964

- Native WUXGA (1920x1200) Resolution
- 6,500 ANSI Lumens, 8,300:1 Contrast Ratio
- Throw Ratio 1.62~2.43 (87" @ 3.04m)
- Lens Shift Vertical & Horizontal
- Dual Lamp Design
- H+V Keystone, I.5x Zoom
- HDMI x2
- RJ45 (LAN Control)
- Spare Lamp Kit #1 P/N: 5J.J8C05.001
- Spare Lamp Kit #2 P/N: 5J.J8C05.002
- Standard Lens Included
- Ceiling Mount CM00G3 P/N: 5J.JAM10.001
- 3 Year Advance Replacement



Best of all, BenQ's projectors are

COLORIFIC

with accurate, crisp and long-lasting color!



Bar Type - BH Series



The BH series' sleek & slim design is perfect for stand alone video wall signage. Whether you have a big or small space these displays can be used for practically any application, venues, restaurants, transit stations, etc. The BH displays can support both portrait & landscape orientation for greater flexibility.

PRODUCT NAME	BH280	BH380	
Size	28"	38"	
Resolution	1920 x 358 (16:3)	1920 x 545 (32:9)	
Brightness	700 nits	800 nits	
Contrast Ratio	3,000:1	4,000:1	
Panel Response Time	6.5 ms	9 ms	
Viewing Angle	178° Horizontal / 178° Vertical		
Orientation	Portrait / landscape		

Video Wall - P Series



The PL552 is the video wall solution optimized for the finest image quality and easiest content management. Featuring a 4K screen engineered with an ultra-narrow 3.5mm bezel gap, the PL552 makes use of daisy chaining technology to immerse your customers in a seamless viewing experience that's impactful and distraction-free. By marrying USB plug-and-play simplicity with content scheduling system, the PL552 also provides a hassle-free solution for distributing content across all displays. With the PL552, you can have an unrivaled video wall solution that will inform and impress your customers.

PRODUCT NAME	PL490 PL552		
Size	49" 55"		
Backlight	LED		
Resolution	1920 x 1080		
Brightness	450 nits	500 nits	
Contrast Ratio	1,300:1	1,400:1	
Response Time	8ms	12ms	
Viewing Angle	178° Horizontal / 178° Vertical		
Orientation	Portrait / Landscape		
Warranty	3-Year On-site		

Interactive Signage - IL Series



BenQ IL Series Interactive Touch Displays feature bright, commercial grade LCD panels rated for 24/7 operation, designed to create large-format engaging, interactive signage solutions to effectively communicate your message in public areas such as airports, shopping malls and corporate offices.

PRODUCT NAME	IL420	
Size	42"	
Backlight	LED	
Resolution	1920 x 1080	
Brightness	400 cd/m ²	
Contrast Ratio	1,000:1	
Touch Technology	10 Points	
Response Time	9ms	
Viewing Angle	178° Horizontal / 178° Vertical	
Orientation	Portrait / landscape	
Supported Operating System(s)	WinXP, Win7, Win8, Mac OS 10.4~10.10, Linux Fedora15, Ubunto 12.10	
Warranty	3-Year On-site	



Smart Signage - S Series



BenQ's 55" ST550K delivers environmental & functional benefits for digital signage. By utilizing LED backlighting, the ST550K maximizes power savings while delivering brilliant imagery to capture the audience's attention. Demands from different market segments such as retail, hospitality & education can now be met with the ST550K. The ST550K has built-in Android system which has the content playing app call X-Sign. ST550K also supports USB playback function and is MDA compatible.

PRODUCT NAME	ST430K	ST550K	
Size	43" 55"		
Backlight	LED		
Resolution	UHD 3840 x 2160		
Brightness	380 nits	350 nits	
Contrast Ratio	1,200:1		
Response Time	8 ms 6 ms		
Viewing Angle	178° / 178° 176° / 176°		
Warranty	3-Year On-site		
Built-in Operating System	Android 4.3		





205 Westwood Ave, Long Branch, NJ 07740 Phone: 866-94 BOARDS (26273) / (732)-222-1511 Fax: (732)-222-7088 | E-mail: sales@touchboards.com

Interactive Flat Panels - RP Series



4K Interactive Flat Panels

Available in up to 4K Ultra HD resolution, the BenQ RP Series interactive panels provide exceptional readability from anywhere in the room and feature a low blue light mode to keep user's eyes refreshed, even after prolonged use. Packed with a long list of advanced features, the RP Series provides Custom Android Operating System with Whiteboard capability for PC-Free interactive, Driver-Free touch functionality for quick and easy setup. BenQ RP Series interactive displays are built to last and will provide many years of engaging interactive experiences.

PRODUCT NAME	RP654K	RP704K	RP750K	RP860K
Size	65"	70"	75"	86"
Backlight		LED		
Resolution	3840 x 2160			
Brightness	350 nits	330 nits	330 nits	330 nits
Contrast Ratio	1,400:1	4,000:1	1,200:1	1,200:1
Touch Technology	Multi-touch up to 20-points 10 Touch Points			
Response Time	8 ms			
Viewing Angle	178 degree (H) / 178 degree (V)			
Supported Operating System(s)	Window XP, Window Vista, Win 7, Win 8, Win 10, Mac OS X 10.6~10.11, Linux, Chrome OS 34.0.1847.134, Ubuntu 10.4~12.04 / Fedora 10 * OpenSuse 12.3 (up to 10 points, varied by different apps)			
Built-in Operating System	Android 5.1			
Warranty	3 years			

Interactive Flat Panels - RP Series



FHD Interactive Flat Panels

No matter the application, BenQ RP Series Interactive flat panels increase collaboration and promote a higher degree of engagement, with an incredibly fast and responsive simultaneous 10-point touch interactive, exceptionally smooth anti-glare surface and bright, crystal clear visibility, the BenQ RP Series displays will keep attention focused.

PRODUCT NAME	RP653	RP703	
Size	65"	70"	
Backlight	LED		
Resolution	1920 x 1080		
Brightness	350 nits	300 nits	
Contrast Ratio	1,400:1	4,000:1	
Touch Technology	Multi-touch up to 20-points		
Response Time	6 ms 8 ms		
Viewing Angle	178 degree (H) / 178 degree (V)		
Supported Operating System(s)	Window XP, Window Vista, Win 7, Win 8, Win 10, Mac OS X 10.6~10.11, Linux, Chrome OS 34.0.1847.134, Ubuntu 10.4~12.04 / Fedora 10 * OpenSuse 12.3 (up to 10 points, varied by different apps)		
Built-in Operating System	Android 4.2		
Warranty	3 years		



