# **All Specifications**

## **Projection System**

Projection System

DLP

DMD size

0.65" ECD

### **Marketing**

**Product Features** 

4LED, 100% DCI-P3, Low input lag, Game mode, HDR compatible, treVolo speaker, 2D keystone, 1.3x Zoom, ATV dongle

### **Display**

Brightness (ANSI lumens)

3000

Native Resolution

4K UHD (3840×2160)

Native Aspect Ratio

16:9

Contrast Ratio (FOFO)

(w/ Lightsource Dimming),500,000:1

Display Color

30-bit (1.07 billion colors)

Light Source

4LED

Light Source Life

a. Normal 20000 hrs,b. ECO 30000 hrs,c. SmartEco 20000 hrs

# **Optical**

Throw Ratio

 $1.15 \sim 1.50$ 

Zoom Ratio

1.3x

Lens

F/# = 1.8 - 2.25 mm, f = 17.02 - 22.21 mm

Projection Offset (Full-Height)

110%

Keystone Adjustment

2D, (Auto) Vertical ± 30 degrees; Horizontal ± 30 degrees

# **Compatibility**

Input Lag

(Fast Mode), 16 ms (4K@60Hz), 4 ms (1080p@240Hz), 8 ms (1080p@120Hz)

Resolution Support

VGA  $(640 \times 480)$  to 4K UHD  $(3840 \times 2160)$ 

Horizontal Frequency

15K~135KHz

Vertical Scan Rate

23~240Hz

#### I/O Interface

HDMI in

(x3),HDMI-I (2.0b/HDCP2.2),HDMI-2 (2.0b/HDCP2.2),HDMI-Internal (2.0b/HDCP2.2)

USB Type A

(x1),USB Type A-I (2.0/Power Supply2.5A/Service)

RS232 in (DB-9pin)

(xI)

DC 12V Trigger (3.5mm Jack)

(xI)

#### **A**udio

Speaker

(x2),5W Chamber

Audio out (3.5mm Mini Jack)

(xI)

HDMI Audio Return

Yes, eARC, Dolby Atmos

Audio out (S/PDIF)

Multi-Channel, RAW

#### **Environment**

Power Supply

AC 100 to 240 V, 50/60 Hz

Typical Power Consumption (110V)

330W

Stand-by Power Consumption

<0.5W

Acoustic Noise (Typ./Eco.)(dB)

32/28 dBA

Operating Temperature

0~40°C

#### Accessories

Android TV dongle

(Standard), QS01

Remote Control w/ Battery

**RCI068** 

Power Cord (by region)

x1 (1.8M)

User Manual CD

I (27L)

3D Glasses

(Optional), DGD5

Quick Start Guide

(x1) 21L

Warranty Card (by region)

Yes

Lens cover

Yes

### **Smart System**

Built-in OS

Yes. Android 9.0

Bluetooth

Yes, Bluetooth 4.2

Wi-Fi Standard

802.11 a/b/g/n/ac (2.4G/5G)

Wireless Projection

Google Cast

## **Dimension & Weight**

Dimensions (WxHxD) (mm)

272 x 197 x 259mm (w/o Adjustment Feet)

Net Weight (kg)

6.4 kg

Dimensions (WxHXD) (inch)

 $10.7 \times 7.8 \times 10.2$  inch (w/o Adjustment Feet)

Net Weight (lb)

14.11bs

<sup>\*</sup>This model is designed for general home entertainment and business use. To extend the lifespan of your BenQ projector, it is recommended to power off the projector for 2-3 minutes after 12 hours of continuous use.

<sup>\*</sup> The Contrast is measured by Full On Full Off standard.

<sup>\*\*</sup>Lamp life results will vary depending on environmental conditions and usage. The actual product's features and specifications are subject to change without notice.

<sup>\*\*\*</sup>In order to minimize response time, we suggest to set digital adjustments (such as Keystone...etc) to 0.