

BINDER Service

100 % performance and availability





BINDER Service Phone: +49 (0) 7462/2005-0 E-mail: Maintenancecontracts@binder-world.com

BINDER Service So much added value – thanks to maintenance and support

With BINDER simulation chambers, reliable operation is already part of the package. As a leading manufacturer, we do not just produce durable premium-quality products; we also offer a comprehensive service concept. This complements our units perfectly and ensures consistently high productivity and availability. This preventative service provides you with security – and maximum performance at all times.

Trained and certified BINDER Service technicians

The BINDER Service team is made up of highly trained and certified technicians who undergo annual training at the BINDER headquarters.

The technicians receive expert training in all aspects of electronics, control electronics, cooling, and mechanics.






OUR ALL-ROUND SERVICE PORTFOLIO

Modular service concept

The right components for maximum efficiency



BINDER product groups:

FREEZERS Series: UF V

HEATING UNITS

<u>Series:</u> B / BD / BD-S / BF / E / ED / ED-S FD / FD-S / FDL / FED / FP / M

COOLING UNITS

<u>Series:</u> KB / KBF / KBF-S / KBF LQC / KBF P/ KBW KBWF / KMF / KT / MK / MKF / MKT / MKFT VACUUM UNITS Series: VD / VDL CO₂ INCUBATORS Series: C / CB

Portfolio details Our service modules in detail

MAINTENANCE

During each maintenance check, all mechanical, electrical, and electronic unit components undergo a visual and functional test and are replaced in good time if necessary. The work carried out is documented in the maintenance plan. In addition, the technician also checks whether the actual temperature in the chamber matches the set target temperature on the controller within the permissible limits.

BINDER recommends an annual maintenance check for all units.

CALIBRATION

During calibration, the technician checks and readjusts the unit settings (such as temperature, relative humidity, CO2, O2, pressure, etc.) if necessary. For this purpose, the chamber must be in a regulated state. After completing the calibration, BINDER will provide you with a calibration certificate. The certificate takes into account the recommendations of the DAkkS (Germany's national accreditation body) guidelines. The number of measuring points can be varied if desired.

INSTALLATION

Installation includes unpacking and setting up the unit, and connecting the unit to the power supply and other media (water, sewage, gas), where applicable and necessary. In addition, a function test is carried out after installation.

QUALIFICATION - IQ / OQ / PQ

The consistent quality of the products we manufacture – not to mention the reproducibility of test processes – is fundamental to the laboratories and production facilities which operate subject to GMP or GLP requirements. The resulting obligation to provide supporting evidence requires a large number of unit tests to be carried out and recorded precisely. BINDER is happy to help when it comes to significantly reducing the workload in qualifying and validating units.

IQ stands for Installation Qualification and confirms that the unit has been properly installed according to customer requirements including documentation. The technician checks that the unit has been installed correctly, as specified in the qualification folder. The qualification folders can be ordered on a unit-specific basis. OQ stands for Operational Qualification, which checks and confirms that the unit is operating properly in an unloaded state. The required tests are available in the qualification folder.

PQ stands for Performance Qualification, which checks and documents the unit function in the loaded state under customer-specific requirements. The required tests are defined by mutual agreement according to customer specifications.

LEAK TESTING

Leak testing in accordance with Regulation EC 842/2006 ensures that the leak-tightness of systems containing hydrofluorocarbons is periodically checked and recorded.

BINDER SERVICE for drying and heating chambers E, ED, ED-S, FD, FD-S, FED, FP, M, and FDL series



Service	Description	Art. no.	Series
Maintenance services			
Maintenance	Functional testing of all electrical and mechanical components, short calibration, documentation in the maintenance schedule	DL20-0200	All
Maintenance contracts	Combination of appropriate service modules to create an optimized, cost-effective overall package, 3-year contract period with maintenance interval of 12 months, warranty can be extended, discount on all services and spare parts used during the maintenance work. Reduced service technician hourly rates for all necessary service work	On request	All
Calibration services			
Temperature calibration	Temperature calibration with 1 measuring point in center of chamber at a specified test temperature, including certificate	DL30-0101	All
Temperature calibration – Expansion	Calibration of each additional measuring point in center of chamber at a specified test temperature, including certificate	DL30-0102	All
Temperature measurement, 9 measuring points	Temperature measurement with 9 measuring points at a specified test temperature, including certificate	DL30-0109	All except E
Temperature measurement, 18 measuring points	Temperature measurement with 18 measuring points at a specified test temperature, including certificate	DL30-0118	All except E, ED-S, FD-S
Temperature measurement, 27 measuring points	Temperature measurement with 27 measuring points at a specified test temperature, including certificate	DL30-0127	All except E
Measurement of air exchange rate	Measurement of air exchange rate according to ASTM D5374, including certificate	DL33-0000	All except E, ED-S
Validation services			
Execution of IQ/OQ	Execution of IQ/OQ in accordance with qualification folder	DL40-0100	ED, FD, FED, FDL
		DL41-0200	FP, M
Execution of IQ/OQ/PQ	Execution of IQ/OQ/PQ in accordance with qualification folder	DL44-0500	All except E, ED-S, FD-S
Qualification folder IQ/OQ	The folder contains supporting documents for validation performed by customer, consisting of: IQ/OQ checklists, unit schematics, QM certificate in accordance with ISO 9001	On request	
Qualification folder IQ/OQ/PQ	The folder contains supporting documents for validation performed by customer, according to customer requirements, PQ section added to qualification folder IQ/OQ	On request	
Installation services			
Unit installation	Unpacking and setting up of unit, connecting to existing connections, and checking function	DL10-0100	All
Unit instructions	Unit function instructions for operation and programming of the controller	DL10-0500	All
Warranty services			
Warranty extension from 2 to 3 years	The warranty is extended from 2 to 3 years from the delivery date, wear parts are excluded	On request	
Warranty extension from 2 to 5 years	The warranty is extended from 2 to 5 years from the delivery date, wear parts are excluded	On request	

BINDER SERVICE for incubators B, BD, BD-S, BF, KB, and KT series



Service	Description	Art. no.	Series
Maintenance services			
Maintenance	Functional testing of all electrical and mechanical components, short calibration, documentation in the maintenance schedule	DL20-0200	All
Maintenance contracts	Combination of appropriate service modules to create an optimized, cost-effective overall package, 3-year contract period with maintenance interval of 12 months, warranty can be extended, discount on all services and spare parts used during the maintenance work. Reduced service technician hourly rates for all necessary service work	On request	All
Calibration services			
Temperature calibration	Temperature calibration with 1 measuring point in center of chamber at a specified test temperature, including certificate	DL30-0101	All
Temperature calibration – Expansion	Calibration of each additional measuring point in center of chamber at a specified test temperature, including certificate	DL30-0102	All
Temperature measurement, 9 measuring points	Temperature measurement with 9 measuring points at a specified test temperature, including certificate	DL30-0109	All except B
Temperature measurement, 18 measuring points	Temperature measurement with 18 measuring points at a specified test temperature, including certificate	DL30-0118	All except B, BD-S
Temperature measurement, 27 measuring points	Temperature measurement with 27 measuring points at a specified test temperature, including certificate	DL30-0127	All except B
Validation services			
Execution of IQ/OQ	Execution of IQ/OQ in accordance with qualification folder	DL40-0100	BD, BF
		DL41-0200	КВ,КТ
Execution of IQ/OQ/PQ	Execution of IQ/OQ/PQ in accordance with qualification folder	DL44-0500	All except B, BD-S
Qualification folder IQ/OQ	The folder contains supporting documents for validation performed by customer, consisting of: IQ/OQ checklists, unit schematics, QM certificate in accordance with ISO 9001	On request	
Qualification folder IQ/OQ/PQ	The folder contains supporting documents for validation performed by customer, according to customer requirements, PQ section added to qualification folder IQ/OQ	On request	
Installation services			
Unit installation	Unpacking and setting up of unit, connecting to existing connections, and checking function	DL10-0100	All
Unit instructions	Unit function instructions for operation and programming of the controller	DL10-0500	All
Warranty services			
Warranty extension from 2 to 3 years	The warranty is extended from 2 to 3 years from the delivery date, wear parts are excluded	On request	
Warranty extension from 2 to 5 years	The warranty is extended from 2 to 5 years from the delivery date, wear parts are excluded	On request	

BINDER SERVICE for constant climate chambers

KBF, KBF-S, KBF P, KBF LQC, and KMF series



Service	Description	Art. no.	Series
Maintenance services			
Maintenance	Functional testing of all electrical and mechanical components, short calibration, documentation in the maintenance schedule	DL20-0400	All
Maintenance contracts	Combination of appropriate service modules to create an optimized, cost-effective overall package, 3-year contract period with maintenance interval of 12 months, warranty can be extended, discount on all services and spare parts used during the maintenance work. Reduced service technician hourly rates for all necessary service work	On request	All
Calibration services			
Temperature and humidity calibration	Temperature and humidity calibration with 1 measuring point in center of chamber at specified values, including certificate	DL30-0301	All
Temperature and humidity calibration – Expansion	Calibration of each additional measuring point in center of chamber at specified values, including certificate	DL30-0302	All
Temperature measurement, 9 temperature measuring points and 1 humidity measuring point	Temperature measurement with 9 temperature measuring points and 1 humidity measuring point in center of chamber at specified values, including certificate	DL30-0309	All
Temperature measurement, 18 temperature measuring points and 1 humidity measuring point	Temperature measurement with 18 temperature measuring points and 1 humidity measuring point in center of chamber at specified values, including certificate	DL30-0318	All
Temperature measurement, 27 temperature measuring points and 1 humidity measuring point	Temperature measurement with 27 temperature measuring points and 1 humidity measuring point in center of chamber at specified values, including certificate	DL30-0327	All
Temperature measurement in accordance with DIN 12880, 27 temperature measuring points and 1 humidity measuring point	Temperature measurement in accordance with DIN 12880 with 27 temperature measuring points and 1 humidity measuring point in center of chamber at specified values, including certificate	DL30-0427	All
Light photometry, 25 measuring points	Light photometry, 25 measuring points on 3 measurement levels, intensity measurements for visible light and UVA, as well as spectral distribution (qualitative spectral measurements 250–785 nm), including certificate	DL30-0525	KBF P, KE LQC
Validation services			
Execution of IQ/OQ	Execution of IQ/OQ in accordance with qualification folder	DL42-0300	KMF, KBI KBF-S
Execution of IQ/OQ incl. light photometry	Execution of IQ/OQ including light photometry in accordance with qualification folder	DL43-0400	KBF P, KE LQC
Execution of IQ/OQ/PQ	Execution of IQ/OQ/PQ in accordance with qualification folder	DL44-0500	All
Qualification folder IQ/OQ	The folder contains supporting documents for validation performed by customer, consisting of: IQ/OQ checklists, unit schematics, QM certificate in accordance with ISO 9001	On request	
Qualification folder IQ/OQ/PQ	The folder contains supporting documents for validation performed by customer, according to customer requirements, PQ section added to qualification folder IQ/OQ	On request	
Installation services			
Unit installation	Unpacking and setting up of unit, connecting to existing connections, and checking function	DL10-0300	All
Unit instructions	Unit function instructions for operation and programming of the controller	DL10-0700	All
Warranty services			
Warranty extension from 2 to 3 years	The warranty is extended from 2 to 3 years from the delivery date, wear parts are excluded	On request	
Warranty extension from 2 to 5 years	The warranty is extended from 2 to 5 years from the delivery date, wear parts are excluded	On request	

BINDER SERVICE for dynamic climate chambers

MK, MKF, MKT, and MKFT series



Including certificate DL30-0102 MKK, M Expansion Calibration of each additional measuring point in center of chamber at a specified test temperature. DL30-0102 MKK, M Temperature measurement, Smeasuring points Temperature measurement with 9 measuring points at a specified test temperature, including certificate DL30-0102 MKK, M Temperature measurement, Smeasuring points Temperature measurement with 18 measuring points at a specified test temperature, including certificate DL30-0102 MKK, M Temperature measurement, MERE measurement, Temperature measurement, Stamasuring points Temperature and humidity calibration with 1 measuring point in center of chamber at specified values, including certificate DL30-0302 MKF, MKF, MKFT Temperature and humidity Calibration of each additional measuring point in center of chamber at specified values, including certificate DL30-0302 MKF, MKFT Temperature measurement, 9 temperature measurement, 9 end humidity measuring point Temperature measurement with 18 temperature measuring points and 1 humidity measuring point in center of chamber at specified values, including certificate DL30-0302 MKF, MKFT Temperature measurement with 72 memerature measuring points and 1 humidity measuring point in center of chamber at specified values, including certificate DL30-0327 MKF, MKFT Temperature measurement with 72 memeratur	Service	Description	Art. no.	Series
maintenancemaintenance schedule00.00 '00 '01 /01Maintenance contractsand calibration of appropriate service models creates an gainten (cost-effective) cost-effective)and interestive cost-appropriate cost-effective cost-ef	Maintenance services			
Maintenance contracts Syster contract period with maintenance interval of 2 months, servared excluded, discum on all all accessary service wark. On request All Gibbatton service Intersective service wark. No. 1000000000000000000000000000000000000	Maintenance		DL20-0500	All
Importance calibration Temperature calibration with 1 measuring point in center of chamber at a specified test temperature, including certificate Dialo 000 Mr. Mr. Temperature calibration Calibration of each additional measuring points in center of chamber at a specified test temperature, including certificate Dialo 000 Mr. Mr. Temperature measurement, including certificate Temperature measurement, including certificate Dialo 000 Mr. Mr. Temperature measurement, including certificate Temperature measurement, including certificate Dialo 000 Mr. Mr. Temperature measurement, including certificate Temperature measurement, including certificate Mr. Mr. Temperature measurement, including certificate Calibration with 1 measuring point in center of chamber at specified values, including certificate Dialo 000 Mr. Mr. Temperature measurement, including certificate Calibration each diational measuring point in center of chamber at specified values, including certificate Dialo 000 Mr. Mr. Temperature measurement, including certificate Calibration each diation with 1 measuring points and 1 humidity measuring point in center of chamber at specified values, including certificate Dialo 0000 Mr. Mr. Temperature measurement, including certificate Calibration each diation values, including certificate Dialo	Maintenance contracts	3-year contract period with maintenance interval of 12 months, warranty can be extended, discount on all services and spare parts used during the maintenance work. Reduced service technician hourly rates for	On request	All
Imperature CalibrationIncluding certificateIncluding certificateExpansionCalibration of each additional measuring point in center of chamber at a specified test temperature. Including certificateD13-0-010MK, MPresesuring pointsTemperature measurement, including certificateD13-0-010MK, MPresesuring pointsTemperature measurement, including certificateD13-0-010MK, MPresesuring pointsTemperature measurement with 18 measuring points at a specified test temperature, including certificateD13-0-017MK, MTemperature measurement, including certificateTemperature measurement with 27 measuring points at a specified test temperature, including certificateD13-0-010MK, MTemperature measurement, including certificateCalibration of each additional measuring point in center of chamber at specified values, including certificateD13-0-030MK, MTemperature measurement, including certificateCalibration of each additional measuring point in center of chamber at specified values, including certificateD13-0-030MK, MTemperature measurement, including certificateCalibration of each additional measuring points and 1 humidity measuring point in center of chamber at specified values, including certificateD13-0-030MK, MTemperature measurement, including certificateCalibration of each additional measuring points and 1 humidity measuring point in center of chamber at specified values, including certificateD13-0-030MK, MTemperature measurement, including certificateCalibration of each additional measuring points and 1 humidity measuring point in center of chamber at specified values, in	Calibration services			
Expansion including certificate DLS-0102 WK.M Spansion including certificate DLS-0109 WK.M Smeasuring points remperature measurement, the measuring points at a specified test temperature, including certificate DLS-0109 WK.M Temperature measurement, the measurement with 18 measuring points at a specified test temperature, including certificate DLS-0101 WK.M Temperature measurement, the measurement with 27 measuring point in center of chamber at specified values, including certificate DLS-0302 WKr.M Temperature and humidity calibration of each additional measuring point in center of chamber at specified values, including certificate DLS-0302 WKr.M Temperature measurement, Stemperature measurement with 9 femeprature measuring point in center of chamber at specified values, including certificate DLS-0302 WKr.F Stemperature measuring point Calibration of each additional measuring point in center of chamber at specified values, including certificate DLS-0302 WKr.F Stemperature measuring point Calibration of each additional measuring points and 1 humidity measuring point in center of chamber at specified values, including certificate DLS-0302 WKr.F Temperature measurement, Stemperature measuring point in center of chamber at specified values, including certificate	Temperature calibration		DL30-0101	мк, мк
9 messuring pointstemperature messurement with 9 messuring points at a specified test temperature, including certificate01.30-010MK. M18 messuring pointsTemperature messurement with 18 messuring points at a specified test temperature, including certificate01.30-012MK. M17 messuring pointsTemperature messurement with 27 measuring points at a specified test temperature, including certificate01.30-012MK. M17 messuring pointsTemperature messurement with 27 measuring points in center of chamber at specified values, including certificate01.30-0301MKF.17 measuring pointsTemperature messurement with 9 temperature messuring points in center of chamber at specified values, including certificate01.30-0302MK. M17 meprature messurement.Temperature messurement with 9 temperature messuring points and 1 humidity messuring point in center of chamber at specified values, including certificate01.30-0302MKF.18 temperature messurement.Temperature messurement with 9 temperature measuring points and 1 humidity messuring point in center of chamber at specified values, including certificate01.30-0302MKF.18 temperature messurement.Temperature messurement with 9 temperature measuring points and 1 humidity messuring point in center of chamber at specified values, including certificate01.30-0312MKF.18 temperature messurement.Temperature messurement with 9 temperature measuring points and 1 humidity messuring point in center of chamber at specified values.01.30-0327MKF.19 temperature messurement in accordance with 01N 12880 with 77 temperature measuring points and 1 humidity measuring point in center of chamber at specified val	Temperature calibration – Expansion		DL30-0102	мк, мк
18 measuring points temperature measurement with 16 measuring points at a specified test temperature, including certificate 0.130-0112 WK. M Temperature measurement. temperature measurement with 27 measuring points at a specified test temperature, including certificate 0.130-0102 WK. M Temperature measurement. temperature and humidity calibration with 1 measuring point in center of chamber at specified values, including certificate 0.130-0301 MKF, M Temperature and humidity measuring point calibration of each additional measuring point in center of chamber at specified values, including certificate 0.130-0302 MKF, M Temperature measurement, and humidity measuring point remerature measurement with 16 temperature measuring points and 1 humidity measuring point in center of chamber at specified values, including certificate 0.130-0302 MKF, MKFT Temperature measurement, and 1 humidity measuring point remerature measurement with 16 temperature measuring points and 1 humidity measuring point in center of chamber at specified values, including certificate 0.130-0312 MKF, MKFT Temperature measurement, 27 temperature measurement with 16 temperature measuring points and 1 humidity measuring point in center of chamber at specified values, including certificate 0.130-0327 MKF, MKFT Temperature measurement, 27 temperature measuring point in center of chamber at specified values, including certificate 0.130-0327 MKF, MKFT		Temperature measurement with 9 measuring points at a specified test temperature, including certificate	DL30-0109	мк, мк
27 measuring points itemperature measurement with 27 measuring points at a specified tabues, including certificate DL30-0327 MK, M Temperature and humidity Calibration of each additional measuring point in center of chamber at specified values, including certificate DL30-0300 MKF, M Temperature measurement, Calibration of each additional measuring point in center of chamber at specified values, including certificate DL30-0300 MKF, M Temperature measurement, Temperature measurement with 9 temperature measuring points and 1 humidity measuring point in center of chamber at specified values, including certificate DL30-0300 MKF, M Temperature measurement, Temperature measurement with 32 temperature measuring points and 1 humidity measuring point in center of chamber at specified values, including certificate DL30-0300 MKF, M Temperature measurement, Temperature measurement with 32 temperature measuring points and 1 humidity measuring point in center of chamber at specified values, including certificate DL30-0302 MKF, M Temperature measurement, accordance with DIN 12860 with 27 temperature measuring points and 1 humidity measuring points and 1 h		Temperature measurement with 18 measuring points at a specified test temperature, including certificate	DL30-0118	мк, мк
calibation including certificate	Temperature measurement, 27 measuring points	Temperature measurement with 27 measuring points at a specified test temperature, including certificate	DL30-0127	мк, мк
Calibration - ExpansionCalibration of each association and each association form and each association form each association form and each association form and each associati	Temperature and humidity calibration		DL30-0301	
Temperature measurement, 9 femperature measuring points and 1 humidity measuring point in center of chamber at specified values, including certificate DL30-0309 MKF, MKFT Temperature measuring point and 1 humidity measuring point Temperature measuring point DL30-0318 MKF, MKFT Temperature measuring point and 1 humidity measuring point Temperature measuring point Temperature measuring point DL30-0318 MKF, MKFT Temperature measuring point and 1 humidity measuring point Temperature measurement, of chamber at specified values, including certificate DL30-0318 MKF, MKFT Temperature measurement, and 1 humidity measuring point Temperature measurement in accordance with DIN 12880 with 27 temperature measuring points and 1 humidity measuring point DL30-0327 MKF, MKFT Temperature measurement in accordance with DIN 12880 with 27 temperature measuring points and 1 humidity measuring point DL30-0427 MKF, MKFT Alt humidity measuring point Temperature measurement in accordance with DIN 12880 with 27 temperature measuring point in center of log/QQ DL30-0427 MKF, MKFT Alt humidity measuring point Temperature measurement in accordance with Qualification folder DL40-0200 MKF, MKFT Qualification of IQ/QQ Execution of IQ/QQ/PQ in accordance with qualification folder DL40-0500	Temperature and humidity calibration – Expansion	Calibration of each additional measuring point in center of chamber at specified values, including certificate	DL30-0302	
13 temperature measuring points Imperature measuring points and 1 humidity measuring point in center of chamber at specified values, including certificate D130-0318 MKF, MKFT 21 temperature measuring points Temperature measuring points and 1 humidity measuring point in center of chamber at specified values, including certificate D130-0318 MKF, MKFT 21 temperature measurement in accordance with DIN 12880 with 27 temperature measuring points and 1 humidity measuring point in center of chamber at specified values, including certificate D130-0327 MKF, MKFT 21 temperature measurement in accordance with DIN 12880 with 27 temperature measuring points and 1 humidity measuring point in center of chamber at specified values, including certificate D130-0427 MKF, MKFT 21 temperature measurement in accordance with DIN 12880 with 27 temperature measuring points and 1 humidity measuring point in center of chamber at specified values, including certificate D140-0427 MKF, MKFT 21 temperature measurement, in accordance with DIN 12880 with 27 temperature measuring points and 1 humidity measuring point in center of chamber at specified values, including certificate D130-0427 MKF, MKFT 21 temperature measuring points Temperature measuring points MKF, MKFT MKFT 21 temperature measuring point Temperature measuring points MKFT 21 temperature measuring point Temperature measuring point in center of chamber at specified values, including certifi	Temperature measurement, 9 temperature measuring points and 1 humidity measuring point		DL30-0309	
27 temperature measuring points and 1 humidity measuring point in center of chamber at specified values, including certificate DL30-0327 MKF, MKFT and 1 humidity measuring point Temperature measurement in accordance with DIN 12880 with 27 temperature measuring points and 1 humidity measuring point DL30-0327 MKF, MKFT Temperature measurement in accordance with DIN 12880 with 27 temperature measuring points including certificate DL30-0427 MKF, 	Temperature measurement, 18 temperature measuring points and 1 humidity measuring point		DL30-0318	
accordance with DIN 12880, 27 temperature measuring points and 1 humidity measuring points and 1 humidity measuring point and 1 humidity measuring point and 1 humidity measuring point DL30-0427 MKF, MKFT accordance with DIN 12880, 	Temperature measurement, 27 temperature measuring points and 1 humidity measuring point		DL30-0327	
Execution of IQ/OQDL41-0200MK, MKF, MKF,TExecution of IQ/OQ/PQExecution of IQ/OQ/PQ in accordance with qualification folderDL42-0300MK, MKF, MKF,TQualification folder IQ/OQExecution of IQ/OQ/PQ in accordance with qualification performed by customer, consisting of: IQ/OQ checklists, unit schematics, QM certificate in accordance with ISO 9001On requestIQualification folder IQ/OQThe folder contains supporting documents for validation performed by customer, consisting of: IQ/OQ checklists, unit schematics, QM certificate in accordance with ISO 9001On requestIQualification folder IQ/OQ/PQThe folder contains supporting documents for validation performed by customer, according to customer requirements, PQ section added to qualification folder IQ/OQOn requestIUnit installationUnpacking and setting up of unit, connecting to existing connections, and checking functionDL10-0300AllUnit instructionsUnit function instructions for operation and programming of the controllerDL00-0034All except 	Temperature measurement in accordance with DIN 12880, 27 temperature measuring points and 1 humidity measuring point	1 humidity measuring point in center of chamber at specified values,	DL30-0427	
Execution of IQ/OQ Execution of IQ/OQ in accordance with qualification folder DL42-0300 MKF,T Execution of IQ/OQ/PQ Execution of IQ/OQ/PQ in accordance with qualification folder DL44-0500 All Qualification folder IQ/OQ Execution of IQ/OQ checklists, unit schematics, QM certificate in accordance with ISO 9001 On request Image: Consisting of: IQ/OQ checklists, unit schematics, QM certificate in accordance with ISO 9001 On request Image: Consisting of: IQ/OQ checklists, unit schematics, QM certificate in accordance with ISO 9001 On request Image: Consisting of: IQ/OQ checklists, unit schematics, QM certificate in accordance with ISO 9001 On request Image: Consisting of: IQ/OQ checklists, unit schematics, QM certificate in accordance with ISO 9001 On request Image: Consisting of: IQ/OQ checklists, unit schematics, QM certificate in accordance with ISO 9001 On request Image: Consisting OF Image: Conse Image: Consisting OF Im	Validation services			
MKF, MKFTExecution of IQ/OQ/PQExecution of IQ/OQ/PQ in accordance with qualification folderDL44-0500AllQualification folder IQ/OQThe folder contains supporting documents for validation performed by customer, consisting of: IQ/OQ checklists, unit schematics, QM certificate in accordance with ISO 9001On requestQualification folder IQ/OQThe folder contains supporting documents for validation performed by customer, according to customer requirements, PQ section added to qualification folder IQ/OQOn requestInstallation servicesUnpacking and setting up of unit, connecting to existing connections, and checking functionDL10-0300AllUnit instructionsUnit function instructions for operation and programming of the controllerDL00-0034AllLeak testingLeak testing in accordance with Regulation EC 842/2006. Includes test bookAllWarranty servicesWarranty is extended from 2 to 3 years from the delivery date, wear parts are excludedOn requestWarranty extension from 2 to 3 yearsThe warranty is extended from 2 to 5 years from the delivery date, wear parts are excludedOn request			DL41-0200	мк, мк
Execution of IQ/0Q/PQExecution of IQ/0Q/PQ in accordance with qualification folderDL44-0500AllQualification folder IQ/0QThe folder contains supporting documents for validation performed by customer, consisting of: IQ/0Q checklists, unit schematics, QM certificate in accordance with ISO 9001On requestOnQualification folder IQ/0QThe folder contains supporting documents for validation performed by customer, according to customer requirements, PQ section added to qualification folder IQ/0QOn requestInstallation servicesUnpacking and setting up of unit, connecting to existing connections, and checking functionDL10-0300AllUnit instructionsUnit function instructions for operation and programming of the controllerDL10-0700AllLeak testingLeak testing in accordance with Regulation EC 842/2006. Includes test bookDL00-0034All except MKWarranty extension from 2 to 3 yearsThe warranty is extended from 2 to 3 years from the delivery date, wear parts are excludedOn requestWarranty extension from 2 to 3 yearsThe warranty is extended from 2 to 5 years from the delivery date, wear parts are excludedOn request	Execution of IQ/OQ	Execution of IQ/OQ in accordance with qualification folder	DL42-0300	
Qualification folder IQ/OQ consisting of: IQ/OQ checklists, unit schematics, QM certificate in accordance with ISO 9001 On request Qualification folder IQ/OQ/PQ The folder contains supporting documents for validation performed by customer, according to customer requirements, PQ section added to qualification folder IQ/OQ On request Installation services Unit installation Unpacking and setting up of unit, connecting to existing connections, and checking function DL10-0300 All Unit instructions Unit function instructions for operation and programming of the controller DL10-0700 All Leak testing incl. test book Leak testing in accordance with Regulation EC 842/2006. Includes test book DL00-0034 All except MK Warranty services Warranty extension from 2 to 3 years from the delivery date, wear parts are excluded On request Warranty extension from The warranty is extended from 2 to 5 years from the delivery date, wear parts are excluded On request	Execution of IQ/OQ/PQ	Execution of IQ/0Q/PQ in accordance with qualification folder	DL44-0500	
Qualification folder IQ/OQ/PQ requirements, PQ section added to qualification folder IQ/OQ On request Installation services Unit installation DL10-0300 All Unit installation Unpacking and setting up of unit, connecting to existing connections, and checking function DL10-0300 All Unit instructions Unit function instructions for operation and programming of the controller DL10-0700 All Leak testing incl. test book Iteak testing in accordance with Regulation EC 842/2006. Includes test book DL00-0034 All except Warranty services Warranty extension from 2 to 3 years from the delivery date, wear parts are excluded On request Warranty extension from The warranty is extended from 2 to 5 years from the delivery date, wear parts are excluded On request	Qualification folder IQ/OQ		On request	
Unit installation Unpacking and setting up of unit, connecting to existing connections, and checking function DL10-0300 All Unit instructions Unit function instructions for operation and programming of the controller DL10-0700 All Leak testing incl. test book Itek testing in accordance with Regulation EC 842/2006. Includes test book DL00-0034 All except except MK Warranty services Ite warranty is extended from 2 to 3 years from the delivery date, wear parts are excluded On request Warranty extension from 2 to 3 years The warranty is extended from 2 to 5 years from the delivery date, wear parts are excluded On request	Qualification folder IQ/OQ/PQ		On request	
Unit instructions Unit function instructions for operation and programming of the controller DL10-0700 All Leak testing incl. test book All All Leak testing Leak testing in accordance with Regulation EC 842/2006. Includes test book DL00-0034 All Warranty services Marranty extension from 2 to 3 years from the delivery date, wear parts are excluded On request Warranty extension from The warranty is extended from 2 to 5 years from the delivery date, wear parts are excluded On request	Installation services			
Leak testing incl. test book All Leak testing Leak testing in accordance with Regulation EC 842/2006. Includes test book DL00-0034 All except Warranty services Warranty extension from 2 to 3 years from the delivery date, wear parts are excluded On request Warranty extension from 2 to 3 years from the delivery date, wear parts are excluded On request	Unit installation	Unpacking and setting up of unit, connecting to existing connections, and checking function	DL10-0300	All
Leak testing Leak testing in accordance with Regulation EC 842/2006. Includes test book DL00-0034 All except MK Warranty services Warranty extension from 2 to 3 years from the delivery date, wear parts are excluded On request Warranty extension from The warranty is extended from 2 to 5 years from the delivery date, wear parts are excluded On request	Unit instructions	Unit function instructions for operation and programming of the controller	DL10-0700	All
Leak testing Leak testing in accordance with Regulation EC 842/2006. Includes test book DL00-0034 except Warranty services Warranty extension from 2 to 3 years from the delivery date, wear parts are excluded On request Warranty extension from 2 to 3 years from the delivery date, wear parts are excluded On request Warranty extension from The warranty is extended from 2 to 5 years from the delivery date, wear parts are excluded On request	Leak testing incl. test book			
Warranty extension from 2 to 3 years The warranty is extended from 2 to 3 years from the delivery date, wear parts are excluded On request Warranty extension from Warranty extension from The warranty is extended from 2 to 5 years from the delivery date, wear parts are excluded On request	Leak testing	Leak testing in accordance with Regulation EC 842/2006. Includes test book	DL00-0034	except
2 to 3 years The warranty is extended from 2 to 3 years from the delivery date, wear parts are excluded On request Warranty extension from The warranty is extended from 2 to 5 years from the delivery date, wear parts are excluded On request	Warranty services			
Inewarranty is extended from 2 to 5 years from the delivery date, wear parts are excluded Un reduest	•	The warranty is extended from 2 to 3 years from the delivery date, wear parts are excluded	On request	
		The warranty is extended from 2 to 5 years from the delivery date, wear parts are excluded	On request	

BINDER SERVICE for growth chambers KBW and KBWF series



Service	Description	Art. no.	Series
Maintenance services			
Maintenance	Functional testing of all electrical and mechanical components, short calibration, documentation in the maintenance schedule	DL20-0400	All
Maintenance contracts	Combination of appropriate service modules to create an optimized, cost-effective overall package, 3-year contract period with maintenance interval of 12 months, warranty can be extended, discount on all services and spare parts used during the maintenance work. Reduced service technician hourly rates for all necessary service work	On request	All
Calibration services			
Temperature calibration	Temperature calibration with 1 measuring point in center of chamber at a specified test temperature, including certificate	DL30-0101	KBW
Temperature calibration – Expansion	Calibration of each additional measuring point in center of chamber at a specified test temperature, including certificate	DL30-0102	KBW
Temperature measurement, 9 measuring points	Temperature measurement with 9 measuring points at a specified test temperature, including certificate	DL30-0109	KBW
Temperature measurement, 15 measuring points	Temperature measurement with 15 measuring points at a specified test temperature, including certificate	DL30-0118	KBW
Temperature measurement, 27 measuring points	Temperature measurement with 27 measuring points at a specified test temperature, including certificate	DL30-0127	KBW
Temperature and humidity calibration	Temperature and humidity calibration with 1 measuring point in center of chamber at specified values, including certificate	DL30-0301	KBWF
Temperature and humidity calibration – Expansion	Calibration of each additional measuring point in center of chamber at specified values, including certificate	DL30-0302	KBWF
Temperature measurement, 9 temperature measuring points and 1 humidity measuring point	Temperature measurement with 9 temperature measuring points and 1 humidity measuring point in center of chamber at specified values, including certificate	DL30-0309	KBWF
Temperature measurement, 18 temperature measuring points and 1 humidity measuring point	Temperature measurement with 18 temperature measuring points and 1 humidity measuring point in center of chamber at specified values, including certificate	DL30-0318	KBWF
Temperature measurement, 27 temperature measuring points and 1 humidity measuring point	Temperature measurement with 27 temperature measuring points and 1 humidity measuring point in center of chamber at specified values, including certificate	DL30-0327	KBWF
Temperature measurement in accordance with DIN 12880, 27 temperature measuring points and 1 humidity measuring point	Temperature measurement in accordance with DIN 12880 with 27 temperature measuring points and 1 humidity measuring point in center of chamber at specified values, including certificate	DL30-0427	KBWF
Radiometric light photometry	Radiometric measurement in the visible spectrum with determination and documentation of intensity distribution from an illumination cassette on 3 measurement levels, including certificate	DL31-0000	All
Validation services			
Execution of IQ/OQ incl. light photometry	Execution of IQ/OQ including light photometry in accordance with qualification folder	DL43-0400	All
Execution of IQ/OQ/PQ	Execution of IQ/OQ/PQ in accordance with qualification folder	DL44-0500	All
Qualification folder IQ/OQ	The folder contains supporting documents for validation performed by customer, consisting of: IQ/OQ checklists, unit schematics, QM certificate in accordance with ISO 9001	On request	
Qualification folder IQ/OQ/PQ	The folder contains supporting documents for validation performed by customer, according to customer requirements, PQ section added to qualification folder IQ/OQ	On request	
Installation services			
Unit installation	Unpacking and setting up of unit, connecting to existing connections, and checking function	DL10-0300	All
Unit instructions	Unit function instructions for operation and programming of the controller	DL10-0700	All
Warranty services			
Warranty extension from 2 to 3 years	The warranty is extended from 2 to 3 years from the delivery date, wear parts are excluded	On request	
Warranty extension from 2 to 5 years	The warranty is extended from 2 to 5 years from the delivery date, wear parts are excluded	On request	

BINDER SERVICE for ultra low temperature freezers UF V series



Service	Description	Art. no.
Maintenance services		
Maintenance	Functional testing of all electrical and mechanical components, short calibration, documentation in the maintenance schedule	DL20-0200
Maintenance contracts	Combination of appropriate service modules to create an optimized, cost-effective overall package, 3-year contract period with maintenance interval of 12 months, warranty can be extended, discount on all services and spare parts used during the maintenance work. Reduced service technician hourly rates for all necessary service work	On request
Calibration services		
Temperature calibration	Temperature calibration with 1 measuring point in center of chamber at a specified test temperature, including certificate	DL30-0101
Temperature calibration – Expansion	Calibration of each additional measuring point in center of chamber at a specified test temperature, including certificate	DL30-0102
Temperature measurement, 20 measuring points	Temperature measurement with 20 measuring points at a specified test temperature, including certificate	DL30-0620
Validation services		
Execution of IQ/OQ	Execution of IQ/OQ in accordance with qualification folder	DL41-0200
Execution of IQ/OQ/PQ	Execution of IQ/OQ/PQ in accordance with qualification folder	DL44-0500
Qualification folder IQ/OQ	The folder contains supporting documents for validation performed by customer, consisting of: IQ/OQ checklists, unit schematics, QM certificate in accordance with ISO 9001	On request
Qualification folder IQ/OQ/PQ	The folder contains supporting documents for validation performed by customer, according to customer requirements, PQ section added to qualification folder IQ/OQ	On request
Installation services		
Unit installation	Unpacking and setting up of unit, connecting to existing connections, and checking function	DL10-0300
Unit instructions	Unit function instructions for operation and programming of the controller	DL10-0700
Warranty services		
Warranty extension from 2 to 3 years	The warranty is extended from 2 to 3 years from the delivery date, wear parts are excluded	On request
Warranty extension from 2 to 5 years	The warranty is extended from 2 to 5 years from the delivery date, wear parts are excluded	On request

BINDER SERVICE for CO₂ incubators C and CB series



Service	Description	Art. no.	Series
Maintenance services			
Maintenance	Functional testing of all electrical and mechanical components, short calibration, documentation in the maintenance schedule	DL20-0400	All
Maintenance contracts	Combination of appropriate service modules to create an optimized, cost-effective overall package, 3-year contract period with maintenance interval of 12 months, warranty can be extended, discount on all services and spare parts used during the maintenance work. Reduced service technician hourly rates for all necessary service work	On request	All
Calibration services			
Temperature calibration	Temperature calibration with 1 measuring point in center of chamber at a specified test temperature, including certificate	DL30-0101	All
Temperature calibration – Expansion	Calibration of each additional measuring point in center of chamber at a specified test temperature, including certificate	DL30-0102	All
Temperature measurement, 9 measuring points	Temperature measurement with 9 measuring points at a specified test temperature, including certificate	DL30-0109	All
Temperature measurement, 18 measuring points	Temperature measurement with 18 measuring points at a specified test temperature, including certificate	DL30-0118	All
Temperature measurement, 27 measuring points	Temperature measurement with 27 measuring points at a specified test temperature, including certificate	DL30-0127	All
CO ₂ calibration	CO ₂ calibration at a specified value, measurement takes place with analyzed test gas at 5 %, including certificate	DL30-0401	All
O ₂ calibration	O_2 calibration with 1 measuring point in center of chamber at a specified O_2 percentage value, including certificate	DL30-0402	СВ
Validation services			
Execution of IQ/OQ	Execution of IQ/OQ in accordance with qualification folder	DL41-0200	All
Execution of IQ/OQ/PQ	Execution of IQ/OQ/PQ in accordance with qualification folder	DL44-0500	All
Qualification folder IQ/OQ	The folder contains supporting documents for validation performed by customer, consisting of: IQ/OQ checklists, unit schematics, QM certificate in accordance with ISO 9001	On request	
Qualification folder IQ/OQ/PQ	The folder contains supporting documents for validation performed by customer, according to customer requirements, PQ section added to qualification folder IQ/OQ	On request	
Installation services			
Unit installation	Unpacking and setting up of unit, connecting to existing connections, and checking function	DL10-0100	All
Unit instructions	Unit function instructions for operation and programming of the controller	DL10-0500	All
Warranty services			
Warranty extension from 2 to 3 years	The warranty is extended from 2 to 3 years from the delivery date, wear parts are excluded	On request	
Warranty extension from 2 to 5 years	The warranty is extended from 2 to 5 years from the delivery date, wear parts are excluded	On request	

BINDER SERVICE for vacuum drying chambers

VD and VDL series



Service	Description	Art. no.
Maintenance services		
Maintenance	Functional testing of all electrical and mechanical components, short calibration, documentation in the maintenance schedule	DL20-0400
Maintenance contracts	Combination of appropriate service modules to create an optimized, cost-effective overall package, 3-year contract period with maintenance interval of 12 months, warranty can be extended, discount on all services and spare parts used during the maintenance work. Reduced service technician hourly rates for all necessary service work	On request
Calibration services		
Temperature calibration	Temperature calibration with 1 measuring point in center of chamber at a specified test temperature, including certificate	DL30-0101
Temperature calibration – Expansion	Calibration of each additional measuring point in center of chamber at a specified test temperature, including certificate	DL30-0102
Temperature measurement, 9 measuring points	Temperature measurement with 9 measuring points at a specified test temperature, including certificate	DL30-0109
Temperature measurement, 15 measuring points	Temperature measurement with 15 measuring points at a specified test temperature, including certificate	DL30-0218
Pressure calibration	Digital pressure display calibration at a specified pressure range of 20–900 mbar, including certificate	DL32-0000
Validation services		
Execution of IQ/OQ	Execution of IQ/OQ in accordance with qualification folder	DL42-0300
Execution of IQ/OQ/PQ	Execution of IQ/OQ/PQ in accordance with qualification folder	DL44-0500
Qualification folder IQ/OQ	The folder contains supporting documents for validation performed by customer, consisting of: IQ/OQ checklists, unit schematics, QM certificate in accordance with ISO 9001	On request
Qualification folder IQ/OQ/PQ	The folder contains supporting documents for validation performed by customer, according to customer requirements, PQ section added to qualification folder IQ/OQ	On request
Installation services		
Unit installation	Unpacking and setting up of unit, connecting to existing connections, and checking function	DL10-0100
Unit instructions	Unit function instructions for operation and programming of the controller	DL10-0500
Warranty services		
Warranty extension from 2 to 3 years	The warranty is extended from 2 to 3 years from the delivery date, wear parts are excluded	On request
Warranty extension from 2 to 5 years	The warranty is extended from 2 to 5 years from the delivery date, wear parts are excluded	On request

BINDER maintenance contract

All service advantages on a long-term basis

Only units in top condition can meet ambitious targets regarding quality, productivity, and compliance. A BINDER maintenance package supports smooth laboratory processes and provides you with the necessary freedom for your core business. Maintenance, qualification, and calibration of the

BINDER simulation chambers are carried out automatically – without any additional organizational, scheduling, or order processing work.

MAINTENANCE CONTRACT



CONTRACT PERIOD

3 years

SCOPE OF SERVICES



MAINTENANCE INTERVAL

12 months



PRICE 10 % discount on the service price



delivery date.

WARRANTY EXTENSION The warranty is extended from 24 months to 36 months when you sign up for a warranty package within 6 months of the



IN ADDITION Automatic reminder when maintenance is due

ADVANTAGE

Special contract terms during the entire contract period:


- 10 % discount on spare parts used
- Approx. 15 % lower hourly rate for all service work

BINDER Service according to the situation

All service advantages as required

You can order individual maintenance modules according to your current requirements. The required maintenance, measurement, and calibration options as well as services such as installation and unit qualification can be ordered without any contractual obligation.

SERVICE / CONTACT



15



BINDER GmbH

Tuttlingen, Germany www.binder-world.com BINDER Service Germany Phone: +49 (0) 7462/2005-0 E-mail: service@binder-world.com

