



SPECIFICATION SHEET

STYLE: 250-46-0010



Captain™

Rimless Safety Glasses with Clear Temple, Clear Lens and Anti-Reflective / Anti-Scratch Coating

- Lightweight, rimless design provides all day user comfort
- Bayonet temples with end tips that curve out for ease of placement on face
- Non-slip rubber nose pads offer a secure fit
- 9 Base curve lens
- Meets ANSI Z87.1+
- Meets CSA Z94.3
- **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

Applications

- General Manufacturing
- Construction Applications
- Indoor Work

Technical Data

Color	Clear
Sizes Available	OS
Packaging	Bagged Each
Packed	144 Pair/Case
Case Dimensions (in)	23.46 x 13.94 x 16.34
Case Weight (lbs)	16.09
Country of Origin	Taiwan
Lens	Clear
Frame Style	Rimless
Lens Color	Clear
Frame Fit	Narrow Face
Lens Coating	Anti-Scratch, Anti-Reflective
Bridge	Rubber
Temple	Bayonet, Rubber Tips
Diopter	--
Base Curve	10
Construction	Dielectric
Certifications	ANSI Z87.1, CSA Z94.3 Compliant, TAA Compliant
Product Circularity	Recycled via Terracycle

KEY: Made from recycled or bio-based Launderable Recyclable via TerraCycle®

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobal.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2023-02-24



SKU Information

SKU	FRAME COLOR	LENS		LENS COLOR	COATING	UPC	UPC (INNER)	UPC (CASE)
		LENS						
250-46-0226	Brown	Indoor	Outdoor	Clear	AS/AF	616314129186	01616314129185	02616314129184
250-46-0010	Clear	Clear	Blue	Clear	AS/AR	616314129179	01616314129178	02616314129177
250-46-0020	Clear	Clear		Clear	AS/AF	616314129155	01616314129154	02616314129153
250-46-0520	Clear	Clear		Clear	AS/FL360	616314200076	01616314200075	02616314200074
250-46-0021	Gray	Tinted		Gray	AS/AF	616314129162	01616314129161	02616314129160
250-46-0521	Gray	Tinted		Gray	AS/FL360	616314209512	01616314209511	02616314209510

KEY: AF = Anti-Fog / AR = Anti-Reflective / AS = Anti-Scratch / FL360 = Fogless 3Sixty / U = Uncoated



SPECIFICATION SHEET

STYLE: 250-46-0020



Captain™

Rimless Safety Glasses with Clear Temple, Clear Lens and Anti-Scratch / Anti-Fog Coating

- Lightweight, rimless design provides all day user comfort
- Bayonet temples with end tips that curve out for ease of placement on face
- Non-slip rubber nose pads offer a secure fit
- 9 Base curve lens
- Meets ANSI Z87.1+
- Meets CSA Z94.3
- **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

Applications

- General Manufacturing
- Construction Applications
- Indoor Work

Technical Data

Color	Clear
Sizes Available	OS
Packaging	Bagged Each
Packed	144 Pair/Case
Case Dimensions (in)	23.46 x 13.94 x 16.34
Case Weight (lbs)	16.09
Country of Origin	Taiwan
Lens	Clear
Frame Style	Rimless
Lens Color	Clear
Frame Fit	Narrow Face
Lens Coating	Anti-Scratch, Anti-Fog
Bridge	Rubber
Temple	Bayonet, Rubber Tips
Diopter	--
Base Curve	10
Construction	Dielectric
Certifications	ANSI Z87.1, CSA Z94.3 Compliant, TAA Compliant
Product Circularity	Recycled via Terracycle

KEY: Made from recycled or bio-based Launderable Recyclable via TerraCycle®

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobal.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2023-02-24



SKU Information

SKU	FRAME COLOR	LENS		LENS COLOR	COATING	UPC	UPC (INNER)	UPC (CASE)
		Indoor	Outdoor					
250-46-0226	Brown	Indoor	Outdoor	Clear	AS/AF	616314129186	01616314129185	02616314129184
250-46-0010	Clear	Clear	Clear	Clear	AS/AR	616314129179	01616314129178	02616314129177
250-46-0020	Clear	Clear	Clear	Clear	AS/AF	616314129155	01616314129154	02616314129153
250-46-0520	Clear	Clear	Clear	Clear	AS/FL360	616314200076	01616314200075	02616314200074
250-46-0021	Gray	Tinted	Gray	Gray	AS/AF	616314129162	01616314129161	02616314129160
250-46-0521	Gray	Tinted	Gray	Gray	AS/FL360	616314209512	01616314209511	02616314209510

KEY: AF = Anti-Fog / AR = Anti-Reflective / AS = Anti-Scratch / FL360 = Fogless 3Sixty / U = Uncoated



SPECIFICATION SHEET

STYLE: 250-46-0520



Captain™

Rimless Safety Glasses with Clear Temple, Clear Lens and Anti-Scratch / FogLess® 3Sixty™ Coating

- Lightweight, rimless design provides all day user comfort
- Bayonet temples with end tips that curve out for ease of placement on face
- Non-slip rubber nose pads offer a secure fit
- FogLess® 3Sixty™ enhanced hydrophobic action resists lens fogging and provides clear vision in extreme working conditions
- 9 Base curve lens
- Meets ANSI Z87.1+
- Meets CSA Z94.3
- **⚠️ WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

Applications

- General Manufacturing
- Construction Applications
- Indoor Work

Technical Data

Color	Clear
Sizes Available	OS
Packaging	Bagged Each
Packed	144 Pair/Case
Case Dimensions (in)	23.46 x 13.94 x 16.34
Case Weight (lbs)	16.09
Country of Origin	Taiwan
Lens	Clear
Frame Style	Rimless
Lens Color	Clear
Frame Fit	Narrow Face
Lens Coating	Anti-Scratch, FogLess 3Sixty
Bridge	Rubber
Temple	Bayonet, Rubber Tips
Diopter	--
Base Curve	10
Construction	Dielectric
Certifications	ANSI Z87.1, TAA Compliant
Product Circularity	Recycled via Terracycle

KEY: Made from recycled or bio-based Launderable Recyclable via TerraCycle®

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobal.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2023-02-24



SKU Information

SKU	FRAME COLOR	LENS		LENS COLOR	COATING	UPC	UPC (INNER)	UPC (CASE)
		Indoor	Outdoor					
250-46-0226	Brown	Indoor	Outdoor	Clear	AS/AF	616314129186	01616314129185	02616314129184
250-46-0010	Clear	Clear	Clear	Clear	AS/AR	616314129179	01616314129178	02616314129177
250-46-0020	Clear	Clear	Clear	Clear	AS/AF	616314129155	01616314129154	02616314129153
250-46-0520	Clear	Clear	Clear	Clear	AS/FL360	616314200076	01616314200075	02616314200074
250-46-0021	Gray	Tinted	Gray	Gray	AS/AF	616314129162	01616314129161	02616314129160
250-46-0521	Gray	Tinted	Gray	Gray	AS/FL360	616314209512	01616314209511	02616314209510

KEY: AF = Anti-Fog / AR = Anti-Reflective / AS = Anti-Scratch / FL360 = Fogless 3Sixty / U = Uncoated



SPECIFICATION SHEET

STYLE: 250-46-0226



Captain™

Rimless Safety Glasses with Clear Temple, I/O Blue Lens and Anti-Scratch / Anti-Fog Coating

- Lightweight, rimless design provides all day user comfort
- Bayonet temples with end tips that curve out for ease of placement on face
- Non-slip rubber nose pads offer a secure fit
- 9 Base curve lens
- Meets ANSI Z87.1+
- Meets CSA Z94.3
- **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

Applications

- Artificial Light
- Indoor/Outdoor Work
- Fork Lift Operation

Technical Data

Color	Brown
Sizes Available	OS
Packaging	Bagged Each
Packed	144 Pair/Case
Case Dimensions (in)	23.46 x 13.94 x 16.34
Case Weight (lbs)	16.09
Country of Origin	Taiwan
Lens	Indoor Outdoor Blue
Frame Style	Rimless
Lens Color	Clear
Frame Fit	Narrow Face
Lens Coating	Anti-Scratch, Anti-Fog
Bridge	Rubber
Temple	Bayonet, Rubber Tips
Diopter	--
Base Curve	10
Construction	Dielectric
Certifications	ANSI Z87.1, CSA Z94.3 Compliant, TAA Compliant
Product Circularity	Recycled via Terracycle

KEY: Made from recycled or bio-based Launderable Recyclable via TerraCycle®

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobal.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2023-02-24



SKU Information

SKU	FRAME COLOR	LENS		LENS COLOR	COATING	UPC	UPC (INNER)	UPC (CASE)
		Indoor	Outdoor					
250-46-0226	Brown	Indoor	Outdoor	Clear	AS/AF	616314129186	01616314129185	02616314129184
250-46-0010	Clear	Clear	Clear	Clear	AS/AR	616314129179	01616314129178	02616314129177
250-46-0020	Clear	Clear	Clear	Clear	AS/AF	616314129155	01616314129154	02616314129153
250-46-0520	Clear	Clear	Clear	Clear	AS/FL360	616314200076	01616314200075	02616314200074
250-46-0021	Gray	Tinted	Gray	Gray	AS/AF	616314129162	01616314129161	02616314129160
250-46-0521	Gray	Tinted	Gray	Gray	AS/FL360	616314209512	01616314209511	02616314209510

KEY: AF = Anti-Fog / AR = Anti-Reflective / AS = Anti-Scratch / FL360 = Fogless 3Sixty / U = Uncoated



SPECIFICATION SHEET

STYLE: 250-46-0021



Captain™

Rimless Safety Glasses with Gray Temple, Gray Lens and Anti-Scratch / Anti-Fog Coating

- Lightweight, rimless design provides all day user comfort
- Bayonet temples with end tips that curve out for ease of placement on face
- Non-slip rubber nose pads offer a secure fit
- 9 Base curve lens
- Meets ANSI Z87.1+
- Meets CSA Z94.3
- **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

Applications

- Outdoor Work
- Construction Applications
- Public Works

Technical Data

Color	Gray
Sizes Available	OS
Packaging	Bagged Each
Packed	144 Pair/Case
Case Dimensions (in)	23.46 x 13.94 x 16.34
Case Weight (lbs)	16.09
Country of Origin	Taiwan
Lens	Tinted
Frame Style	Rimless
Lens Color	Gray
Frame Fit	Narrow Face
Lens Coating	Anti-Scratch, Anti-Fog
Bridge	Rubber
Temple	Bayonet, Rubber Tips
Diopter	--
Base Curve	10
Construction	Dielectric
Certifications	ANSI Z87.1, CSA Z94.3 Compliant, TAA Compliant
Product Circularity	Recycled via Terracycle

KEY: Made from recycled or bio-based Launderable Recyclable via TerraCycle®

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobal.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2023-02-24



SKU Information

SKU	FRAME COLOR	LENS		LENS COLOR	COATING	UPC	UPC (INNER)	UPC (CASE)
		LENS						
250-46-0226	Brown	Indoor	Outdoor	Clear	AS/AF	616314129186	01616314129185	02616314129184
250-46-0010	Clear	Clear	Blue	Clear	AS/AR	616314129179	01616314129178	02616314129177
250-46-0020	Clear	Clear		Clear	AS/AF	616314129155	01616314129154	02616314129153
250-46-0520	Clear	Clear		Clear	AS/FL360	616314200076	01616314200075	02616314200074
250-46-0021	Gray	Tinted		Gray	AS/AF	616314129162	01616314129161	02616314129160
250-46-0521	Gray	Tinted		Gray	AS/FL360	616314209512	01616314209511	02616314209510

KEY: AF = Anti-Fog / AR = Anti-Reflective / AS = Anti-Scratch / FL360 = Fogless 3Sixty / U = Uncoated



SPECIFICATION SHEET

STYLE: 250-46-0521



Captain™

Rimless Safety Glasses with Gray Temple, Gray Lens and Anti-Scratch / FogLess® 3Sixty™ Coating

- Lightweight, rimless design provides all day user comfort
- Bayonet temples with end tips that curve out for ease of placement on face
- Non-slip rubber nose pads offer a secure fit
- FogLess® 3Sixty™ enhanced hydrophobic action resists lens fogging and provides clear vision in extreme working conditions
- 9 Base curve lens
- Meets ANSI Z87.1+
- Meets CSA Z94.3
- **⚠️ WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

Applications

- Outdoor Work
- Construction Applications
- Public Works

Technical Data

Color	Gray
Sizes Available	OS
Packaging	Bagged Each
Packed	144 Pair/Case
Case Dimensions (in)	23.46 x 13.94 x 16.34
Case Weight (lbs)	16.09
Country of Origin	Taiwan
Lens	Tinted
Frame Style	Rimless
Lens Color	Gray
Frame Fit	Narrow Face
Lens Coating	Anti-Scratch, FogLess 3Sixty
Bridge	Rubber
Temple	Bayonet, Rubber Tips
Diopter	--
Base Curve	10
Construction	Dielectric
Certifications	ANSI Z87.1, TAA Compliant
Product Circularity	Recycled via Terracycle

KEY: Made from recycled or bio-based Launderable Recyclable via TerraCycle®

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobal.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2023-02-24



SKU Information

SKU	FRAME COLOR	LENS		LENS COLOR	COATING	UPC	UPC (INNER)	UPC (CASE)
		Indoor	Outdoor					
250-46-0226	Brown	Indoor	Outdoor	Clear	AS/AF	616314129186	01616314129185	02616314129184
250-46-0010	Clear	Clear	Clear	Clear	AS/AR	616314129179	01616314129178	02616314129177
250-46-0020	Clear	Clear	Clear	Clear	AS/AF	616314129155	01616314129154	02616314129153
250-46-0520	Clear	Clear	Clear	Clear	AS/FL360	616314200076	01616314200075	02616314200074
250-46-0021	Gray	Tinted	Gray	Gray	AS/AF	616314129162	01616314129161	02616314129160
250-46-0521	Gray	Tinted	Gray	Gray	AS/FL360	616314209512	01616314209511	02616314209510

KEY: AF = Anti-Fog / AR = Anti-Reflective / AS = Anti-Scratch / FL360 = Fogless 3Sixty / U = Uncoated