



SPECIFICATION SHEET

STYLE: 250-MT-10070



Monteray II™

Rimless Safety Glasses with Black Temple, Clear Lens and Anti-Scratch Coating

- Lightweight design provides all day user comfort
- Soft pliable rubber temples eliminate any pressure points
- Soft nosepiece minimizes slippage and keeps glasses in place for a secure fit
- 9.75 Base curve lens
- Meets ANSI Z87.1+
- **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

Applications

- General Manufacturing
- Construction Applications
- Indoor Work

Technical Data

| | |
|----------------------|---------------------------|
| Color | Black |
| Sizes Available | OS |
| Packaging | Bagged Each |
| Packed | 144 Pair/Case |
| Case Dimensions (in) | 25.59 x 9.84 x 12.60 |
| Case Weight (lbs) | 14.33 |
| Country of Origin | Taiwan |
| Lens | Clear |
| Frame Style | Rimless |
| Lens Color | Clear |
| Frame Fit | Universal |
| Lens Coating | Anti-Scratch |
| Bridge | Rubber |
| Temple | Rubber Tips |
| Diopter | -- |
| Base Curve | 9.75 |
| Construction | -- |
| Certifications | ANSI Z87.1, TAA Compliant |
| Product Circularity | Recycled via Terracycle |

KEY: Made from recycled or bio-based Launderable Recyclable via TerraCycle®

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobal.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2023-02-20



SPECIFICATION SHEET

STYLE: 250-MT-10071



Monteray II™

Rimless Safety Glasses with Black Temple, Clear Lens and Anti-Scratch / Anti-Fog Coating

- Lightweight design provides all day user comfort
- Soft pliable rubber temples eliminate any pressure points
- Soft nosepiece minimizes slippage and keeps glasses in place for a secure fit
- 9.75 Base curve lens
- Meets ANSI Z87.1+
- **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

Applications

- General Manufacturing
- Construction Applications
- Indoor Work

Technical Data

| | |
|----------------------|---------------------------|
| Color | Black |
| Sizes Available | OS |
| Packaging | Bagged Each |
| Packed | 144 Pair/Case |
| Case Dimensions (in) | 25.59 x 9.84 x 12.60 |
| Case Weight (lbs) | 14.33 |
| Country of Origin | Taiwan |
| Lens | Clear |
| Frame Style | Rimless |
| Lens Color | Clear |
| Frame Fit | Universal |
| Lens Coating | Anti-Scratch, Anti-Fog |
| Bridge | Rubber |
| Temple | Rubber Tips |
| Diopter | -- |
| Base Curve | 9.75 |
| Construction | -- |
| Certifications | ANSI Z87.1, TAA Compliant |
| Product Circularity | Recycled via Terracycle |

KEY: Made from recycled or bio-based Launderable Recyclable via TerraCycle®

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobal.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing and other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2023-02-20



SPECIFICATION SHEET

STYLE: 250-MT-10072



Monteray II™

Rimless Safety Glasses with Black Temple, Gray Lens and Anti-Scratch Coating

- Lightweight design provides all day user comfort
- Soft pliable rubber temples eliminate any pressure points
- Soft nosepiece minimizes slippage and keeps glasses in place for a secure fit
- 9.75 Base curve lens
- Meets ANSI Z87.1+
- **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

Applications

- Outdoor Work
- Construction Applications
- Public Works

Technical Data

| | |
|----------------------|---------------------------|
| Color | Black |
| Sizes Available | OS |
| Packaging | Bagged Each |
| Packed | 144 Pair/Case |
| Case Dimensions (in) | 25.59 x 9.84 x 12.60 |
| Case Weight (lbs) | 14.33 |
| Country of Origin | Taiwan |
| Lens | Tinted |
| Frame Style | Rimless |
| Lens Color | Gray |
| Frame Fit | Universal |
| Lens Coating | Anti-Scratch |
| Bridge | Rubber |
| Temple | Rubber Tips |
| Diopter | -- |
| Base Curve | 9.75 |
| Construction | -- |
| Certifications | ANSI Z87.1, TAA Compliant |
| Product Circularity | Recycled via Terracycle |

KEY: Made from recycled or bio-based Launderable Recyclable via TerraCycle®

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobal.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2023-02-20



SPECIFICATION SHEET

STYLE: 250-MT-10074



Monteray II™

Rimless Safety Glasses with Black Temple, Amber Lens and Anti-Scratch Coating

- Lightweight design provides all day user comfort
- Soft pliable rubber temples eliminate any pressure points
- Soft nosepiece minimizes slippage and keeps glasses in place for a secure fit
- 9.75 Base curve lens
- Meets ANSI Z87.1+
- **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

Applications

- Agriculture
- Forestry
- Mechanical Work
- Night Vision
- Warehouse

Technical Data

| | |
|----------------------|---------------------------|
| Color | Black |
| Sizes Available | OS |
| Packaging | Bagged Each |
| Packed | 144 Pair/Case |
| Case Dimensions (in) | 25.59 x 9.84 x 12.60 |
| Case Weight (lbs) | 14.33 |
| Country of Origin | Taiwan |
| Lens | Tinted |
| Frame Style | Rimless |
| Lens Color | Amber |
| Frame Fit | Universal |
| Lens Coating | Anti-Scratch |
| Bridge | Rubber |
| Temple | Rubber Tips |
| Diopter | -- |
| Base Curve | 9.75 |
| Construction | -- |
| Certifications | ANSI Z87.1, TAA Compliant |
| Product Circularity | Recycled via Terracycle |

KEY: Made from recycled or bio-based Launderable Recyclable via TerraCycle®

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobal.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2023-02-20



SPECIFICATION SHEET

STYLE: 250-MT-10075



Monteray II™

Rimless Safety Glasses with Black Temple, I/O Lens and Anti-Scratch Coating

- Lightweight design provides all day user comfort
- Soft pliable rubber temples eliminate any pressure points
- Soft nosepiece minimizes slippage and keeps glasses in place for a secure fit
- 9.75 Base curve lens
- Meets ANSI Z87.1+
- **WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

Applications

- Artificial Light
- Indoor/Outdoor Work
- Fork Lift Operation

Technical Data

| | |
|----------------------|---------------------------|
| Color | Black |
| Sizes Available | OS |
| Packaging | Bagged Each |
| Packed | 144 Pair/Case |
| Case Dimensions (in) | 25.59 x 9.84 x 12.60 |
| Case Weight (lbs) | 14.33 |
| Country of Origin | Taiwan |
| Lens | Indoor Outdoor |
| Frame Style | Rimless |
| Lens Color | Clear |
| Frame Fit | Universal |
| Lens Coating | Anti-Scratch |
| Bridge | Rubber |
| Temple | Rubber Tips |
| Diopter | -- |
| Base Curve | 9.75 |
| Construction | -- |
| Certifications | ANSI Z87.1, TAA Compliant |
| Product Circularity | Recycled via Terracycle |

KEY: Made from recycled or bio-based Launderable Recyclable via TerraCycle®

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobal.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2023-02-20



SPECIFICATION SHEET

STYLE: 250-MT-10075

SKU Information

| SKU | FRAME COLOR | LENS | LENS COLOR | LENS COATING | UPC | UPC (INNER) | UPC (CASE) |
|--------------|-------------|--------|------------|--------------|--------------|----------------|----------------|
| 250-MT-10070 | Black | Clear | Clear | AS | 899558001863 | 01616314121943 | 02616314121942 |
| 250-MT-10071 | Black | Clear | Clear | AS/AF | 899558001870 | 01616314156211 | 02616314156210 |
| 250-MT-10072 | Black | Tinted | Gray | AS | 899558001887 | 01616314121936 | 02616314121935 |
| 250-MT-10074 | Black | Tinted | Amber | AS | 899558001900 | 01616314133687 | 02616314133686 |
| 250-MT-10075 | Black | I/O | Clear | AS | 899558001917 | 01616314156228 | 02616314156227 |

KEY: AF = Anti-Fog / AR = Anti-Reflective / AS = Anti-Scratch / FL360 = Fogless 3Sixty / U = Uncoated