







BradyID.com

High-Performance Mats, Pads and Rolls

Combining absorbency and durability to meet your needs



High-Performance Absorbents Family

Brady SPC absorbents are your go-to solution to quickly clean up routine leaks, drips and spills. This line of high-performance products combines ultimate absorbency with added durability. Specifically designed for high traffic areas, these absorbents incorporate additional features, such as barrier and adhesive backings to prevent tearing in the presence of foot and forklift traffic. With a variety of applications and price points, you're sure to find an option that meets your needs.

	Application	Durati	lity Linting	cost	Absorbency Grades	Construction
Adhesive Mat	Areas with significant foot and forklift traffic where traditional mats are a tripping hazard	///	Low Linting	\$\$\$	Heavy Weight	Needle-punched polypropylene and, adhesive backing
BSM - Barrier Spill Matting	High traffic aisles and walkways	/ //	Low Linting	\$\$\$	Medium Weight	Needle-punched polypropylene, non-skid backing
High Visibility Barrier- Backed Mat	High traffic areas where visual cues are necessary given higher risk of slips, trips and falls	///	Low Linting	\$\$\$	Heavy Weight	3-ply Spunbond coverstock, non-skid backing
High Traffic (HT) Barrier- Backed Mat	Placement near workstations	/ //	Low Linting	\$\$\$	Heavy Weight	2-ply Spunbond coverstock, non-skid backing
TrackMat Matting	Indoor and outdoor areas where high volume spills could occur	/ //	Low Linting	\$\$\$	Heavy Weight	3-ply UV-resistant top layer, polypropylene core
BattleMat [®] Absorbent Rolls	Visible areas of the plant with heavy traffic	/ //	Low Linting	\$\$\$	Heavy Weight	2-ply Spunbond coverstock
SIR - Sorbent Industrial Rug	Areas of moderate foot traffic	///	Low Linting	\$\$	Heavy Weight	Needle-punched polypropylene
Rag Rug Matting	Eco-friendly solution for areas with moderate foot traffic	/ /	Medium Linting	\$	Heavy Weight	Recycled cotton and polyester fibers

High Performance Mats and Rugs

Brady SPC absorbent mats and rugs keep aisles and walkways slip-free by absorbing and containing oils, liquids or other spills. They are designed to hold up under the toughest conditions and are ideal for high traffic areas and workstations. Compared to an entrance mat, absorbent mats and rugs offer better traction and reduce the tracking of liquids from one area to another.



The Technology

Brady SPC absorbent mats and rugs are constructed from a combination of durable materials including needle-punched polypropylene, traditional meltblown polypropylene and recycled cotton fibers.

For areas where durability is of greatest concern, mats with needle-punched construction will provide superior strength with larger fiber diameter than traditional meltblown options. These fibers will not come loose in high traffic areas.

For areas with moderate traffic, traditional meltblown with coverstock provides low linting.

For an environmentally-friendly solution, look to recycled cotton fiber construction.

Some common liquids absorbed are:

- ✓ Bases
- ✓ Oils
- ✓ Chemicals
- ✓ Solvents
- ✓ Water-based fluids



Adhesive Mat

Adhere and remove from your walkways with ease.

- All-purpose absorbent mat designed for general industrial applications
- Tacky underside adheres to surfaces to keep the absorbent in place and reduce slips, trips and falls
- Easy to remove without leaving behind any residue
- Pads are perfect for tool cribs and rolls are great for walkway protection
- Gray color masks drips and spills for longer use

Catalog #	Туре	Size	Perfed	Absorb. Factor (gl/gs)	Absorb. Cap. (gal)			Qty.
Adhesive I	Mat Rolls							
AD15100	Heavy Wt. Roll	15" x 100'	No	8	11	15	30	1/case
AD30100	Heavy Wt. Roll	30" x 100'	No	8	21	29	12	1/case



BSM - Barrier Spill Matting

Industrial rug with non-slip and leak-proof barrier backing for use in high traffic areas and around workstations.

- Needle-punched polypropylene is durable for high traffic areas and eliminates slippery areas and unsightly tracking
- Tear resistant and will not curl or buckle
- Absorbs water, oil or chemicals

Catalog #		Size	Perfed	Absorb. Factor (gl/gs)	Absorb. Cap. (gal)	Shipping Wt. (lbs)		Qty.
BSM300		36"x300'	No	8	74	67	12	1/bale
BSM100	Medium Wt. Rug	36"x100'	No	8	25	24	40	1/bale
BSM3650	Medium Wt. Rug	36"x50'	No	8	12	12	40	1/case



High Visibility Barrier-Backed Mat

Absorbency, signage and durability all in one.

- Highly absorbent, all-purpose mat for industrial applications
- Printed messaging draws attention to high risk slip, trip and fall areas
- Non-skid, barrier-backed 3-ply construction with spunbond coverstock for ultimate durability
- Color-coded for safety and easy separation of hazardous waste
- Product will not react with aggressive fluids

Catalog #	Туре	Size	Perfed	Absorb. Factor (gl/gs)	Absorb. Cap. (gal)	Shipping Wt. (lbs)		Qty.
High Visibi	ility Barrier Back	ed Mat Pad	s					
CHBB100	Heavy Wt. Pad	15" x 19"	No	11.7	21.2	15.75	30	100/case
High Visibi	ility Barrier Back	ed Mat Roll	s					
CHBB15	Heavy Wt. Roll	15" x 100'	No	11.7	13.4	11	30	1/case
CHBB30	Heavy Wt. Roll	30" x 100'	No	11.7	26.7	22	12	1/case



"High Traffic" (HT) Barrier-Backed Mat

Universal absorbent with added durability to stand up to the toughest conditions.

- All-purpose mat designed for general industrial applications and high traffic areas
- Non-skid, barrier-backed 2-ply construction with spunbond coverstock for ultimate durability
- Printed safety message reminds workers to exercise caution near high-risk slip, trip and fall areas
- Gray color masks drips and spills for longer use

Catalog # "HT" Barrie	Type er Backed Mat Pa	Size ds	Perfed	Absorb. Factor (gl/gs)	Absorb. Cap. (gal)	Shipping Wt. (lbs)		Qty.
HTBB100	Heavy Wt. Pad	15" x 19"	No	10.1	18.3	14.75	30	100/case
"HT" Barrie	er Backed Mat Ro	lls						
HTBB15	Heavy Wt. Roll	15" x 100'	No	10.1	11.5	10	30	1/bale
HTBB30	Heavy Wt. Roll	30" x 100'	No	10.1	23.1	20	12	1/bale



TrackMat Matting

The ultimate barrier absorbent for high volume petroleum spills.

- Durable 3-ply construction features UV-resistant top layer ideal for outdoor applications and suitable for heavy foot or vehicle traffic
- Highly absorbent polypropylene core
- Non-slip and non-leak barrier backing prevents liquids from penetrating into the ground
- Dimpled for added durability and reduced linting

Catalog #		Size	Perfed	Absorb. Factor (gl/gs)	Absorb. Cap. (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
TrackMat P	Pads							
TM30	Heavy Wt. Pad	29"x29"	No	9	25	15	15	30/bale
TrackMat F	Rolls							
TM58	Heavy Wt. Roll	58"x80'	No	9	55	34	9	1/bale
TM29	Heavy Wt. Roll	29"x80'	No	9	20	24	32	1/bale
TM19	Heavy Wt. Roll	19"x80'	No	9	26	32	18	2/bale



BattleMat® Absorbent Rolls

Tough camouflage patterned roll hides leaks and drips and is ideal for areas with moderate foot traffic.

- Tough, 2-ply construction is perfect for use as a mat in high traffic areas
- Camouflaged pattern hides absorbent stains reducing urge to dispose prematurely
- Durable, abrasion-resistant upper layer
- Perforated to help you reduce waste use only what you need

Catalog #		Size	Perfed	Absorb. Factor (gl/gs)	Absorb. Cap. (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
BM100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12.5	28	16.5	40	100/ bale
BattleMat	Rolls							
BM30	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	53	34.5	12	1/case
BM30X	Heavy Wt. Roll	30"x150'	No	12.5	53	34.5	12	1/case
BM15	Heavy Wt. Roll	15"x150'	Yes, 7.5" and 12" across	12.5	26	17	30	1/case



SIR - Sorbent Industrial Rug

Designed for high traffic areas and workstations where there's a need for clean and safe work floors and walkways.

- Made of durable, needle-punched polypropylene fibers for high traffic areas
- Eliminates slippery areas and unsightly tracking between the plant and office areas
- Product will not react with most aggressive fluids

Type dustrial Rolls	Size	Perfed	Absorb. Factor (gl/gs)	Absorb. Cap. (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
Heavy Wt. Rug	36"x300'	No	8.5	59	50	12	1/bale
Heavy Wt. Rug	36"x150'	No	12.5	45	25	24	1/bale
Heavy Wt. Rug	72"x150'	No	8.5	59	50	12	1/bale
	Heavy Wt. Rug Heavy Wt. Rug	dustrial Rolls Heavy Wt. Rug 36"x300'	Heavy Wt. Rug 36"x300' No Heavy Wt. Rug 36"x150' No	Type Size Perfed Factor (gl/gs) dustrial Rolls Heavy Wt. Rug 36"x300" No 8.5 Heavy Wt. Rug 36"x150" No 12.5	Type Size Perfed Absorb. Factor (gl/gs) (gal) Cap. (gal) dustrial Rolls Heavy Wt. Rug 36"x300' No 8.5 59 Heavy Wt. Rug 36"x150' No 12.5 45	Type Size Perfed Absorb. Factor (gl/gs) Cap. (gal) Shipping Wt. (lbs) dustrial Rolls Heavy Wt. Rug 36"x300" No 8.5 59 50 Heavy Wt. Rug 36"x150" No 12.5 45 25	Type Size Perfed Absorb. Factor (gl/gs) Cap. (gal) Shipping Wt. (lbs) Pallet Wt. (lbs) dustrial Rolls Heavy Wt. Rug 36"x300' No 8.5 59 50 12 Heavy Wt. Rug 36"x150' No 12.5 45 25 24



Rag Rug Matting

Eco-friendly highly absorbent matting made from recycled materials.

- Economy rug constructed of recycled cotton and polyester fibers
- Provides good footing, masks dirt and absorbs spills
- Ideal for maintenance, repair and industrial environments

Catalog #	Type	Size	Perfed	Absorb. Factor (gl/gs)	Absorb. Cap. (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
RAG36150	Heavy Wt. Rug	36"x150'	No	9	55	47	12	1/bale
RAG24150	Heavy Wt. Rug	24"X150	No	9	37	52	10	1/bale
RAG1818	Heavy Wt. Rug	18"x18"	No	9	38	32	18	50/case







Brady warrants only to the buyer that the products and parts set forth herein will be free from defects in material and workmanship from the date of purchase for a period of one year. Brady's sole obligation under the above warranty shall be to repair or replace the defective products or parts during the warranty period. NO OTHER WARRANTIES, EXPRESS OR IMPLIED, ARE GIVEN, AND BRADY EXPRESSLY DISCLAIMS ALL OTHER WARRANTIES, INCLUDING AND WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. All statements, technical information, or recommendations relating to the products or parts are based upon tests believed to be reliable, but do not constitute a guaranty or warranty. BRADY SHALL NOT UNDER ANY CIRCUMSTANCES WHATSOEVER BE LIABLE TO ANY PARTY FOR LOSS OF PROFITS, DIMINUTION OF GOOD WILL, OR ANY OTHER SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES WHATSOEVER WITH RESPECT TO ANY CLAIM IN CONNECTION WITH BRADY PRODUCTS AND/OR PARTS. Brady's maximum liability for warranty claims is limited to the invoice price of the product or price claimed defective.

PRICES AND AVAILABILITY ARE SUBJECT TO CHANGE WITHOUT NOTICE.

In an effort to reduce shipping costs for our customers, pallet quantities may vary.

USA

Customer Service: 1-888-272-3946 Inside Sales: 1-888-311-0775

BradyID.com

Canada

Customer Service: 1-800-263-6179

BradyCanada.ca

Mexico

1-800-262-7777

Inside Sales: 1-800-262-7777 ext 177

BradyLatinAmerica.com

