






Specifications



Key Characteristics



Catalog Page # 	106
Product Number	110939
UPC	662820900092
Applications 	Cable & Wire Marking, General & Industrial ID, Laboratory ID, Panel Labeling, Voice & Data ID
UOM	Cartridge of 16 Feet
Trade Name	BMP®21
Brand Name	Brady®
Ribbon Series	R4300
Country of Origin 	Mexico
HTS Code (Harmonized Tariff Schedule) 	8443.99.2550
ECCN (Export Commodity Control Number) 	EAR99

Dimensions



Label/Tape Size	0.5 in W x 16 ft L
Roll Length	16 ft
Roll Width	0.5 in
Thickness	0.0065 in

Material Characteristics

Material Number 	B-499 (View Technical Data Sheet)
Material 	Nylon Cloth
Material Properties	Autoclavable, Cryogenic storage, Halogen-free
Label Properties	Permanent Adhesive
Adhesive Type	Permanent Acrylic
Finish	Matte
Color	Black on White
Ribbon Color	Black
Tape Color	White
Resistance Properties	Abrasion-Resistant, Chemical-Resistant, Humidity-Resistant, UV-Resistant, Weather-Resistant
Indoor or Outdoor Use	Indoor Use
Service Temperature Range °F	-40 °F - 194 °F

Minimum Service Temperature °F	-40 °F
Minimum Service Temperature °F	-40 °F
Maximum Service Temperature °F	194 °F
Reflective Type 	Non-Reflective
PSPA Photoluminescence Class 	Not Rated
Compatible Surface Types	High Surface Energy

Product Features

Application 	Component and Equipment Labeling, Data and Telecommunications Labeling, Electrical Labeling, General Identification, Laboratory Labeling, Wire and Cable Labeling
Average Outdoor Durability 	Not Recommended
Label/Media Format	Label/Media in Cartridge with Ribbon

Printing Specifications

Print Technology	Thermal Transfer
------------------	------------------

Compatibility

Printer Compatibility	BMP21-LAB, BMP21-PLUS, M210, M210-LAB, M211
-----------------------	---

Preprinted Information

Pre-Printed Areas on Label	Colored Write-On Area
----------------------------	-----------------------

Compliance

UNSPSC 	55121612
RoHS Compliance Status	Compliant with Directive 2011/65/EU and 2015/863