Product Number	152263
UPC	888434559505
UOM	Kit
Trade Name	M210
Brand Name	Brady®
Country of Origin	Malaysia
HTS Code (Harmonized Tariff Schedule)	8443.32.1050
ECCN (Export Commodity Control Number)	EAR99

#### Dimensions

Dimensions	9.5 in H x 4.5 in W x 2.5 in D
Height	9.5 in
Width	4.5 in
Depth	2.5 in
Display Size	2 x 1 in
Weight	1.653 lb

### Material Characteristics

Color	Yellow, Black

### **Product Features**

Application 🕡	Data and Telecommunications Labeling, Electrical Labeling, General Identification, Lean and 5S Labeling, Warehouse Marking, Wire and Cable Labeling
Shipped With Battery	Yes
How Is Battery Shipped	Shipped in box, not installed
Battery mAh Rating	3350 mAh
Battery Weight (metric)	0.21 lb
Built-In Label Wizards	Flags, Patch Panel, Terminal Block, Wire Wrap
Connectivity Options	None
Cutter Type	Single Hand Manual Actuate, Straight Cut, With label retention
Display Type	Monocolor LCD Screen
Keyboard Type	ABC
Memory	16 MB (2 MB available for storage, stores 12 labels)
Stand Alone Printing 🕖	Stand-alone
Number of Symbols	193
Plug Type	US
Power Supply Voltage	110 - 240 V
Auto Shut-Off / Power Conserve	10 minutes

Recharge Time 0	2.5 hours
User Interface Type	ABC Keypad
Battery Type	Optional AA Battery, Rechargeable Lithium-ion Battery

### **Printing Specifications**

Barcode Symbologies - 2D	Data Matrix, QR code
Barcode Symbologies - Linear	Code 128, Code 39
Calibration Required?	Automated through Smart Cell
Color Printing Capability	Single Color
Font Sizes	6 - 40 pt
Font Styles	Brady Standard Font
Label Retention Feature 🕡	Yes
Maximum Labels per Day 🥡	100
Minimum Label Length 🕖	0.915 in
Maximum Print Speed	0.393 in/s
Minimum Liner Width	0.453 in
Print Resolution	203 dpi
Print Technology	Thermal Transfer
On Screen Indicators	Battery Life, Ribbon and label part number recognition, Ribbon Remaining, Supply Remaining
Device Drop Test & Durability	Resistant to 6-foot drops

# Compatibility

Compatible Media	M21-
Label Material Types	Heat-shrink Polyolefin, Nylon Cloth, Paper, Polyester, Polypropylene, Self-laminating Polyester, Self-laminating Vinyl, Vinyl
Continuous & Die-Cut Materials Supported	Continuous and Die-cut
Custom Media Parts Available	No
Custom Labels Available	No
Maximum Label/Tape Width	0.75 in
Maximum Print Width	0.63 in
Maximum Printed Label Length	36 in
Maximum Liner Width	0.875 in
Languages Available	Croatian, Czech, Danish, Dutch, English (US), Estonian, Finnish, French (France), German, Hungarian, Italian, Norwegian, Polish, Portuguese (Portugal), Romanian, Slovak, Slovenian, Spanish (universal), Swedish, Turkish

#### What's Included

Includes	(1) AC Adapter/Battery Charger (M210-AC), (1) Hard Case (M210-HC), (1) Li-
	ion Rechargeable Battery (M210-BATTERY), (1) M21 Series Nylon Cloth
	Patch Panel and Wire and Cable Labels (M21-750-499), (1) Quick Start

	Guide, (1) Replacement Power Cord - North America, (1)M210 Label Printer (M210)
Warranty (North America)	2 Years

## Compliance

UNSPSC 🕖	45101520
Patent Number(s)	6.604.874;6.732.619;US 8.322.939
RoHS Compliance Status	Compliant with Directive 2011/65/EU and 2015/863