






Specifications

Key Characteristics



Catalog Page # 	142
Product Number	18606
UPC	662820186069
Applications 	Asset Tracking, Barcode Labeling, Component & Equipment ID, General & Industrial ID, Panel Labeling, Rating Plates, Voice & Data ID
UOM	Roll of 250 Labels
Quantity per Roll	250
Unit Price	\$0.00/Label
Trade Name	ToughBond®
Brand Name	Brady®
Country of Origin 	Mexico
HTS Code (Harmonized Tariff Schedule) 	8443.99.2550
ECCN (Export Commodity Control Number) 	EAR99

Dimensions


Dimensions	1 in H x 1.5 in W
Height	1 in
Width	1.5 in
Label/Tape Size	1 in H x 1.5 in W
Printable Area Dimensions	1 in H x 1.5 in W

Printable Area Height	1 in
Printable Area Width	1.5 in
Thickness	0.004 in
Vertical Repeat	1.125 in
Web Width	1.812 in
Core Diameter	1 in

Material Characteristics

Material Number 	B-483A (View Technical Data Sheet)
Material 	Polyester
Overlamine B-Number	B-634
Material Properties	Halogen-free
Label Properties	Aggressive Adhesive, Heat Resistant, Low Temperature
Adhesive Type	Permanent Rubber Based
Finish	Gloss
Color	White
Resistance Properties	Abrasion-Resistant, Chemical-Resistant, Corrosion-Resistant, Humidity-Resistant, UV-Resistant, Weather-Resistant
Indoor or Outdoor Use	Outdoor Use
Service Temperature Range °F	-40 °F - 248 °F
Minimum Service Temperature °F	-40 °F
Minimum Service Temperature °F	-40 °F
Maximum Service Temperature °F	248 °F
Compatible Surface Types	Low Surface Energy


Product Features

Application 	Asset Tracking, Barcode Labeling, Component and Equipment Labeling, Data and Telecommunications Labeling, Electrical Labeling, General Identification, Inventory and Inspection Labeling
Shape	Rectangle
Corner Type	Rounded Corners
Label/Media Format	Roll
Quantity per Row	1

Printing Specifications

Print Technology	Thermal Transfer
------------------	------------------

Compatibility

Printer Compatibility	BMP61, BMP71 (with media adapter), M611
Recommended Ribbon 	M61-R6010, M71-R6000
Suggested Ribbon Series	R6000 Halogen Free

Preprinted Information


Pre-Printed Areas on Label	Colored Write-On Area
----------------------------	-----------------------

What's Included

Overlamine Included	Overlamine Included
Secondary Label Included	Secondary Label is Not Included

Compliance

UNSPSC 	55121612
--	----------

California Prop 65 	Due to inconclusive data, this product may not ship to California at this time
RoHS Compliance Status	Please contact our CS department for more information