





Specifications

Key Characteristics

Catalog Page # 	241
Product Number	149561
UPC	754473607319
UOM	Kit
Brand Name	Code Corporation
Country of Origin 	Malaysia
HTS Code (Harmonized Tariff Schedule) 	8471.60.8000
ECCN (Export Commodity Control Number) 	EAR99











Dimensions

Dimensions	5.5 in H x 2 in W x 2.75 in D
Height	5.5 in
Width	2 in
Depth	2.75 in
Cable Length	6 ft
Weight	0.24 lb

Material Characteristics

Color	Dark Gray
-------	-----------

Product Features

Connectivity Options 	USB
Display Type	None
Memory	1 MB NOR Flash, 16MB RAM
Barcode Scanner Model	CR950
Scanner Model	CR950
Battery Type	No Battery
Decode Capability - 1D	BC412, Codabar, Code 11, Code 128, Code 32, Code 39, Code 93, GS1 DataBar, Hong Kong 2 of 5, IATA 2 of 5, Interleaved 2 of 5, Matrix 2 of 5, MSI Plessey, NEC 2 of 5, Plessey, Straight 2 of 5, Telepen, Trioptic, UPC / EAN / JAN
Rotational Tolerance	+/- 180°
Sensor 	CMOS 1.2 megapixel monochrome
Field of View (Horizontal x Vertical) 	51 degrees Horizontal by 39.4 degrees Vertical
Field of View 	51° Horizontal by 39.4° Vertical
Focal Point 	Approximately 130 mm
Keypad?	No
Optical Resolution 	1280 x 960
Pitch 	± 60° (from front to back)
Shock Rating 	6 ft
Skew 	± 60° from plane parallel to symbol (side-to-side)
Target Beam 	Single blue targeting bar
Image Output Options	JPEG, PGM
Decode Capability - 1D Stacked	GS1 Composite (CC-A/CC-B/CC-C), MicroPDF, PDF417

Decode Capability - 2D	Aztec Code, Data Matrix, Data Matrix Rectangular Ext'n, GoCode® (proprietary--add'l license req'd), Micro QR Code, QR Code, QR Model 1
Field Selection	Wide Field
Advanced Data Editing	JavaScript
Symbol Contrast	15% minimum reflectance difference
Ambient Light Immunity	Sunlight: Up to 9,000ft-candles/96,890 lux
Charging Station Communication Interfaces for Barcode Scanners	RS232, USB 2.0 (generic HID, HID keyboard, virtual com port)




Printing Specifications

Device Drop Test & Durability	Resistant to 6-foot drops
-------------------------------	---------------------------

What's Included

Includes	(1) CR950 Reader, (1) Stand, (1) USB Cable 6ft
Keypad Included?	No

Compliance

UNSPSC 	43211701
California Prop 65 	Due to inconclusive data, this product may not ship to California at this time
Ingress Protection Rating 	IP54
RoHS Compliance Status	Please contact our CS department for more information