




Specifications

Key Characteristics



Catalog Page # 	170
Product Number	114744
UPC	662820925316
Applications 	Tamper Indicating Labels
UOM	Roll of 500 Labels
Quantity per Roll	500
Unit Price	\$0.00/Label
Trade Name	Defender®
Brand Name	Brady®
Country of Origin 	Mexico
HTS Code (Harmonized Tariff Schedule) 	8443.99.2550
ECCN (Export Commodity Control Number) 	EAR99

Dimensions


Dimensions	0.5 in H x 1 in W
Height	0.5 in
Width	1 in
Label/Tape Size	0.5 in H x 1 in W
Printable Area Dimensions	0.5 in H x 1 in W
Printable Area Height	0.5 in

Printable Area Width	1 in
Thickness	0.0028 in
Vertical Repeat	0.625 in
Web Width	1.312 in
Core Diameter	1 in

Material Characteristics

Material Number 	B-351 (View Technical Data Sheet)
Material 	Tamper-resistant Vinyl
Material Properties	Tamper-resistant
Label Properties	Heat Resistant, Permanent Adhesive, Tamper Evident
Adhesive Type	Permanent Acrylic
Finish	Matte
Color	White
Resistance Properties	Abrasion-Resistant, Humidity-Resistant, Tamper-Resistant, UV-Resistant, Weather-Resistant
Indoor or Outdoor Use	Outdoor Use
Service Temperature Range °F	-40 °F - 176 °F
Minimum Service Temperature °F	-40 °F
Minimum Service Temperature °F	-40 °F
Maximum Service Temperature °F	176 °F
Minimum Application Temperature °F	50 °F
Compatible Surface Types	High Surface Energy
Tamper Indication Type	Tamper-Resistant


Product Features

Application 	Laboratory Labeling, Security Identification
Shape	Rectangle
Corner Type	Rounded Corners
Label/Media Format	Roll
Quantity per Row	1

Printing Specifications

Print Technology	Thermal Transfer
------------------	------------------



Compatibility

Printer Compatibility	BMP71
Recommended Ribbon 	M71-R6200
Suggested Ribbon Series	R6200

Preprinted Information

Pre-Printed Areas on Label	Colored Write-On Area
----------------------------	-----------------------

Compliance

UNSPSC 	55121612
California Prop 65 	Due to inconclusive data, this product may not ship to California at this time
RoHS Compliance Status	Please contact our CS department for more information