

Specifications

Key Characteristics

Catalog Page # 	130
Product Number	18341
UPC	662820183419
Applications 	Cable & Wire Marking, Panel Labeling
UOM	Roll of 750 Labels
Quantity per Roll	750
Unit Price	\$0.00/Label
Trade Name	BMP®61 BMP®71 TLS 2200® TLS-PC Link™
Brand Name	Brady®
Country of Origin 	United States of America
HTS Code (Harmonized Tariff Schedule) 	8443.99.2550
ECCN (Export Commodity Control Number) 	EAR99

Dimensions

Dimensions	0.75 in H x 0.25 in W
Height	0.75 in
Width	0.25 in
Label/Tape Size	0.75 in H x 0.25 in W
Printable Area Dimensions 	0.375 in H x 0.25 in W
Printable Area Height	0.375 in

Printable Area Width	0.25 in
Thickness	0.004 in
Vertical Repeat	0.375 in
Web Width	1.062 in
Core Diameter	1 in

Material Characteristics

Material Number 	B-427 (View Technical Data Sheet)
Material 	Self-laminating Vinyl
Material Properties	Flame-retardant, Self-laminating
Label Properties	Self Laminating & Wrap Around
Adhesive Type	Permanent Acrylic
Finish	Matte
Color	White, Clear
Resistance Properties	Chemical-Resistant, Humidity-Resistant, Oil-Resistant, Water-Resistant, Weather-Resistant
Indoor or Outdoor Use	Outdoor Use
Service Temperature Range °F	-94 °F - 158 °F
Minimum Service Temperature °F	-94 °F
Minimum Service Temperature °F	-94 °F
Maximum Service Temperature °F	158 °F
Compatible Surface Types	General

Product Features

Application 	Data and Telecommunications Labeling, Electrical Labeling, Laboratory Labeling, Wire and Cable
---	--

	Labeling
Shape	Rectangle
Corner Type	Rounded Corners
Label/Media Format	Roll
Quantity per Row	1

Printing Specifications

Print Technology	Thermal Transfer
------------------	------------------

Compatibility

Printer Compatibility	BMP61, BMP71 (with media adapter), M611
Recommended Ribbon 	M61-R4310, M71-R4300
Suggested Ribbon Series	R4300, R4500
Wire Diameter Range	0.079 in to 0.118 in
Wire Gauge Range 	16 AWG - 10 AWG

Preprinted Information

Pre-Printed Areas on Label	Colored Write-On Area
----------------------------	-----------------------

What's Included

Overlamine Included	Overlamine Included
Secondary Label Included	Secondary Label is Not Included

Compliance

UNSPSC 	55121612
--	----------

California Prop 65 	Due to inconclusive data, this product may not ship to California at this time
RoHS Compliance Status	Please contact our CS department for more information