

Specifications

Key Characteristics

Catalog Page # 	145
Product Number	139842
UPC	754473932947
UOM	Roll of 500 Labels
Quantity per Roll	500
Unit Price	\$0.00/Label
Trade Name	UltraTemp®
Brand Name	Brady®
Country of Origin 	United States of America
HTS Code (Harmonized Tariff Schedule) 	8443.99.2550
ECCN (Export Commodity Control Number) 	EAR99

Dimensions

Dimensions	0.375 in H x 1 in W
Height	0.375 in
Width	1 in
Label/Tape Size	0.375 in H x 1 in W
Thickness	0.0044 in
Vertical Repeat	0.5 in
Web Width	1.312 in

Core Diameter	1 in
---------------	------

Material Characteristics

Material Number 	B-724 (View Technical Data Sheet)
Material 	Polyimide
Label Properties	Heat Resistant, Permanent Adhesive
Adhesive Type	Permanent Acrylic
Finish	Matte
Color	Amber
Resistance Properties	Abrasion-Resistant, Chemical-Resistant, Corrosion-Resistant, Humidity-Resistant, Wave Solder-Resistant, Weather-Resistant
Indoor or Outdoor Use	Indoor Use
Service Temperature Range °F	-94 °F - 572 °F
Minimum Service Temperature °F	-94 °F
Minimum Service Temperature °F	-94 °F
Maximum Service Temperature °F	572 °F
Compatible Surface Types	High Surface Energy

Product Features

Application 	Circuit Board Labeling, Component and Equipment Labeling
Shape	Rectangle
Corner Type	Rounded Corners
Label/Media Format	Roll
Quantity per Row	1

Printing Specifications

Print Technology	Thermal Transfer
------------------	------------------

Compatibility

Printer Compatibility	BMP61, BMP71 (with media adapter), M611
Recommended Ribbon 	M61-R4310, M71-R4300
Suggested Ribbon Series	R4300

Preprinted Information

Header	No Header
Pre-Printed Areas on Label	Colored Write-On Area

What's Included

Secondary Label Included	Secondary Label is Not Included
--------------------------	---------------------------------

Compliance

UNSPSC 	55121612
California Prop 65 	Due to inconclusive data, this product may not ship to California at this time
RoHS Compliance Status	Please contact our CS department for more information