

Specifications

Key Characteristics

Catalog Page # 	133
Product Number	18503
UPC	662820185031
Applications 	Cable & Wire Marking, Laboratory ID - Bottle, Tube & Vial, Panel Labeling
UOM	Roll of 250 Labels
Quantity per Roll	250
Unit Price	\$0.00/Label
Trade Name	BMP®61 BMP®71 TLS 2200® TLS-PC Link™
Brand Name	Brady®
Country of Origin 	Mexico
HTS Code (Harmonized Tariff Schedule) 	8443.99.2550
ECCN (Export Commodity Control Number) 	EAR99

Dimensions

Dimensions	1 in H x 1.5 in W
Height	1 in
Width	1.5 in
Label/Tape Size	1 in H x 1.5 in W
Printable Area Dimensions	1 in H x 1.5 in W
Printable Area Height	1 in

Printable Area Width	1.5 in
Thickness	0.0065 in
Vertical Repeat	1.125 in
Web Width	1.812 in
Vial/Tube Size	50.0 ml
Core Diameter	1 in

Material Characteristics

Material Number 	B-499 (View Technical Data Sheet)
Material 	Nylon Cloth
Material Properties	Autoclavable, Cryogenic storage, Halogen-free
Label Properties	Aggressive Adhesive, Low Temperature, Permanent Adhesive
Adhesive Type	Permanent Acrylic
Finish	Matte
Color	White
Resistance Properties	Abrasion-Resistant, Chemical-Resistant, Humidity-Resistant, Low Temperature-Resistant, UV-Resistant, Weather-Resistant
Indoor or Outdoor Use	Indoor Use
Service Temperature Range °F	-40 °F - 194 °F
Minimum Service Temperature °F	-40 °F
Minimum Service Temperature °F	-40 °F
Maximum Service Temperature °F	194 °F
Compatible Surface Types	High Surface Energy

Product Features

Application 	Component and Equipment Labeling, Electrical Labeling, General Identification, Laboratory Labeling, Warehouse Marking, Wire and Cable Labeling
Shape	Rectangle
Corner Type	Rounded Corners
Label/Media Format	Roll
Quantity per Row	1

Printing Specifications

Print Technology	Thermal Transfer
------------------	------------------

Compatibility

Printer Compatibility	BMP61, BMP71 (with media adapter)
Recommended Ribbon 	M61-R4310, M71-R4300
Suggested Ribbon Series	R4300, R6200
Wire Gauge Range 	10 AWG - 4 AWG

Preprinted Information

Pre-Printed Areas on Label	Colored Write-On Area
----------------------------	-----------------------

What's Included

Secondary Label Included	Secondary Label is Not Included
--------------------------	---------------------------------

Compliance

UNSPSC 	55121612
--	----------

California Prop 65 	Due to inconclusive data, this product may not ship to California at this time
RoHS Compliance Status	Please contact our CS department for more information