

Specifications

Key Characteristics

Catalog Page # 	148
Product Number	11229
UPC	662820112297
Applications 	Asset Tracking, Tamper Indicating Labels
UOM	Roll of 250 Labels
Quantity per Roll	250
Unit Price	\$0.00/Label
Trade Name	Defender®
Brand Name	Brady®
Country of Origin 	United States of America
HTS Code (Harmonized Tariff Schedule) 	8443.99.2550
ECCN (Export Commodity Control Number) 	EAR99

Dimensions

Dimensions	1 in H x 1.5 in W
Height	1 in
Width	1.5 in
Label/Tape Size	1 in H x 1.5 in W
Printable Area Dimensions	1 in H x 1.5 in W
Printable Area Height	1 in

Printable Area Width	1.5 in
Thickness	0.0028 in
Vertical Repeat	1.125 in
Web Width	1.812 in
Core Diameter	1 in

Material Characteristics

Material Number 	B-7576 (View Technical Data Sheet)
Material 	Tamper-evident Metallized Polyester
Material Properties	Metallized
Label Properties	Heat Resistant, Metallic, Permanent Adhesive, Tamper Evident
Adhesive Type	Tamper-evident Acrylic
Finish	Matte
Color	Silver
Resistance Properties	Chemical-Resistant, Humidity-Resistant, UV-Resistant, Weather-Resistant
Indoor or Outdoor Use	Indoor Use
Service Temperature Range °F	-94 °F - 212 °F
Minimum Service Temperature °F	-94 °F
Minimum Service Temperature °F	-94 °F
Maximum Service Temperature °F	212 °F
Minimum Application Temperature °F	39 °F
Compatible Surface Types	High Surface Energy
Tamper Indication Type	Tamper-evident

Product Features

Application 	General Identification, Inventory and Inspection Labeling, Security Identification
Shape	Rectangle
Corner Type	Rounded Corners
Label/Media Format	Roll
Quantity per Row	1

Printing Specifications

Print Technology	Thermal Transfer
------------------	------------------

Compatibility

Printer Compatibility	BMP61, BMP71 (with media adapter)
Recommended Ribbon 	M61-R6010, M71-R6000
Suggested Ribbon Series	R4400, R6000 Halogen Free

Preprinted Information

Pre-Printed Areas on Label	Colored Write-On Area
----------------------------	-----------------------

Compliance

UNSPSC 	55121612
California Prop 65 	Due to inconclusive data, this product may not ship to California at this time
RoHS Compliance Status	Please contact our CS department for more information