

Specifications

Key Characteristics	Catalog Page # 	257
	Product Number	28905
	UPC	662820289050
	Applications 	Cable & Wire Marking, Panel Labeling
	UOM	Pack of 408 Labels
	Quantity per Roll	408
	Unit Price	\$0.44/Label
	Trade Name	DATAB®
	Brand Name	Brady®
	Country of Origin 	United States of America
	HTS Code (Harmonized Tariff Schedule) 	8443.99.2550
	ECCN (Export Commodity Control Number) 	EAR99

Dimensions	Dimensions	3.75 in H x 1 in W
	Height	3.75 in
	Width	1 in
	Label/Tape Size	3.75 in H x 1 in W
	Printable Area Dimensions 	1 in H x 1 in W
	Printable Area Height	1 in
	Printable Area Width	1 in
	Thickness	0.004 in
	Horizontal Repeat	1 in

Material Characteristics	Vertical Repeat	4 in
	Web Width	9 in
	Material Number 	B-292
	Material 	Self-laminating Vinyl
	Material Properties	Flame-retardant, Self-extinguishing, Self-laminating
	Label Properties	Self Laminating & Wrap Around, Self-extinguishing
	Adhesive Type	Permanent Acrylic
	Finish	Matte
	Color	White, Clear
	Resistance Properties	Chemical-Resistant, Humidity-Resistant, Oil-Resistant, Water-Resistant, Weather-Resistant
	Indoor or Outdoor Use	Outdoor Use
	Service Temperature Range °F	-40 °F - 158 °F
	Minimum Service Temperature °F	-40 °F
	Minimum Service Temperature °F	-40 °F
	Maximum Service Temperature °F	158 °F
	Compatible Surface Types	General

Product Features	Application 	Wire and Cable Labeling
	Shape	Rectangle
	Label/Media Format	Roll
	Quantity per Row	8

Printing Specifications	Print Technology	Dot Matrix
-------------------------	------------------	------------

Compatibility	Printer Compatibility	Dot Matrix Printers
	Suggested Ribbon Series	R5000
	Wire Diameter Range	0.44 in to 0.88 in
	Wire Gauge Range 	1 AWG

Preprinted Information	Header	No Header
	Pre-Printed Areas on Label	Colored Write-On Area

What's Included	Overlamine Included	Overlamine Included
-----------------	---------------------	---------------------

Compliance	UNSPSC 	55121612
	RoHS Compliance Status	Compliant with Directive 2011/65/EU and 2015/863