

Specifications

Key Characteristics	Catalog Page # 	192
	Product Number	62334
	UPC	662820623342
	Applications 	Cable & Wire Marking, Voice & Data ID
	UOM	Roll of 5000 Labels
	Quantity per Roll	5000
	Unit Price	\$0.07/Label
	Brand Name	Brady®
	Country of Origin 	United States of America
	HTS Code (Harmonized Tariff Schedule) 	8443.99.2550
	ECCN (Export Commodity Control Number) 	EAR99

Dimensions	Dimensions	1.25 in H x 1 in W
	Height	1.25 in
	Width	1 in
	Label/Tape Size	1.25 in H x 1 in W
	Printable Area Dimensions 	0.5 in H x 1 in W
	Printable Area Height	0.5 in
	Printable Area Width	1 in
	Thickness	0.004 in
	Horizontal Repeat	1.1 in
	Vertical Repeat	1.375 in

	Web Width	2.3 in
	Vial/Tube Size	0.25 mL
	Core Diameter	3 in
Material Characteristics	Material Number 	B-427
	Material 	Self-laminating Vinyl
	Material Properties	Flame-retardant, Self-laminating
	Label Properties	Self Laminating & Wrap Around
	Adhesive Type	Permanent Acrylic
	Finish	Matte
	Color	White, Clear
	Resistance Properties	Chemical-Resistant, Humidity-Resistant, Oil-Resistant, Water-Resistant, Weather-Resistant
	Indoor or Outdoor Use	Outdoor Use
	Service Temperature Range °F	-94 °F - 158 °F
	Minimum Service Temperature °F	-94 °F
	Minimum Service Temperature °F	-94 °F
	Maximum Service Temperature °F	158 °F
	Compatible Surface Types	General

Product Features	Application 	Data and Telecommunications Labeling, Electrical Labeling, Wire and Cable Labeling
	Shape	Rectangle
	Corner Type	Rounded Corners
	Label/Media Format	Roll
	Quantity per Row	2

Printing Specifications	Print Technology	Thermal Transfer
Compatibility	Printer Compatibility	BBP81, i5100, i7100, IP Series, PR Plus, THT 3" Core Printers
	Recommended Ribbon 	IP-R4302, R4302
	Suggested Ribbon Series	R4300, R4500
	Wire Diameter Range	0.12 in to 0.24 in
	Wire Gauge Range 	12 AWG - 8 AWG
Preprinted Information	Header	No Header
	Pre-Printed Areas on Label	Colored Write-On Area
What's Included	Overlamine Included	Overlamine Included
Compliance	UNSPSC 	55121612
	RoHS Compliance Status	Compliant with Directive 2011/65/EU and 2015/863