

Specifications

Key Characteristics	Catalog Page #	157
	Product Number	130856
	UPC	662820993391
	UOM	Roll of 1000 Labels
	Quantity per Roll	1000
	Unit Price	\$0.31/Label
	Trade Name	ToughBond®
	Brand Name	Brady®
	Country of Origin	United States of America
	HTS Code (Harmonized Tariff Schedule)	8443.99.2550
	ECCN (Export Commodity Control Number)	EAR99
	Dimensions	3 in H x 3 in W
Dimensions	Height	3 in
	Width	3 in
	Label/Tape Size	3 in H x 3 in W
	Thickness	0.004 in
	Vertical Repeat	3.125 in
	Web Width	3.2 in
	Core Diameter	3 in

Material Characteristics	Material Number	B-483A (View Technical Data Sheet)
	Material	Polyester
	Label Properties	Aggressive Adhesive, Heat Resistant, Low Temp
	Adhesive Type	Permanent Rubber Based
	Finish	Gloss
	Color	White
	Resistance Properties	Abrasion-resistant, Chemical-resistant, Corrosion-resistant, Weather-resistant
	Indoor or Outdoor Use	Outdoor Use
	Service Temperature Range °F	-40 °F - 248 °F
	Minimum Service Temperature °F	-40 °F
	Maximum Service Temperature °F	248 °F
	Compatible Surface Types	Low Surface Energy
Product Features	Application	Asset Tracking, Barcode Labeling, Component Labeling, Telecommunications Labeling, Electrical Labeling
	Shape	Square
	Corner Type	Rounded Corners
	Quantity per Row	1
Printing Specifications	Print Technology	Thermal Transfer
Compatibility	Printer Compatibility	BBP81, i5100, i7100, IP Series, PR Plus, THT 3

	Recommended Ribbon	IP-R6002, R6002
Compliance	UNSPSC	55121612
	RoHS Compliance Status	Compliant with Directive 2011/65/EU and 20