

Specifications

Key Characteristics

Product Number	105951
UPC	662820571940
Applications 	Laboratory ID - Bottle, Tube & Vial, Laboratory ID - Centrifuge Tube, Laboratory ID - Eppendorf Tube
UOM	Cartridge of 300 Labels
Quantity per Roll	300
Unit Price	\$0.00/Label
Quantity per Row	1
Trade Name	FreezerBondz™
Brand Name	Brady®
Ribbon Series	R6400
Country of Origin 	Mexico
HTS Code (Harmonized Tariff Schedule) 	8443.99.2550
ECCN (Export Commodity Control Number) 	EAR99

Dimensions

Sign Size (H x W)	0.375" x 1"
Dimensions	0.375 in H x 1 in W x 0.375 in Dia
Height	0.375 in
Width	1 in
Diameter	0.375 in

Secondary Label Diameter	0.375 in
Label/Tape Size	0.375 in H x 1 in W x 0.375 in Dia
Thickness	0.0032 in
Vial/Tube Size	1.0 - 8.0 ml

Material Characteristics

Material Number 	B-492 (View Technical Data Sheet)
Material 	FreezerBondz™ Polyester
Material Properties	Cold-temperature application, Cryogenic storage
Label Properties	Aggressive Adhesive, Low Temperature, Permanent Adhesive
Adhesive Type	Permanent Acrylic
Finish	Matte
Color	Black on White
Ribbon Color	Black
Tape Color	White
Resistance Properties	Chemical-Resistant, Smear-Resistant
Indoor or Outdoor Use	Indoor Use
Service Temperature Range °F	-320 °F - 230 °F
Minimum Service Temperature °F	-320 °F
Minimum Service Temperature °F	-320 °F
Maximum Service Temperature °F	230 °F
Minimum Application Temperature °F	-320 °F
Compatible Surface Types	Cold, High Surface Energy

Product Features

Application 	Laboratory Labeling
Shape	Rectangle
Corner Type	Rounded Corners
Label/Media Format	Label/Media in Cartridge with Ribbon

Printing Specifications

Print Technology	Thermal Transfer
------------------	------------------

Compatibility

Printer Compatibility	LABXPERT
-----------------------	----------

Preprinted Information

Pre-Printed Areas on Label	Colored Write-On Area
----------------------------	-----------------------

What's Included

Secondary Label Included	Secondary Label is Included
--------------------------	-----------------------------

Compliance

UNSPSC 	55121612
RoHS Compliance Status	Compliant with Directive 2011/65/EU and 2015/863