


YOUR PRODUCT. YOUR IDENTITY.

Choose from one of our 16 colors and personalize by branding with your own logo.



TEMPERATURE MANAGEMENT | Two built in cooling fans help to keep devices from overheating.




EASY ACCESS | Rear doors provide easy access to networking and cabling area.



INTELLIGENT POWER | Power manager continuously analyzes device power requirements, concentrating on devices that require power the most.



INDUSTRIAL GRADE | 5 in. wheels with locking casters.



SECURITY | Two 3- point locking doors and padlocks.

SPECIFICATIONS

Construction

USA-sourced steel
Manufactured in
Franklin Park, IL

Device Compatibility

Up to 15 in.

Power

AC: 120V AC, 12A,
50/60Hz

Shipment Includes:

- Link® Charging Cart - *Ships fully assembled*
- Power cord
- Programmable combination padlock

DIMENSIONS

	MDMLAP20NR	MDMLAP32NR
DEVICE CAPACITY	20 2 shelves	32 2 shelves
CART DIMENSIONS	34.5 x 25 x 43 in.	48 x 24 x 43 in.
SLOT DIMENSIONS	1.7 x 15.5 x 11.9 in..	
WEIGHT	170 lbs.	310 lbs.

DIMENSIONS ARE EXPRESSED W X D X H



DESIGNED AND BUILT
IN THE USA

Link Cart - MDMLAP20NR





