

### ITC-8COMM

Pliers: 9" Linesman's, 7" Diagonal Cut, 10" ViceGrip  
8" Adjustable Wrench  
Screwdrivers: 3/16" X 4-1/2" Cabinet Tip  
5/16" X 6" Mechanics Tip  
#2 X 6", #3 X 6" Phillips Tip  
Zippered Soft Case 8

### ITC-8COMM-FI

ITC-8COMM with  
8" Fully Insulated Adjustable Wrench  
(replacing 8" Adjustable Wrench)

### ITC-9ELK

Pliers: 9" Linesman's, 7" Diagonal Cut  
7" Chain Nose, 9-1/2" Wire Stripper  
Screwdrivers: 3/16 X 4 1/2"  
3/16" X 6", 1/4" X 6" Cabinet Tip,  
#1 X 3", #2 X 4" Phillips Tip  
Blow Molded Case, Small

### ITS-11SC

Pliers: 8" Linesman's, 6" Diagonal Cut,  
6" Chain Nose, 7-5/8" Solid Wire Stripper  
Screwdrivers: 3/32" X 2",  
1/8" X 5", 1/4" X 6", Cabinet Tip,  
5/16" X 6" Mechanics Tip,  
#2 X 6", #3 X 6" Phillips Tip  
Snap Closure Case 701

### ITS-12B-AES

Pliers: 9" Linesman's, 6" Diagonal Cut,  
6" Chain Nose, 8" Slip Joint,  
10" Crimper, 10" Water Pump  
Screwdrivers: 3/16" X 4-1/2"  
1/4" X 6" Cabinet Tip,  
1/4" X 4-1/2", 5/16" X 6" Mechanics Tip  
#1 X 3", #2 X 4" Phillips Tip  
20" Tool Box

### ITB-15GTR

Pliers: 9" Linesman's, 6" Chain Nose,  
7-5/8" Solid Wire Stripper, 10" Crimper  
8" Fully Insulated Adjustable Wrench  
Plastic Fuse Pullers: 5", 7 1/2"  
Screwdrivers: 3/16" X 4-1/2",  
3/16" X 6", 1/4" X 6" Cabinet Tip  
5/16" X 6" Mechanics Tip  
#1 X 3", #2 X 4" Phillips Tip  
Holding Screw Starters:  
9-3/4" Slotted, 9-3/4" Phillips  
6" LED Mini Mag Lite  
Driver Roll Pouch 6  
20" Tool Box

### ITS-3BK

9" Linesman's Plier  
1/4" X 6" Cabinet Tip Screwdriver  
#2 X 4" Phillips Tip Screwdriver

### ITC-9DIST

Pliers: 9" Linesman's,  
7" Diagonal Cut, 10" ViceGrip  
Adjustable Wrenches: 8", 12"  
Screwdrivers: 3/16" X 6"  
3/16" X 8", Cabinet Tip,  
#2 X 6", #3 X 6" Phillips Tip  
Zippered Soft Case 8

### ITC-9DIST-FI

ITC-9DIST with  
Fully Insulated Adjustable Wrenches:  
8", 12"  
(replacing Adjustable Wrench: 8", 12")

### ITC-9TRANS

Pliers: 9" Linesman's,  
10" ViceGrip  
Adjustable Wrenches: 8", 12", 15"  
Screwdrivers: 3/16" X 6"  
3/16" X 8", Cabinet Tip,  
#2 X 6", #3 X 6" Phillips Tip  
Zippered Soft Case 8

### ITC-9TRANS-FI

ITC-9TRANS with  
Fully Insulated Adjustable Wrenches:  
8", 12", 15"  
(replacing Adjustable Wrench: 8", 12", 15")



ITS-12B-AES

### ITS-18SCE

Pliers: 8" Diagonal, 8" Chain Nose  
"T" Handle Socket Wrenches:  
5/8", 1/2"  
6" Composite Nut Drivers:  
5/16", 3/8", 7/16", 1/2", 9/16"  
Composite Screwdrivers: 3/16 X 6",  
1/4" X 4-1/2", 5/16" X 6",  
3/8" X 6" Cabinet Tip,  
#2 X 4", Phillips Tip  
Composite Holding Screw Starters:  
8" Slotted, 8" Phillips  
20" Tool Box

### ITS-MB410

IR12-LC: 1/2" Square Drive Ratchet  
 Extension Bars: 5", 10"  
 12-Point SAE Standard Wall Sockets:  
 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4",  
 Pliers: 9" Linesman's,  
 7" Diagonal Cut, 7" Chain Nose  
 Screwdrivers: 1/8" X 2", 3/16" X 4-1/2"  
 1/4" X 6" Cabinet Tip,  
 #1 X 3", #2 X 4" Phillips Tip  
 Orange Flashlight  
 Blow Molded Case, Large

ITS-MB410



### ITS-MB410M

ITS-MB140 with Metric Sockets replacing SAE Sockets  
 and w/o Flashlight  
 12-Point Metric Standard Wall Sockets;  
 8mm, 10mm, 13mm, 14mm, 15mm, 17mm, 19mm

### ITB22-GPTK

Pliers: 9" Hardened Linesman's,  
 8" Hardened Diagonal, 7" Diagonal  
 8" Hardened Diagonal Cut,  
 6", 7" Chain Nose,  
 8" Needle Nose w/ Wire Stripper  
 7-5/8" Solid Wire Stripper  
 9" Cable Cutter, 10" Crimping,  
 10", 12" Water Pump  
 Screwdrivers: 3/16" X 4-1/2",  
 3/16" X 6", 3/16" X 8" Cabinet Tip,  
 1/4" X 4-1/2", 5/16" X 6",  
 3/8" X 10" Mechanics Tip  
 #1 X 3", #2 X 4", #3 X 6" Phillips Tip  
 9" Insulated Linesman's Knife  
 26" Tool Box

### ITC22-GPTK

ITB22-GTPK In a Deluxe Tool Case



ZTB-23JM

### ZTB-23JM

Pliers: 9" Linesman's,  
 8" Diagonal, 8" Chain Nose,  
 10" Crimper, 9" Cable Cutter,  
 7-5/8" Solid Wire Stripper  
 10" Crimping, 10" Water Pump  
 Plasti Fuse Puller  
 3" SAE Nut Drivers: 3/16", 1/4",  
 5/16", 3/8", 7/16", 1/2"  
 Cabinet Tip Screwdrivers:  
 1/8" X 5", 3/16" X 6", 1/4" X 6"  
 Mechanics Tip Screwdrivers:  
 5/16" X 6", 3/8" X 8"  
 Phillips Tip Screwdrivers:  
 #1 X 3", #2 X 6", #3 X 6"  
 Electrician's Knife with Cap  
 Driver Roll Pouch 12  
 Zippered Tool Bag, 11" X 15"

### ITS-22GITK

Pliers: 9" Linesman's,  
 7" Diagonal Cut, 8" Chain Nose,  
 10" Crimper, 9" Cable Cutter,  
 9-1/2" Wire Stripper, 10" Water Pump  
 6" SAE Nut Drivers: 3/16", 1/4",  
 5/16", 3/8", 7/16", 1/2"  
 Screwdrivers: 3/16" X 4 1/2"  
 3/16" X 6", 1/4" X 6" Cabinet Tip,  
 #1 X 3", #2 X 6", #3 X 6" Phillips Tip  
 Screwstarters:  
 9-3/4" Slotted, 9-3/4" Phillips  
 Electrician's Knife with Cap  
 20" Tool Box



Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts

**ITS-24B**

- Pliers: 9" Linesman's,  
6" Diagonal, 6" Chain Nose,  
10" Crimping, 8" Slip Joint,  
10" Water Pump
- SAE Long Arm Hex "L" Wrenches:  
3/16", 1/4", 5/16", 3/8", 7/16", 1/2"
- 3" SAE Nut Drivers: 1/4",  
5/16", 3/8", 7/16", 1/2"
- Cabinet Tip Screwdrivers:  
3/16" X 4-1/2", 1/4" X 6"
- Mechanics Tip Screwdrivers:  
1/4" X 4", 5/16" X 6"
- Phillips Tip Screwdrivers:  
#1 X 3", #2 X 4"
- 20" Tool Box



ITS-24B

**ITB-240MB**

- 30150TW38I: 3/8" Square Drive  
Torque Wrench - 30-150 Inch pounds
- IR38-LC: 3/8" Square Drive Ratchet  
Extension Bars: 3", 6", 12"
- 12-Point SAE Deep Wall Sockets:  
3/8", 7/16", 1/2", 9/16", 5/8",  
11/16", 3/4", 13/16"
- 10" Water Pump Pliers
- SAE Long Arm Hex "L" Wrenches:  
3/16", 1/4", 5/16", 3/8"
- 3" SAE Nut Drivers:  
3/8", 7/16", 1/2", 9/16"
- Screwdrivers:  
1/4" X 6" Cabinet Tip,  
#2 X 6" Phillips Tip
- 20" Tool Box

**ITS-MB420**

- IR12-LC: 1/2" Square Drive Ratchet  
Extension Bars: 5"
- 12-Point SAE Standard Wall Sockets:  
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
- Pliers: 9" Linesman's,  
7" Diagonal Cut, 7" Chain Nose
- SAE Open End Wrenches:  
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
- Screwdrivers: 1/8" X 2", 3/16 X 4-1/2",  
1/4" X 6" Cabinet Tip,  
#1 X 3", #2 X 4" Phillips Tip
- Orange Flashlight
- Blow Molded Case, Large

**ITS-MB420-38**

- ITS-MB420 replacing 1/2" Square Drive  
with 3/8" Square Drive:  
Ratchet, Extension Bar and Sockets
- IR38-LC: 3/8" Square Drive Ratchet  
Extension Bars: 6"
- 12-Point SAE Standard Wall Sockets:  
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

**ITS-MB420-IH**

- IR12-LC: 1/2" Square Drive Ratchet  
Extension Bars: 5"
- 12-Point SAE Standard Wall Sockets:  
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
- 6" SAE Hex Bit Sockets:  
3/8", 7/16", 1/2", 9/16", 5/8", 3/4"
- Pliers: 9" Linesman's,  
7" Diagonal Cut, 7" Chain Nose
- SAE Open End Wrenches:  
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
- Blow Molded Case, Large

**ITS-MB420**



Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts



**ITS-30B**

**Pliers:**

- 9" Linesman's, 8" Slip Joint, 8" Chain Nose,
- 7" Diagonal, 9" Cable Cutter, 10" Crimp,
- 6" Duck Bill, 10", 12" Water Pump

**6" SAE T-Handle Hex Wrenches:**

- 3/16", 1/4", 5/16", 3/8", 7/16", 1/2"

**3" SAE Nut Drivers:**

- 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"

**Cabinet Tip Screwdrivers:**

- 3/16" X 4-1/2", 3/16" X 6", 1/4" X 6"

**Mechanic's Tip Screwdrivers:**

- 1/4" X 4-1/2", 5/16" X 6", 3/8" X 8"

**Phillips Tip Screwdrivers:**

- #1 X 3", #2 X 4"

20" Tool Box



ITS-30B



**ITS-30B-SC**

ITS-30B tools in a Soft-Side Carrying Case

**ITS-30B-NDXL**

ITS-30B replacing 3" with 6" SAE Nut Drivers  
20" Tool Box

**ITS-30B-MM**

ITS-30B replacing SAE with Metric Nut Drivers  
and T-Handle Hex Wrenches

**6" Metric T-Handle Hex Wrenches:**

- 4mm, 5mm, 6mm, 8mm, 9mm, 10mm

**3" Metric Nut Drivers:**

- 4mm, 5mm, 6mm, 8mm, 9mm, 10mm, 12mm



**ITS-30B-CA**

ITS-30B with an alternate Screwdriver Mix  
that includes Robertson Tip Screwdrivers

**Cabinet Tip Screwdrivers:**

- 3/16" X 6", 1/4" X 6"

**Mechanic's Tip Screwdrivers:**

- 1/4" X 4-1/2", 3/8" X 8"

**Phillips Tip Screwdrivers:**

- #1 X 3", #2 X 4"

**Robertson Tip Screwdrivers:**

- #1 X 3", #2 X 4"



ITS-30B-SC

**ITS-30B-C**

ITS-30B replacing standard steel with  
Composite Screwdrivers and Nut Drivers

**6" Composite SAE Nut Drivers:**

- 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"

**Composite Cabinet Tip Screwdrivers:**

- 3/16" X 5", 3/16" X 6", 1/4" X 4-1/2", 1/4" X 6"

**Composite Mechanic's Tip Screwdrivers:**

- 5/16" X 6", 3/8" X 6"

**Composite Phillips Tip Screwdrivers:**

- #1 X 3", #2 X 4"



RATED 1000 VAC / 1500 VDC Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts



**ITS-30MTK**

IR38-LC: 3/8" Square Drive Ratchet  
Extension Bars: 3", 6"  
12-Point SAE Deep Wall Sockets: 3/8",  
7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"  
Pliers: 9" Linesman's,  
7" Diagonal Cut, 7" Chain Nose  
SAE Box End Wrenches: 3/8", 7/16",  
1/2", 9/16", 5/8", 11/16", 3/4", 13/16"  
Screwdrivers: 1/8" X 5", 3/16" X 4-1/2",  
1/4" X 6" Cabinet Tip,  
#1 X 3", #2 X 4" Phillips Tip  
Orange Flashlight  
20" Tool Box

**ITS-MB430**

ITS-30MTK plus 30200TW38I  
3/8" Square Drive Torque Wrench  
30-200 Inch Pounds  
In a Blow Molded Carrying Case

**ITS-MB430M**

ITS-30MTK with 1/2" Square Drive Torque Wrench,  
Metric Sockets and Box End Wrenches  
150750TW12I: 1/2" Square Drive Torque Wrench  
150-750 Inch Pounds  
IR12-LC: 1/2" Square Drive Ratchet  
Extension Bars: 2", 5"  
12-Point Metric Deep Wall Sockets:  
9mm, 10mm, 12mm, 14mm, 15mm, 19mm, 21mm, 22mm  
Metric Box End Wrenches:  
10mm, 11mm, 12mm, 14mm, 15mm, 16mm, 18mm, 20mm



**ITS-MB431**

**ITS-MB431**

30200TW38I: 3/8" Square Drive Torque Wrench  
30-200 Inch Pounds  
IR38-LC: 3/8" Square Drive Ratchet  
Extension Bars: 3", 6"  
12-Point SAE Deep Wall Sockets:  
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"  
Pliers: 9" Linesman's,  
7" Diagonal, 7" Chain Nose  
SAE Wrenching Box End Wrenches:  
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"  
Screwdrivers: 1/8" X 5", 3/16" X 4-1/2"  
1/4" X 6" Cabinet Tip,  
#1 X 3", #2 X 4" Phillips Tip  
Orange Flashlight  
Blow Molded Carrying Case



**ITS-MB431M**

ITS-MB431 replacing SAE with Metric Sockets  
and Ratcheting Box End Wrenches  
12-Point Metric Deep Wall Sockets: 10mm,  
12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 20mm  
Metric Wrenching Box End Wrenches: 10mm,  
12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 20mm

### ITB-39IMB

**30150TW381:** 3/8" Square Drive Torque Wrench  
30-150 Inch Pounds  
**IR38-LC:** 3/8" Square Drive Ratchet  
Extension Bars: 3", 6", 12"  
**12-Point SAE Deep Wall Sockets:**  
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"  
**10" Water Pump Pliers**  
**SAE Long Arm Hex "L" Wrenches:**  
3/16", 1/4", 5/16", 3/8"  
**SAE Box End Wrenches:** 3/8", 7/16",  
1/2", 9/16", 5/8", 11/16", 3/4", 13/16"  
**3" SAE Nut Drivers:** 3/16", 1/4",  
5/16", 11/32", 3/8", 7/16", 1/2", 9/16"  
**Screwdrivers:** 3/16" X 6",  
1/4" X 6" Cabinet Tip,  
5/16" X 6" Mechanics Tip,  
#1 X 3", #2 X 6" Phillips Tip  
**20" Tool Box**

### ITS-40B

**ITC-39IMB with 30200TW381:**  
3/8" Square Drive Torque Wrench  
30-200 Inch Pounds  
**Without 12" Extension Bar**  
**26" Tool Box**



ITS-40B

### ITC-40-W

**30200TW381:** 3/8" Square Drive Torque Wrench  
30-200 Inch Pounds  
**IR38-LC:** 3/8" Square Drive Ratchet  
Extension Bars: 3", 6"  
**12-Point SAE Deep Wall Sockets:**  
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"  
**Pliers:** 9" Linesman's,  
6" Diagonal, 7" Chain Nose,  
10" Ratcheting Cable Cutter  
**SAE Box End Wrenches:** 3/8", 7/16",  
1/2", 9/16", 5/8", 11/16", 3/4", 13/16"  
**SAE Open End Wrenches:** 3/8", 7/16",  
1/2", 9/16", 5/8", 11/16", 3/4", 13/16"  
**7/16" X 3" Nut Driver**  
**Screwdrivers:** 1/8" X 2",  
3/16" X 4 1/2", 1/4" X 6" Cabinet Tip,  
#1 X 3", #2 X 4" Phillips Tip  
**Orange Flashlight**  
**Electrician's Knife with Cap**  
**Deluxe Case with Wheels and Laser Cut Foam**



ITS-46B

### ITS-46B

**Pliers:** 9" Linesman's, 7" Diagonal,  
7" Chain Nose, 10" Crimper,  
9" Cable Cutter, 9-1/2" Wire Stripper  
10" Water Pump  
**SAE Long Arm Hex "L" Wrenches:**  
1/16", 5/64", 3/32", 7/64", 9/64", 5/32",  
3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2"  
**SAE Box End Wrenches:** 3/8", 7/16",  
1/2", 9/16", 5/8", 11/16", 3/4", 13/16",  
7/8", 15/16", 1"  
**6" SAE Nut Drivers:** 3/16", 1/4",  
5/16", 11/32", 3/8", 7/16", 1/2"  
**Screwdrivers:** 1/8" X 2", 3/16" X 4-1/2",  
3/16" X 6", 1/4" X 6" Cabinet Tip,  
3/8" x 10" Mechanics Tip,  
#2 X 4", #2 X 8" Phillips Tip  
**Snap Closure Case 501**  
**26" Tool Box**

RATED 1000 VAC / 1500 VDC Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts



**ITS-60B/T-DLX**

**ITS-60B**

- IR38-LC:** 3/8" Square Drive Ratchet
- Extension Bars:** 3", 6"
- 12-Point SAE Standard Wall Sockets:** 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"
- Pliers:** 9" Linesman's, 7" Diagonal, 7" Chain Nose, 10" Crimping, 9" Cable Cutter, 9-1/2" Wire Stripper, 10" Water Pump
- SAE Long Arm Hex "L" Wrenches:** 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2"
- SAE Box End Wrenches:** 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
- 6" SAE Nut Drivers:** 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"
- Screwdrivers:** 1/8" X 2", 3/16" X 4-1/2", 3/16" X 6", 1/4" X 6" Cabinet Tip, 3/8" X 10" Mechanics Tip, #2 X 4", #2 X 8" Phillips Tip
- Wrench Roll Pouch 11**
- Snap Case**
- 26" Tool Box**



**ITS-60B-DLX**

- ITS-60B with
- Wrench Roll Pouch 11**
- Deluxe Tool Case**

**ITS-60B-DLX-W**

- ITS-60B with
- Wrench Roll Pouch 11**
- Deluxe Tool Case with Wheels**

**ITS-60B/T**

- ITS-60B plus
- 30200TW381:** 3/8" Square Drive Torque Wrench
- 30-200 Inch Pounds

**ITS-60B/T-DLX**

- ITS-60B-DLX plus
- 30200TW381:** 3/8" Square Drive Torque Wrench
- 30-200 Inch Pounds

**ITS-60B/T-DLX-W**

- ITS-60B-DLX-W plus
- 30200TW381:** 3/8" Square Drive Torque Wrench
- 30-200 Inch Pounds

**ITS-60B-IHK**

- ITS-60B with
- SAE T-Handle Hex Wrenches:** replacing Hex "L" Wrenches
- 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8"
- SAE Open End Wrenches:** replacing Box End Wrenches
- 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
- T-Handle Bag, Long:** replacing Snap Case

**ITS-60B/T-IHK**

- ITS-60B-IHK plus
- 30200TW381:** 3/8" Square Drive Torque Wrench
- 30-200 Inch Pounds
- and with
- SAE Box End Wrenches:** replacing Open End Wrenches
- 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

### **ITS-60B-DLX-W-IGW**

ITS-60B with

SAE Ratcheting Box End Wrenches: replacing Box End Wrenches

3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

Deluxe Tool Case with Wheels: replacing Snap Case and 26" Tool Box



### **ITS-60B/T-IGW-DLX-W**

ITS-60B-DLX-W-IGW plus

30200TW38I: 3/8" Square Drive Torque Wrench

30-200 Inch Pounds

Snap Closure Case 501

and without

1/16" SAE Long Arm Hex "L" Wrench

### **ITS-60B-M**

ITS-60B with Metric Sockets,

Long Arm Hex "L" Wrenches,

Box End Wrenches, and Nut Drivers

12-Point Metric Standard Wall Sockets:

8mm, 10mm, 12mm, 13mm, 14mm,

15mm, 16mm, 18mm, 19mm, 22mm

Metric Long Arm Hex "L" Wrenches:

1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm,

7mm, 8mm, 9mm, 10mm, 12mm, 14mm, 17mm

Metric Box End Wrenches: 10mm, 12mm, 13mm,

14mm, 15mm, 17mm, 19mm, 22mm, 24mm, 27mm

6" Metric Nut Drivers:

6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 13mm

### **ITS-60B/T-OEW-DLX-W**

ITS-60B/T-IGW-DLX-W with

SAE Open End Wrenches: replacing Ratcheting Box End Wrenches

3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

and without

Snap Closure Case 501

**ITS-60B/T-MM**

### **ITS-60B/T-MM**

ITS-60B-M plus

30200TW38I: 3/8" Square Drive Torque Wrench

30-200 Inch Pounds

and with a different mix of Metric

Long Arm Hex "L" Wrenches,

Box End Wrenches, and Nut Drivers

Metric Long Arm Hex "L" Wrenches:

1.5mm, 2mm, 2.5mm, 3mm, 3.5mm, 4mm,

5mm, 5.5mm, 6mm, 8mm, 10mm, 11mm, 12mm

Metric Box End Wrenches: 10mm, 11mm, 12mm, 14mm,

16mm, 17mm, 19mm, 20mm, 22mm, 24mm, 25mm

6" Metric Nut Drivers:

5mm, 6mm, 8mm, 9mm, 10mm, 11mm, 12mm

### **ITS-60B/T-DLX-W-MM**

ITS-60B/T-MM with

Deluxe Tool Case With Wheels: replacing 26" Tool Box

### **ITS-60B/T-IGW-MM-DLX-W**

ITS-60B/T-DLX-W-MM with

Metric Ratcheting Box End Wrenches: 10mm, 11mm, 12mm,

14mm, 16mm, 17mm, 19mm, 20mm, 22mm, 24mm, 25mm


and without

Snap Closure Case 501





### ITS-69B-METRIC



### ITS-69B-METRIC

- 30200TW38I:** 3/8" Square Drive Torque Wrench  
30-200 Inch Pounds
- IR38-LC:** 3/8" Square Drive Ratchet  
Extension Bars: 3", 6", 12"
- 12-Point Metric Standard Wall Sockets:**  
8mm, 10mm, 12mm, 13mm, 14mm,  
15mm, 16mm, 18mm, 19mm, 22mm
- Pliers:** 9" Linesman's,  
6" Diagonal, 6" Chain Nose,  
Plastic Grip, 9" Cable Cutter  
9-1/2" Wire Stripper, 10" Water Pump
- 10" Adjustable Wrench**
- Metric Long Arm Hex "L" Wrenches:**  
1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm,  
7mm, 8mm, 9mm, 10mm, 12mm, 14mm, 17mm
- Metric Box End Wrenches:**  
6mm, 8mm, 10mm, 11mm, 12mm, 13mm,  
14mm, 15mm, 17mm, 19mm, 22mm
- 3" Metric Nut Drivers:**  
5mm, 6mm, 8mm, 9mm, 10mm, 11mm, 12mm
- Cabinet Tip Screwdrivers:**  
3/16" X 4-1/2", 3/16" X 8", 1/4" X 6"
- Mechanics Tip Screwdrivers:**  
5/16" X 6", 3/8" X 8"
- Phillips Tip Screwdrivers:**  
#1 X 3", #2 X 4", #2 X 8", #3 X 6"
- 8" Composite Holding Screwstarters:**  
Slotted, Phillips
- Electrician's Knife with Cap**
- 2-1/4" Round Inspection Mirror**
- 18" Magnetic Retrieving Tool**
- Wrench Roll Pouch 11**
- 26" Tool Box**

### ZTB-62

- 30200TW38I:** 3/8" Square Drive Torque Wrench  
30-200 Inch Pounds
- IR38-LC:** 3/8" Square Drive Ratchet  
Extension Bars: 3", 6"
- 12-Point SAE Standard Wall Sockets:**  
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
- 12-Point Metric Standard Wall Sockets:**  
10mm, 11mm, 12mm, 13mm, 14mm,  
15mm, 16mm, 17mm, 18mm, 19mm
- SAE Open End Wrenches:**  
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
- Metric Open End Wrenches:**  
10mm, 12mm, 13mm, 14mm, 15mm, 16mm, 18mm, 19mm
- SAE Ratcheting Box End Wrenches:**  
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
- Metric Ratcheting Box End Wrenches:**  
9mm, 10mm, 11mm, 12mm
- 6" SAE Nut Drivers:**  
3/16", 1/4", 5/16", 3/8", 7/16", 1/2"
- Screwdrivers:** 3/16" X 4-1/2",  
3/16" X 6", 1/4" X 6" Cabinet Tip  
5/16" X 6", Mechanics Tip  
#1 X 3", #2 X 4" Phillips Tip
- 3 X Wrench Roll Pouch 8**
- Driver Roll Pouch 6**
- Driver Roll Pouch 12**
- Driver Tool Roll 12**
- Zippered Pouch**
- Zippered Tool Bag, 11" X 15"**



ZTB-62

RATED 10,000 VAC / 1500 VDC  
Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts

General Maintenance Kits