

PRODUCT REFERENCE GUIDE:

COMMERCIAL DISPLAYS

Connect and Collaborate.



IFP - ViewBoard Interactive Series: Connect, Collaborate, Share

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
IFP8650	86"	3840 x 2160	20-Point Touch	78.3 x 46.7 x 3.9	-	-	Yes	HDMI 1.4(x2), HDMI 2.0, HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), Ethernet LAN (RJ45), WIFI Module Slot, Expansion Slot
IFP8650-E1	86"	3840 x 2160	20-Point Touch	69.4 x 41.0 x 5.7	-	-	Yes	HDMI 1.4(x2), HDMI 2.0, HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x3), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot, Expansion Slot
IFP8650-E2	86"	3840 x 2160	20-Point Touch	78.3 x 46.7 x 29.5	-	-	Yes	HDMI 1.4(x2), HDMI 2.0, HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x3), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot, Expansion Slot

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
IFP8650-E3	86"	3840 x 2160	20-Point Touch	69.4 x 41.0 x 5.7	-	-	Yes	HDMI 1.4(x2), HDMI 2.0, HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x3), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot, Expansion Slot
IFP7550	75"	3840 x 2160	20-Point Touch	69.4 x 41.0 x 3.9	-	-	Yes	HDMI 1.4(x2), HDMI 2.0, HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), Ethernet LAN (RJ45), WIFI Module Slot, Expansion Slot
IFP7550-E1	75"	3840 x 2160	20-Point Touch	69.4 x 41.0 x 5.7	-	-	Yes	HDMI 1.4(x2), HDMI 2.0, HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x3), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot, Expansion Slot
IFP7550-E2	75"	3840 x 2160	20-Point Touch	69.4 x 41.0 x 29.5	-	-	Yes	HDMI 1.4(x2), HDMI 2.0, HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x3), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot, Expansion Slot
IFP7550-E3	75"	3840 x 2160	20-Point Touch	69.4 x 41.0 x 5.7	-	-	Yes	HDMI 1.4(x2), HDMI 2.0, HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x3), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot, Expansion Slot
IFP6550	65"	3840 x 2160	20-Point Touch	59.9 x 36.3 x 3.9	-	-	Yes	HDMI 1.4(x2), HDMI 2.0, HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), Ethernet LAN (RJ45), WIFI Module Slot, Expansion Slot
IFP6550-E1	65"	3840 x 2160	20-Point Touch	59.9 x 36.3 x 5.7	-	-	Yes	HDMI 1.4(x2), HDMI 2.0, HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x3), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port, RS232, Ethernet LAN (RJ45), WIFI Module Slot, Expansion Slot
IFP6550-E2	65"	3840 x 2160	20-Point Touch	59.9 x 36.3 x 29.5	-	-	Yes	HDMI 1.4(x2), HDMI 2.0, HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x3), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port, RS232, Ethernet LAN (RJ45), WIFI Module Slot, Expansion Slot
IFP6550-E3	65"	3840 x 2160	20-Point Touch	59.9 x 36.3 x 5.7	-	-	Yes	HDMI 1.4(x2), HDMI 2.0, HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x3), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port, RS232, Ethernet LAN (RJ45), WIFI Module Slot, Expansion Slot
IFP5550	55"	3840 x 2160	20-Point Touch	51.3 x 31.5 x 3.8	-	-	Yes	HDMI 1.4(x2), HDMI 2.0, HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0(x4), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot, Expansion Slot

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
IFP5550-E1	55"	3840 x 2160	20-Point Touch	51.3 x 31.5 x 5.6	-	-	Yes	HDMI 1.4(x2), HDMI 2.0, HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x3), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot, Expansion Slot
IFP5550-E2	55"	3840 x 2160	20-Point Touch	51.3 x 31.5 x 29.4	-	-	Yes	HDMI 1.4(x2), HDMI 2.0, HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x3), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot, Expansion Slot
IFP5550-E3	55"	3840 x 2160	20-Point Touch	51.3 x 31.5 x 5.6	-	-	Yes	HDMI 1.4(x2), HDMI 2.0, HDMI Out, VGA, Display Port, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x3), USB 2.0(x3), Slot-in PC Slot, USB B Touch Port(x2), RS232, Ethernet LAN (RJ45), WIFI Module Slot, Expansion Slot
IFP2710	27"	1920 x 1080	10-Point Touch	25.7 x 17.7 x 10.6	-	-	-	HDMI 1.4, HDMI Out, VGA, Display Port, 3.5mm Audio In, 3.5mm Audio Out, USB B Touch Port, Ethernet LAN (RJ45)

CDE - Value Series: Large Format, Affordable Price

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
CDE8600	86"	3840 x 2160	-	77.2 x 44.6 x 4.0	16/7	-	-	HDMI 2.0(x4), HDMI 1.4 Out, VGA, Composite RCA, Component RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 3.0(x2), USB 2.0, OPS PC Slot, RS232, RS232 Out, Ethernet LAN (RJ45), Micro SD Card Slot
CDE7500	75"	3840 x 2160	-	68.3 x 39.9 x 3.7	16/7	-	-	HDMI(x4), HDMI Out, VGA, YPbPr, Composite RCA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 2.0(x2), OPS PC Slot, RS232 Out, Ethernet LAN (RJ45)
CDE7061T	70"	1920 x 1080	10-Point Touch	65.6 x 40.0 x 3.9	-	-	-	HDMI(x3), VGA(x3), VGA Out, RCA Audio In(x3), 3.5mm Audio Out, SPDIF, USB 2.0(x3), RS232, CVBS, Ethernet LAN (RJ45)
CDE6502	65"	1920 x 1080	-	59.5 x 35.0 x 3.4	16/7	-	-	HDMI, HDMI MHL, VGA, USB 2.0
CDE6510	65"	3840 x 2160	-	57.4 x 32.9 x 3.2	16/7	-	-	HDMI 2.0(x4), VGA, Display Port, 3.5mm Audio In, 3.5mm Audio Out, USB 3.0, USB 2.0(x3), OPS PC Slot, RS232, RS232 Out, Ethernet LAN (RJ45), Micro SD Card Slot, IR in, IR out
CDE5510	55"	3840 x 2160	-	48.8 x 30.0 x 13.0	16/7	-	-	HDMI 2.0(x2), DVI-I, 3.5mm Audio Out, USB 3.0, USB 2.0, RS232, RS232 Out, Ethernet LAN (RJ45), Micro SD Card Slot, IR in, IR out

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
CDE5010	50"	3840 x 2160	-	44.2 x 27.0 x 13.0	-	-	-	HDMI 2.0(x2), DVI-D, VGA, RCA Audio Out, 3.5mm Audio In, USB 3.0, USB 2.0, RS232, RS232 Out, Ethernet LAN (RJ45), Micro SD Card Slot, IR in, IR out
CDE4803	48"	1920 x 1080	-	42.6 x 24.5 x 2.4	16/7	-	-	HDMI(x2), VGA, RCA Audio In, RCA Audio Out, USB 2.0
CDE4803-H	48"	1920 x 1080	-	42.6 x 26.1 x 13.0	16/7	-	-	HDMI(x2), VGA, 3.5mm Audio In, SPDIF Audio Out, USB 2.0, RS232, HDBT
CDE4302	43"	1920 x 1080	-	38.1 x 22.0 x 2.4	16/7	-	-	HDMI(x2), VGA, 3.5mm Audio In, 3.5mm Audio Out, SPDIF Audio Out, USB 2.0, RS232
CDE3204	32"	1920 x 1080	-	28.8 x 18.5 x 7.5	16/7	-	-	HDMI 1.4(x2), DVI-D, VGA, YPbPr, 3.5mm Audio In, 3.5mm Audio Out, SPDIF, USB 2.0, IR out

CDP - Professional Series: 24/7 Reliability

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
CDP9800	98"	3840 x 2160	-	86.4 x 49.1 x 3.5	24/7	-	-	HDMI(x3), VGA, RCA Audio In, 3.5mm Audio In, 3.5mm Audio Out, RS232 Out, Ethernet LAN (RJ45)

CDX - Custom Series: High-impact Messaging

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
CDX5552	55"	1920 x 1080	-	47.8 x 26.9 x 3.7	24/7	-	-	HDMI 1.4(x2), DVI-D Out, VGA, Display Port, Display Port Out, YPbPr, Composite RCA, RCA Audio In, RCA Audio Out, USB 2.0, RS232 Out, Ethernet LAN (RJ45)
CDX5562	55"	1920 x 1080	-	47.7 x 26.9 x 3.9	24/7	-	-	HDMI 1.4(x2), DVI-D, DVI-D Out, VGA, Display Port, Display Port Out, Composite RCA, Component RCA, 3.5mm Audio In, 3.5mm Audio Out, Speaker Out, USB 2.0, RS232, RS232 Out, Ethernet LAN (RJ45)
CDX4952	49"	1920 x 1080	-	42.3 x 23.9 x 3.7	24/7	-	-	HDMI 1.4(x2), DVI-D Out, VGA, Display Port, Display Port Out, YPbPr, Composite RCA, RCA Audio In, RCA Audio Out, USB 2.0, RS232 Out, Ethernet LAN (RJ45)

CDM - Commercial Grade Series: All-in-One Commercial Displays

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
CDM5500R	55"	1920 x 1080	-	48.5 x 27.9 x 1.8	24/7	-	-	HDMI 1.4(x2), DVI-I, DVI-I Out, Display Port, Display Port Out, RCA Audio In, RCA Audio Out, Speaker Out(x2), USB 2.0(x2), RS232 Out, Ethernet LAN (RJ45), SD Card Reader
CDM5500T	55"	1920 x 1080	10-Point Touch	50 x 29.2 x 3.6	24/7	-	-	HDMI 1.4(x2), DVI-I, DVI-I Out, Display Port, Display Port Out, 3.5mm Audio In, 3.5mm Audio Out, Speaker Out(x2), USB 2.0(x2), RS232 Out, Ethernet LAN (RJ45)
CDM4900R	49"	1920 x 1080	-	43.2 x 24.9 x 1.8	24/7	-	-	HDMI 1.4(x2), DVI-I, DVI-I Out, Display Port, Display Port Out, RCA Audio In, RCA Audio Out, Speaker Out(x2), USB 2.0(x2), RS232 Out, Ethernet LAN (RJ45), SD Card Reader
CDM4300R	43"	1920 x 1080	-	38.0 x 22 x 1.8	24/7	-	-	HDMI 1.4(x2), DVI-I, DVI-I Out, Display Port, Display Port Out, RCA Audio In, RCA Audio Out, Speaker Out(x2), USB 2.0(x2), RS232 Out, Ethernet LAN (RJ45), SD Card Reader
CDM4300T	43"	1920 x 1080	-	39.5 x 28.5 x 15.8	24/7	-	-	HDMI 1.4(x2), DVI-I, DVI-I Out, Display Port, Display Port Out, 3.5mm Audio In, 3.5mm Audio Out, Speaker Out(x2), USB 2.0(x2), USB 2.0 Type B, Micro USB, RS232, RS232 Out, Ethernet LAN (RJ45), Micro SD Card Slot, IR in, IR out

ePoster Series: Digital Kiosks & Billboards

Product	Screen Size	Resolution	Touch Points	Dimensions W x H x D (in.)	Operation Rating	Embedded Media Player	Slot-in PC Slot	Connectivity
EP5520	55"	1920 x 1080	-	32.2 x 74.8 x 17.7	-	-	-	3.5mm Audio In, Ethernet LAN (RJ45), HDMI 1.4(x2), VGA, Control (RS232), USB 2.0 Type A(x3), USB 2.0 Type B
EP5520T	55"	1920 x 1080	10-Point Touch	32.2 x 74.8 x 17.7	-	-	-	3.5mm Audio In, Ethernet LAN (RJ45), HDMI 1.4(x2), VGA, Control (RS232), USB 2.0 Type A(x3), USB 2.0 Type B
EP1042T	10"	1280 x 800	10-Point Touch	10.6 x 6.7 x 1.1	-	-	-	3.5mm Audio In, HDMI Out, Micro USB

Network Media Players: Stream & Deliver

Product	Player Type	Processor	Graphics	RAM Internal Memory	Operating System	Network	Dimensions W x H x D (in.)
NMP-302W	Media Player	Rockchip RK3188	Mali-400 MP4	1GB	Android™ 4.4	10/100 BASE-T	4.2 x 1.0 x 2.7
NMP-302WX	Media Player	Rockchip RK3188	Mali-400 MP4	1GB	Android™ 4.4	10/100 Gigabit	4.2 x 1.0 x 2.7
NMP012	Video Wall Player	Sigma Design ARM	Sigma Design	1GB	Linux	GbE LAN Port with POE	5.1 x 5.0 x 1.4
NMP520-W	Media Player	Rockchip RK3368 Octa-Core Cortex-A53 64-bit	PowerVR SGX6110 GPU (Supports H.265 4K@60fps)	2GB	Android™ 5.1.1	Gigabit ethernet	5.6 x 1.1 x 5.6
NMP580-W	Media Player	Rockchip RK3188	Mali-400 MP4	1GB	Android™ 4.4	10/100 BASE-T	5.45 x 5.04 x 1.19
NMP620-P10	Media Player	Intel® Celeron® N3350	Intel® HD Graphics 500	2GB	Microsoft® Windows® 10 IOT Enterprise (64-bit)	Gigabit ethernet	2.8 x 1.2 x 2.8
NMP620-P10X	Media Player	Intel® Celeron® N3350	Intel® HD Graphics 500	2GB	Microsoft® Windows® 10 IOT Enterprise (64-bit)	Gigabit ethernet	2.76 x 1.24 x 2.76
NMP660	Media Player	Intel Kaby Lake 3865U	Intel® HD Graphics 610	4GB	Google Chrome OS	Gigabit ethernet	5.8 x 1.7 x 6.0
SC-A25R	Media Player	Marvell Dual Core	-	-	Android™ 4.0	-	6.1 x 1.0 x 4.4
SC-A25X	Media Player	Marvell Dual Core	-	-	Android™ 4.0	10/100 Gigabit	6.1 x 1.0 x 4.4

Slot-In PCs: More Computing Power

Product	Player Type	Processor	Graphics	RAM Internal Memory	Operating System	Network	Dimensions W x H x D (in.)
VPC10-WP-2	Slot-in PC	Intel i5-6400	Intel HD Graphics 530	8GB	Windows® 10	10/100/1000 Gigabit Ethernet	10.4 x 1.3 x 9.7
VPC10-WP-4	Slot-in PC	Intel i5-6400	Intel HD Graphics 530	8GB	Windows® 10	Gigabit ethernet	10.4 x 1.25 x 9.7
VPC12-WPO-2	Slot-in PC	Intel i5-6300U with vPro Technology	Intel HD Graphics 520	8GB	Windows® 10 Pro	Gigabit ethernet	7.1 x 4.7 x 1.2
VPC14-WP-2	Slot-in PC	Intel i5-6500 with vPro Technology	Intel HD Graphics 530	8GB	Windows® 10 Pro	10/100/1000 Gigabit Ethernet	10.4 x 1.3 x 9.7
VPC14-WP-4	Slot-in PC	Intel i5-6500 with vPro Technology	Intel HD Graphics 530	8GB	Windows® 10	10/100/1000 Gigabit Ethernet	10.4 x 1.3 x 9.7
VPC14-WP-5	Slot-in PC	Intel i7-6700 with vPro Technology	Intel HD Graphics 530	16GB	Windows® 10 Pro	Gigabit ethernet	9.7 x 10.4 x 1.3