



 **CRESCENT**<sup>®</sup>

**Power Tools  
Accessories Catalog**

Trusted by the Trades.



# Circular Saw Blades

Crescent now offers a full range of professional circular saw blades designed to outlast and outperform. Premium laser cut blades featuring precision blend teeth, optimized tooth geometries and Active Shield™ protective blade coating deliver increased performance for the toughest applications on the jobsite.



- 8X Blade Life**  
High Impact™ Premium Carbide Teeth
- 70% More Cuts Per Charge**  
Active Shield™ Protective Blade Coating
- Resists Nails on Impact**  
Anti-Nail Kickback Tooth Design

**Protects Against Gumming and Corrosion**  
Active Shield™ Protective Blade Coating

**Minimal Blade Vibration for Straighter Cuts**  
Laser Cut Vibration Slots

**Reduces Blade Warping**  
Laser Cut Expansion Slots



## NAILSLICER™ Framing Blades

■ 8X Blade Life High Impact™ Premium Carbide Teeth ■ 70% More Cuts Per Charge Active Shield™ Protective Blade Coating

Item No.	Diameter	Tooth Count	Application	Arbor	Tooth Grind	Hook Angle	Kerf
CSBFR-518	5-3/8"	18	Framing	20mm†	ATB	18°	.063"
CSBFR-524	5-3/8"	24	Framing	20mm†	ATB	18°	.063"
CSBFR-5518	5-1/2"	18	Framing	20mm†	ATB	18°	.063"
CSBFR-5524	5-1/2"	24	Framing	20mm†	ATB	18°	.063"
CSBFR-618	6-1/2"	18	Framing	5/8" with Diamond Knock-Out	ATB	18°	.063"
CSBFR-624*	6-1/2"	24	Framing	5/8" with Diamond Knock-Out	ATB	18°	.063"
CSBFR-724**	7-1/4"	24	Framing	5/8" with Diamond Knock-Out	ATB	18°	.063"
CSBFR-824	8-1/4"	24	Framing	5/8" with Diamond Knock-Out	ATB	18°	.094"

\*CSBFR-624 is also available in a 10 Piece Bulk Pack  
\*\*CSBFR-724 is also available in a 2 Piece, 3 Piece and 10 Piece Bulk Pack  
† With 10mm, 5/8" & 1/2" Reduction Rings

## Demolition Blades

■ 10X Blade Life Extreme Impact™ Premium Carbide Teeth ■ Powers Through Tough Materials Anti-Kickback Tooth Design

Item No.	Diameter	Tooth Count	Application	Arbor	Tooth Grind	Hook Angle	Kerf
CSBFD-624	6-1/2"	24	Demolition	5/8" with Diamond Knock-Out	ATB+R	16°	.063"
CSBFD-724	7-1/4"	24	Demolition	5/8" with Diamond Knock-Out	ATB+R	16°	.063"



## FINECUT™ Finishing Blades

■ 10X Blade Life Extended Life and Durability ■ 40% Smoother Surface Finish Precision™ Premium Carbide Teeth

Item No.	Diameter	Tooth Count	Application	Arbor	Tooth Grind	Hook Angle	Kerf
CSBFF-640	6-1/2"	40	Fine Finish	5/8" with Diamond Knock-Out	ATB	15°	.063"
CSBFN-740*	7-1/4"	40	Finishing	5/8" with Diamond Knock-Out	ATB	15°	.063"
CSBUF-760	7-1/4"	60	Ultra Fine Finish	5/8" with Diamond Knock-Out	ATB	15°	.063"
CSBFN-840	8-1/4"	40	Finishing	5/8" with Diamond Knock-Out	ATB	15°	.094"
CSBFF-860	8-1/2"	60	Fine Finish	5/8"	ATB	15°	.094"
CSBFF-1060	10"	60	Fine Finish	5/8"	Hi-ATB	15°	.094"
CSBUF-1080	10"	80	Ultra Fine Finish	5/8"	Hi-ATB	15°	.098"
CSBUL-1090	10"	90	Ultimate Fine Finish	5/8"	ATB	10°	.091"
CSBFF-1280	12"	80	Fine Finish	1"	Hi-ATB	7°	.118"
CSBUF-1290	12"	90	Ultra Fine Finish	1"	Hi-ATB	10°	.098"
CSBUL-12100	12"	100	Ultimate Fine Finish	1"	ATB	7°	.098"
CSBFF-1484	14"	84	Fine Finish	1"	ATB	15°	.118"

\*CSBFN-740 is also available in a 10 Piece Bulk Pack



## STEELSLICER™ Metal Cutting Blades

■ 20X Blade Life Heat Defense™ Premium Cermet Teeth ■ 40% Cooler Cuts Active Shield™ Protective Blade Coating

Item No.	Diameter	Tooth Count	Application	Arbor	Tooth Grind	Hook Angle	Kerf
CSBMM-530	5-3/8"	30	Medium Metal	20mm†	M-ATB	2°	.063"
CSBMM-5530	5-1/2"	30	Medium Metal	20mm†	M-ATB	2°	.063"
CSBMN-756	7-1/4"	56	Thin Metal	5/8" with Diamond Knock-Out	M-ATB	2°	.079"
CSBMM-748	7-1/4"	48	Medium Metal	5/8" with Diamond Knock-Out	M-ATB	2°	.079"
CSBMK-842	8"	42	Thick Metal	5/8"	M-ATB	2°	.079"

† With 10mm, 5/8" & 1/2" Reduction Rings



## Aluminum Blades

■ 2X Blade Life High Velocity™ Premium Carbide Teeth ■ 2X Faster Cuts Active Shield™ Protective Blade Coating

Item No.	Diameter	Tooth Count	Application	Arbor	Tooth Grind	Hook Angle	Kerf
CSBAM-550	5-3/8"	50	Medium Aluminum	20mm†	TCG	5°	.094"
CSBAM-760	7-1/4"	60	Medium Aluminum	5/8" with Diamond Knock-Out	TCG	5°	.098"
CSBAK-756	7-1/4"	56	Thick Aluminum	5/8" with Diamond Knock-Out	TCG	5°	.098"
CSBAK-1060	10"	60	Thick Aluminum	5/8"	TCG	5°	.110"
CSBAM-1084	10"	84	Medium Aluminum	5/8"	TCG	5°	.110"
CSBAN-10100	10"	100	Thin Aluminum	5/8"	TCG	5°	.110"
CSBAM-1296	12"	96	Medium Aluminum	1"	TCG	5°	.110"
CSBAN-12120	12"	120	Thin Aluminum	1"	TCG	5°	.110"

† With 10mm, 5/8" & 1/2" Reduction Rings



### General Purpose, Ripping & Combination Blades

■ 10X Blade Life Micro Grain™ Premium Carbide Teeth ■ Protects Against Gumming And Corrosion Active Shield™ Protective Blade Coating

Item No.	Diameter	Tooth Count	Application	Arbor	Tooth Grind	Hook Angle	Kerf
CSBGN-840	8-1/2"	40	General Purpose	5/8" with Diamond Knock-Out	ATB	15°	.094"
CSBRP-1024	10"	24	Ripping	5/8"	ATB	15°	.098"
CSBGN-1040	10"	40	General Purpose	5/8"	ATB	15°	.098"
CSBCM-1050	10"	50	Combination	5/8"	ATB	15°	.094"
CSBGN-1244	12"	44	General Purpose	1"	ATB	15°	.098"
CSBCM-1260	12"	60	Combination	1"	ATB	15°	.118"



### Composite Decking Blades

■ 50% Smoother Finish Razor Tipped™ Premium Carbide Teeth ■ Clean, Melt-Free Cuts Precision Triple Chip Grind (TCG)

Item No.	Diameter	Tooth Count	Application	Arbor	Tooth Grind	Hook Angle	Kerf
CSBTX-744	7-1/4"	44	TREX®	5/8" with Diamond Knock-Out	TCG	-3°	.063"
CSBTX-1072	10"	72	Composite Decking, Cellular PVC	5/8"	TCG	-3°	.102"
CSBTX-1284	12"	84		1"	TCG	-3°	.102"



### Fiber Cement Blades

■ 75X Blade Life Premium Polycrystalline Diamond Teeth (PCD) ■ Clean Cuts With 50% Less Dust Ultra-Thin Kerf Design

Item No.	Diameter	Tooth Count	Application	Arbor	Tooth Grind	Hook Angle	Kerf
CSBFC-704	7-1/4"	4	HardiePlank™ Siding, HardieTrim™ Board, Fiber Cement	5/8" with Diamond Knock-Out	Flat Top	10°	.071"
CSBFC-1006	10"	6		5/8"	Flat Top	10°	.087"
CSBFC-1208	12"	8		1"	Flat Top	10°	.094"



### Laminate Flooring Blades

■ 75X Blade Life Premium Polycrystalline Diamond Teeth (PCD) ■ Clean, Accurate Cuts Ultra-Thin Kerf Design

Item No.	Diameter	Tooth Count	Application	Arbor	Tooth Grind	Hook Angle	Kerf
CSBLF-708	7-1/4"	8	Pergo™ Flooring, Engineered Flooring, Laminate Flooring, Bamboo, Hardwood	5/8" with Diamond Knock-Out	Flat Top	10°	.071"
CSBLF-1012	10"	12		5/8"	Flat Top	10°	.087"
CSBLF-1216	12"	16		1"	Flat Top	10°	.094"



### Wood & Metal Blades

■ 10X Blade Life Ultra Hardened™ Premium Carbide Teeth ■ Fast, Clean Cuts Thin Kerf Design

Item No.	Dia.	Tooth Ct.	Application	Arbor	Tooth Grind	Hook Angle	Kerf
CSBWM-632	6-1/2"	32	Softwood, Hardwood,	5/8" with diamond knockout	ATB	5°	.067"
CSBWM-736	7-1/4"	36	Plywood, OSB, Steel Studs, Angle Iron, Threaded Rod	5/8" with diamond knockout	ATB	5°	.067"



## BOLT BITER™ Impact Nut Extractor & Driver

The new Crescent Bolt Biter Impact Nut Extractor and Driver has an innovative design that grips any nut or bolt no matter how damaged. The revolutionary bi-directional gripping design quickly and easily removes and tightens, eliminating the frustration when working with rusted or ruined hex head fasteners.



**5X Gripping Force**  
Tapered flute grabs onto damaged fasteners with ease




Item No.	Description
CAVBX2D16	1/4" x 2-9/16" Bolt Biter™ Impact Nut Extractor & Driver
CAVBX2D20	5/16" x 2-9/16" Bolt Biter™ Impact Nut Extractor & Driver
CAVBX2D24	3/8" x 2-9/16" Bolt Biter™ Impact Nut Extractor & Driver
CAVBX2D28	7/16" x 2-9/16" Bolt Biter™ Impact Nut Extractor & Driver
CAVBX2D32	1/2" x 2-9/16" Bolt Biter™ Impact Nut Extractor & Driver
Item No.	Description
CAVBXR-5	1/4", 5/16", 3/8", 7/16", 1/2" Bolt Biter™ Impact Nut Extractor & Driver Set with alphaCASE™ Refillable Rail



## VORTEX™ Bit Holder

Crescent Vortex Bit Holder features an exclusive Dual Impact Torsion Zone™ that absorbs shock, which prevents stripping screws and extends bit life. Compatible with 1/4" hex shank impact drivers and drills, the Crescent Vortex Bit Holder withstands heavy use in impact applications and prevents over-torquing of fasteners.




### VORTEX™ Bit Holder Sets

Item No.	Description	Product Weight
CAVBH1PH2-15	VORTEX™ Bit Holder with 15pc 1 in PH2 Insert Bits	0.35 lb
CAVBH1T25-15	VORTEX™ Bit Holder with 15pc 1 in T25 Insert Bits	0.35 lb
CAVBH1PH2T25-15	VORTEX™ Bit Holder with 15pc 1 in PH2 & T25 Insert Bits	0.35 lb
CAVBH1N2DHXR-5	VORTEX™ Bit Holder with 5 Insert Nutsetters on Rail	1.54 lb
CABDG1R-7	7 pc VORTEX™ Bit and Finder Sleeve Set	0.250 lb

## VORTEX™ alphaCASE™ Sets

The VORTEX™ alphaCASE™ fastening sets with the VORTEX™ Bit Holder is built for the most demanding jobsites. The stack and store alphaCASE™ features a tongue and groove design with thick sidewall construction. The 31-piece, 41-piece, 45-piece, and 55-piece sets include the VORTEX™ Bit Holder, which extends bit life by 500x as well as the core VORTEX™ Impact Torsion Zone Accessories for maximum performance.



### 45 Pc. VORTEX™ Fastening Set

Item No.	Included Storage	Product Weight
CAVBHSET-45	alphaCASE™	4.25 lb

Item No.	Description	Qty.
CAVB1PH1	PH1 x 1 in Phillips Insert Bit	2
CAVB1PH2	PH2 x 1 in Phillips Insert Bit	6
CAVB1PH3	PH3 x 1 in Phillips Insert Bit	2
CAVB1T20	T20 x 1 in Torx Insert Bit	2
CAVB1T25	T25 x 1 in Torx Insert Bit	2
CAVB1SQ1	SQ1 x 1 in. Square Insert Bit	2
CAVB1SQ2	SQ2 x 1 in. Square Insert Bit	4

Item No.	Description	Qty.
CAVB1SQ3	SQ3 x 1 in Torx Insert Bit	2
CAVB1SL4-5	SL4-5 x 1 in Slotted Insert Bit	2
CAVB1SL6-8	SL6-8 x 1 in Slotted Insert Bit	2
CAVB1SL8-10	SL8-10 x 1 in Slotted Insert Bit	3
CAVB2PH1	PH1 x 2 in Phillips Power Bit	2
CAVB2PH2	PH2 x 2 in Phillips Power Bit	3
CAVB2PH3	PH3 x 2 in Phillips Power Bit	1

Item No.	Description	Qty.
CAVB2SQ2	SQ2 x 2 in Square Power Bit	2
CAVB2T25	T25 x 2 in Torx Power Bit	2
CAVB2SL6-8	SL6-8 x 2 in Torx Power Bit	3
CAVN2DHXR20	5/16 in Magnetic Nutsetter	1
CAVAD224	3/8 in Socket Adapter	1
CAVBH3	3.5 in VORTEX™ Bit Holder	1
CAVB2PH3	PH3 x 2 in Phillips Power Bit	1

## VORTEX™ alphaCASE™ Sets (cont'd)



**55 Pc. VORTEX™ Bit Holder Fastening Set**

Item No.	Storage	Weight
CAVBHSET-55	alphaCASE™	4.65 lb

Item No.	Description	Qty.
CAVB1PH1	PH1 x 1 in Phillips Insert Bit	2
CAVB1PH2	PH2 x 1 in Phillips Insert Bit	6
CAVB1PH3	PH3 x 1 in Phillips Insert Bit	4
CAVB1PT1	PT1 x 1 in Phillips Insert Bit	1
CAVB1PT2	PT2 x 1 in Phillips Insert Bit	1
CAVB1T15	T15 x 1 in Torx Insert Bit	1
CAVB1T20	T20 x 1 in Torx Insert Bit	2
CAVB1T25	T25 x 1 in Torx Insert Bit	3
CAVB1T30	T30 x 1 in Torx Insert Bit	2
CAVB1T40	T40 x 1 in Torx Insert Bit	1
CAVB1SQ1	SQ1 x 1 in Torx Insert Bit	2
CAVB1SQ2	SQ2 x 1 in Torx Insert Bit	6
CAVB1SQ3	SQ3 x 1 in Torx Insert Bit	3
CAVB1SL4-5	SL4-5 x 1 in Slotted Insert Bit	2
CAVB1SL6-8	SL6-8 x 1 in Slotted Insert Bit	3
CAVB1SL8-10	SL8-10 x 1 in Slotted Insert Bit	2
CAVB2PH2	PH2 x 2 in Phillips Power Bit	5
CAVB2SQ2	SQ2 x 2 in Square Power Bit	2
CAVB2T25	T25 x 2 in Torx Power Bit	2
CAVN2DHX16	1/4 in Magnetic Nutsetter	1
CAVN2DHX20	5/16 in Magnetic Nutsetter	1
CAVN2DHX28	7/16 in Magnetic Nutsetter	1
CAVN2DHX32	1/2 in Magnetic Nutsetter	1
CAVBH3	3.5 in VORTEX™ Bit Holder	1



**41 Pc. VORTEX™ Bit Holder Fastening Set**

Item No.	Storage	Weight
CAVBHSETP-41	alphaCASE™	3.83 lb

Item No.	Description	Qty.
CAB1PH1	PH1 x 1 in Phillips Insert Bit	3
CAB1PH2	PH2 x 1 in Phillips Insert Bit	6
CAB1PH3	PH3 x 1 in Phillips Insert Bit	3
CAB1T10	T10 x 1 in Torx Insert Bit	1
CAB1T15	T15 x 1 in Torx Insert Bit	2
CAB1T20	T20 x 1 in Torx Insert Bit	2
CAB1T25	T25 x 1 in Torx Insert Bit	2
CAB1T30	T30 x 1 in Torx Insert Bit	2
CAB1T40	T40 x 1 in Torx Insert Bit	1
CAB1SQ1	SQ1 x 1 in Torx Insert Bit	2
CAB1SQ2	SQ2 x 1 in Torx Insert Bit	3
CAB1SQ3	SQ3 x 1 in Torx Insert Bit	2
CAB1SL4-5	SL4-5 x 1 in Slotted Insert Bit	2
CAB1SL6-8	SL6-8 x 1 in Slotted Insert Bit	3
CAB1SL8-10	SL8-10 x 1 in Slotted Insert Bit	2
CAVB2PH2	PH2 x 2 in Phillips Power Bit	2
CAVB2SQ2	SQ2 x 2 in Square Power Bit	1
CAVB2T25	T25 x 2 in Torx Power Bit	1
CAVBH3	3.5 in VORTEX™ Bit Holder	1



**31 Pc. VORTEX™ Bit Holder Fastening Set**

Item No.	Storage	Weight
CAVBHSET-31	alphaCASE™	2.87 lb

Item No.	Description	Qty.
CAVB1PH1	PH1 x 1 in Phillips Insert Bit	2
CAVB1PH2	PH2 x 1 in Phillips Insert Bit	5
CAVB1PH3	PH3 x 1 in Phillips Insert Bit	2
CAVB1T15	T15 x 1 in Torx Insert Bit	1
CAVB1T20	T20 x 1 in Torx Insert Bit	1
CAVB1T25	T25 x 1 in Torx Insert Bit	2
CAVB1T30	T30 x 1 in Torx Insert Bit	1
CAVB1SQ1	SQ1 x 1 in Torx Insert Bit	1
CAVB1SQ2	SQ2 x 1 in Torx Insert Bit	3
CAVB1SQ3	SQ3 x 1 in Torx Insert Bit	2
CAVB1SL4-5	SL4-5 x 1 in Slotted Insert Bit	1
CAVB1SL6-8	SL6-8 x 1 in Slotted Insert Bit	2
CAVB1SL8-10	SL8-10 x 1 in Slotted Insert Bit	1
CAVB2PH2	PH2 x 2 in Phillips Power Bit	2
CAVB2SQ2	SQ2 x 2 in Square Power Bit	1
CAVB2T25	T25 x 2 in Torx Power Bit	1
CAVAD216	1/4 in Socket Adapter	1
CAVAD224	3/8 in Socket Adapter	1
CAVBH3	3.5 in VORTEX™ Bit Holder	1

## u-GUARD™ Non-Marring Covered Tools

The Crescent u-GUARD™ non-marring covered tools gives you protection and control on the jobsite. These patented tools allow the user to grab directly onto the drive tool while it spins freely inside the cover, increasing fastening control and significantly reducing contact from the rotating tool.



**2X**  
MORE  
DURABLE

**50%**  
BETTER  
GRIP\*

\*Grip measured on Phillips bit only

**Non-Marring**  
Non-marring cover protects from scratching or damages; Thin Wall maximizes access

**Safety**  
Free spinning sleeve for enhanced control & safety

**Durability**  
Full body design for greater strength & durability



### Covered Bit Holders

Item No.	Drive Size	Pack Size	Packaging
CAUGBH3-25	1/4"	25	Bulk
CAUGBQ2D	1/4"	1	Skin Card
CAUGBQ2DR-4	1/4"	4	Skin Card
CAUGK-15	1/4"	15	Skin Card

### Covered Impact Power Bits

Cat. No.	Drive Size	Pack Size	Packaging
CAUGB3BPH1-2	PH1	2	Skin card
CAUGB3BPH2	PH2	2	Skin card
CAUGB3BPH2-25	PH2	25	Bulk
CAUGB3BPH3-2	PH3	2	Skin card
CAUGB3BR-3	PH2, SQ2, T25	3	Skin Card
CAUGB3BSL4-5-2	SL4-5	2	Skin Card
CAUGB3BSQ1-2	SQ1	2	Skin Card
CAUGB3BSQ2	SQ2	2	Skin Card
CAUGB3BSQ2-25	SQ2	25	Bulk
CAUGB3BSQ3-2	SQ3	2	Skin Card
CAUGB3BT20-2	T20	2	Skin Card
CAUGB3BT25	T25	2	Skin Card
CAUGB3BT25-25	T25	25	Bulk
CAUGB3BT30-2	T30	2	Skin Card

### Covered Impact Power Bits with Ring Magnet

Cat. No.	Drive Size	Pack Size	Packaging
CAUMB3BPH1-2	PH1	2	Skin Card
CAUMB3BPH2	PH2	2	Skin Card
CAUMB3BPH2-25	PH2	25	Bulk
CAUMB3BPH3-2	PH3	2	Skin Card
CAUMB3BSL4-5-2	SL4-5	2	Skin Card
CAUMB3BSQ1-2	SQ1	2	Skin Card
CAUMB3BSQ2	SQ2	2	Skin Card
CAUMB3BSQ2-25	SQ2	25	Bulk
CAUMB3BSQ3-2	SQ3	2	Skin Card
CAUMB3BT20-2	T20	2	Skin Card
CAUMB3BT25	T25	2	Skin Card
CAUMB3BT25-25	T25	25	Bulk
CAUMB3BT30-2	T30	2	Skin Card

### Covered Magnetic Nutsetters

Cat. No.	Drive Size	Pack Size	Packaging
CAUGN2DHX16	1/4"	1	Skin Card
CAUGN2DHX16-25	1/4"	25	Bulk
CAUGN2DHX20	5/16"	1	Skin Card
CAUGN2DHX20-25	5/16"	25	Bulk
CAUGN2DHX24	3/8"	1	Skin Card
CAUGN2DHX24-25	3/8"	25	Bulk
CAUGN2DHX28	3/8"	1	Skin Card
CAUGN2DHX28-25	3/8"	25	Bulk

The Crescent Fastening line enhances durability, extends life and improves tool fit, while also making tools easier to identify on the jobsite. Crescent is committed to providing high quality fastening solutions with durable dependability.



## u-GUARD™ alphaCASE™ Sets

The u-GUARD™ alphaCASE™ fastening sets with the u-GUARD™ non-marring covered tools is built for the most demanding jobsites. The stack and store alphaCASE™ features a tongue and groove design with thick sidewall construction. The 18-piece, 30-piece, and 37-piece sets include the u-GUARD™ non-marring covered tools, which protect final finishes from damage as well as the core S2 steel product with optimized tip geometry.

**Superior Durability**  
To withstand the toughest jobs



**Pivoting Insert Rails**  
Refillable for ease of use

**Stackable**  
For convenient storage



**Rail Flexibility**  
Store longer bits

**Additional Rail Slot**  
Increased bit count

**Full Length Metal Hinge**  
For improved case life

**Attachment Points**  
For versatility on the job



**New Latch Mechanism**  
Lower profile, easy to use

**Redesigned Rail Grip**  
Easy to grip and access bits



Screwdriving bit tips include Square, Phillips®, Torx®, Slotted, Quick Release Bit Holder, Power Bit Holder, and Magnetic Nutsetters. Bits are secured in pivoting insert rails inside the case, allowing easy access to bits and case configurability.



### Additional Sets

Cat. No.	Description	Cat. No.	Description
CAUGB3BPH2K	3.5 in PH2 u-GUARD™ Bit, 3/8 in Drill Bit, 10 Screws, 10 Dry Wall Anchors	CAUGK2-32	3 pc. u-GUARD™ 3/8" Covered Socket Set
CAUGSET-30	30 Piece Crescent u-GUARD™ Fastening Set	CAUGK-15	u-GUARD™ Bit Holder with 14 #2 Phillips Bits
CAUGSET-37	37 Piece Crescent u-GUARD™ Fastening Set	CAUGB3BR-3	3 pc. u-GUARD™ Covered Power Impact Bit Set
CAUGSET-18	18 pc. u-GUARD™ alphaCASE™ Set	CAUGBQ2DR-4	5 pc. u-GUARD™ Quick Release Bit Holder and VORTEX™ Bits
CAUGK2-31	3 pc. u-GUARD™ 1/4" Covered Socket Set		

## eSHOK-GUARD™ Isolated Power Tool Accessories

Crescent's new patented isolated technology, eSHOK-GUARD™, provides insulation of up to 1,000 volts. Combining safety and convenience for a revolutionary experience when working around potential live wire applications, eSHOK-GUARD™ is protecting you — for life.



INSULATES ALL BITS




UP TO 1000V

IMPACT



RATED



The Crescent Fastening line enhances durability, extends life and improves tool fit, while also making tools easier to identify on the jobsite. Crescent is committed to providing high quality fastening solutions with durable dependability.



Did you know 85% of professionals experience electrical shock on the job site? Crescent's eSHOK-GUARD™ provides insulation of up to 1,000 volts that provides protection while using impact rated tools.



### Isolated Bit Holder & Socket Isolator

Cat. No.	Description	Size	Overall Length	Rated Voltage
CAEBH2C	eSHOK-GUARD™ Isolated Bit Holder	1/4 in	3 in	1000V
CAEBH2CK-4	Ceiling Fan & Light Installation Kit with Isolated Bit Holder	1/4 in	3 in	1000V
CAEAD316	eSHOK-GUARD™ Socket Isolator 1/4" x 2"	1/4 in	2.125 in	1000V
CAEAD324	eSHOK-GUARD™ Socket Isolator 3/8" x 2-1/4"	3/8 in	2.25 in	1000V
CAEAD332	eSHOK-GUARD™ Socket Isolator 1/2" x 2-1/2"	1/2 in	2.625 in	1000V



# eSHOK-GUARD™ alphaCASE™ Sets

The eSHOK-GUARD™ alphaCASE™ fastening sets with the eSHOK-GUARD™ isolated bit holder is built for the most demanding jobsites. The stack and store alphaCASE™ features a tongue and groove design with thick sidewall construction. The 24-piece and 40-piece sets include the eSHOK-GUARD™ isolated bit holder, which insulates all your standard bits up to 1000V.



CAESET-24



CAESET-40

Cat. No.	Description	Shelf Pack Qty	UPC	Pack Size	Rated Voltage	Product Weight
CAESET-24	24 pc Crescent eSHOK-GUARD™ Fastening Set	3	697099349006	Set	1000V	0.95
CAESET-40	40 pc Crescent eSHOK-GUARD™ Fastening Set	3	697099349013	Set	1000V	1.28