



PCAP Touch Screen Displays

Get everything you want in a touch screen and more with Projected Capacitive technology.



Waterproof



Vandal Resistant



Dustproof



Anti-Glare Coating


To learn more about our work and services

info@digitaltouchsystems.com | (512)600-0461 | DigitalTouchSystems.com

Superior Technology

Commercial Grade

Built with 5mm-thick tempered glass



12 Points of Touch

Quick and smooth touch response



Glass to Glass Flush

A seamless design with contoured corners



Zero Palm Rejection

Rejects accidental touches from palm



Banking & Financial



Retail



Hospitality



Entertainment



Government



Healthcare




Digital Signage



Rentals

Sizes & Styles



Endless Flexibility

PCAPs come in seven sizes and are available in four builds to match any environment: wall mounted, upright stand, table kit and kiosk stand.



To learn more about our work and services

info@digitaltouchsystems.com | (512)600-0461 | DigitalTouchSystems.com

PCAP Product Specs

24"

DTS-2410T

32"

DTS-3210T

42"

DTS-4210T

46"

DTS-4610T

55"

DTS-5510T

65"

DTS-6510T

84"

DTS-8410T

Aspect Ratio	16:09	16:09	16:09	16:09	16:09	16:09	16:09
Dimensions	21.48" x 12.84" x 1.58"	30.76" x 18.74" x 2.72"	38.39" x 22.63" x 3.46"	43.31" x 25.77" x 3.50"	50.96" x 30.13" x 3.50"	60.25" x 35.65" x 3.50"	—
Active Area	20.81" x 11.73"	27.57" x 15.54"	36.53" x 20.55"	40.15" x 22.62"	47.62" x 26.78"	56.31" x 31.74"	—
Resolution	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080	4K	4K
Contrast Ratio	3000:1 (Typ)	3000:1 (Typ)	1000:1 (Typ)	4000:1 (Typ)	4000:1 (Typ)	1400:1 (Typ)	1400:1 (Typ)
Luminance	250cd/m2	350cd/m2	400cd/m2	500cd/m2	500cd/m2	450cd/m2	500cd/m2
Display Colors	8 bits	8 bits	8 bits	8 bits	8 bits	10 bits	10 bits
Touch Sensor	PCAP	PCAP	PCAP	PCAP	PCAP	PCAP	PCAP
Touch Points	12	12	12	12	12	12	12
Touch Response	12ms	12ms	12ms	12ms	12ms	15ms	15ms
Touch Method	Finger or Capacitive Pen	Finger or Capacitive Pen	Finger or Capacitive Pen	Finger or Capacitive Pen	Finger or Capacitive Pen	Finger or Capacitive Pen	Finger or Capacitive Pen
Touch Glass	3 mm	4 mm	4 mm	5 mm	5 mm	5 mm	5 mm
Surface Treatment	Anti-Glare 3H (Haze 2%)	Anti-Glare 3H (Haze 2%)	Hard Coating (3H), AR(Haze 1%)	Anti-Glare (Haze 11%)	Anti-Glare (Haze 11%)	Hard Coating(2H) AG (1%)	Hard Coating(2H) AG (1%)
Power Consumption	.35A	.6A	.8A	1A	1.2A	1.4A	1.8A
Weight	30lb	38lb	53lb	75lb	109lb	150lb	210lb
Video Input	RS232C/ D-SUB/ DVI-D/ HDMI	RS232C/ D-SUB/ DVI-D/ HDMI	RS232C/ D-SUB/ DVI-D/ HDMI	RS232C/ D-SUB/ DVI-D/ HDMI	RS232C/ D-SUB/ DVI-D/ HDMI	RS232C/ D-SUB/ DVI-D/ HDMI	RS232C/ D-SUB/ DVI-D/ HDMI
Warranty	3 year (1 year for LCD and touch screen)	3 year (1 year for LCD and touch screen)	3 year (1 year for LCD and touch screen)	3 year (1 year for LCD and touch screen)	3 year (1 year for LCD and touch screen)	3 year (1 year for LCD and touch screen)	3 year (1 year for LCD and touch screen)
Mounting Options	Wall Mount, Stand, Kiosk	Wall Mount, Stand, Kiosk	Wall Mount, Stand, Kiosk, Table	Wall Mount, Stand, Kiosk, Table	Wall Mount, Stand, Kiosk, Table	Wall Mount, Stand, Kiosk, Table	Wall Mount, Stand, Kiosk, Table