

MADE IN THE USA



PORTABLE SOUND SYSTEMS

Touchboards

205 Westwood Ave, Long Branch, NJ 07740
Phone: 866-94 BOARDS (26273) / (732)-222-1511
Fax: (732)-222-7088 | E-mail: sales@touchboards.com

Use your smartphone to
scan this QR code to visit
AnchorAudio.com



PRODUCT CATALOG 2012





PORTABLE SOUND SYSTEMS

Beacon™	4, 5
Liberty Platinum AC/DC	6, 7
Explorer Pro AC/DC	8, 9
Liberty Platinum AC Only	10
Explorer Pro AC Only	11

PUBLIC ADDRESS SYSTEMS

MegaVox Pro	12, 13
Little Big Horn	14
RescueMAN	15

SPEAKER MONITORS

AN-Mini/MiniVox Lite	16, 17
AN-30	18, 19
AN-130	20, 21
AN-135	22, 23
ClassACT	24, 25
AN-1000X	26
ANX-70/Mini-70/AMP-70	27

INTERCOM SYSTEMS

PortaCom	28, 29
ProLink 500™	30, 31

CONFERENCE SYSTEM

CouncilMAN™	32, 33
-------------	--------

LECTERNS

Acclaim	34, 35
Seville	36
Admiral	37

ASSISTIVE LISTENING

38, 39

RECEIVERS / MICROPHONES

40, 41

TRANSPORTERS / CASES / COVERS

42

WEIGHTS & MEASUREMENTS

43

PRODUCT / MARKET MATRIX

44, 45

TERMS, CONDITIONS & WARRANTY

46, 47

PRODUCT SELECTION GUIDE

48

INTELLIGIBILITY

49

SOUND PRESSURE LEVEL

50

SALES AND CUSTOMER SERVICE - (800) 262-4671

Let customer service make your ordering process simple! FAX your order to (760) 827-7105.

Your order will be entered and reviewed for accuracy. A customer service representative will call you if there are questions.

United States (800) 262-4671

South America/ Mexico.....(760) 827-7100 x117

Canada(760) 827-7100 x106

Europe/Other Export..... +1 (760) 827-7100 x117

BEACON™

The Beacon is a *battery-powered, portable line array sound system* like no other in the market! The line array tower *unfolds in less than a minute* and contains eight 4 inch speakers with an additional three 8 inch subwoofers in the base. It stands about 6 feet tall and has a *clean, full range of sound* that spreads evenly over any large crowd without the need for a stand.

The Beacon offers *user friendly controls*, an optional built-in MP3 player and up to two wireless receivers. The compact enclosure has a storage bag for microphones and a collapsible handle with rolling wheels. Use the Beacon at sporting events, graduations, outdoor camps, auditoriums, and more!



Beacon Line Array Sound System



Product Specs

Product HWD:

Closed: 28.5" X 18" X 12.5"


Opened: 71.5" X 18" X 12.5"

Ship Weight: 60 lbs

PART NUMBER	DESCRIPTION
BEACON SOUND SYSTEMS - Does not include mic	
BEA-7500	Beacon AC/DC Powered
BEA-7500U1	Beacon with one built-in Wireless Receiver
BEA-7500U2	Beacon with two built-in Wireless Receivers
BEA-7500M	Beacon with built-in MP3 Player
BEA-7500MU1	Beacon with built-in MP3 Player & one Wireless Receiver
BEA-7500MU2	Beacon with built-in MP3 Player & two Wireless Receivers
MICROPHONES	
WH-6000	Wireless Handheld Microphone
WB-6000	Wireless Belt Pack Transmitter
CM-60	Collar Mic TA4F Plug
EM-TA4F	UltraLite Mic TA4F Plug
HBM-TA4F	Headband Mic TA4F Plug
LM-60	Lapel Mic TA4F Plug
MIC-90	Handheld Mic with 20 ft. XLR Cable

FEATURES

- True AC/DC, 110/220V power supply
- 150W AC mode / 125W DC mode
(peak wattage 300W AC mode / 250W DC mode)
- 112 dB of clear sound
- Reaches crowds of 5000+ indoor / 1000 - 2500 outdoor
- Up to two built-in 16 channel UHF wireless receivers
- “Voice over” music ducking feature
- Lightweight array tower has eight 4” speakers
- Base has three 8” subwoofers
- Proprietary Class D amplifier
- Two universal microphone input jacks
- Optional built-in MP3 player accepts SD card, USB flash drive or 3.5mm auxiliary input for iPod
- Charging LED bar indicator
- 5V USB charger
- Nylon mesh storage bag
- Durable enclosure case with wheels and retractable handle
- UV treated / fade resistant case



BBP-7500 Beacon **Basic** Package Includes:

- BEA-7500MU1 with built-in MP3 and one wireless receiver
- Choice of transmitter: WH-6000 handheld or WB-6000 belt pack
- Choice of wireless mic (requires WB-6000): CM-60 collar, EM-TA4F UltraLite, HBM-TA4F headband, or LM-60 lapel
- Includes mini cable to plug in iPod or external audio source

BDP-7500 Beacon **Deluxe** Package Includes:

- BEA-7500MU2 with built-in MP3 and two wireless receivers
- Choice of two transmitters: WH-6000 handheld or WB-6000 belt pack
- Choice of wireless mic (requires WB-6000): CM-60 collar, EM-TA4F UltraLite, HBM-TA4F headband, or LM-60 lapel
- Includes mini cable to plug in iPod or external audio source

BASIC

DELUXE

LIBERTY PLATINUM

AC/DC Option

PART NUMBER	DESCRIPTION
LIBERTY SOUND SYSTEMS - Does not include mic	
LIB-7500	Liberty AC/DC powered
LIB-7500U1	Liberty with one built-in Wireless Receiver
LIB-7500U2	Liberty with two built-in Wireless Receivers
LIB-7500M	Liberty with built-in MP3 Player
LIB-7500MU1	Liberty with built-in MP3 & one Wireless Receiver
LIB-7500MU2	Liberty with built-in MP3 & two Wireless Receivers
LIB-7500C	Liberty with built-in CD Player
LIB-7500CU1	Liberty with built-in CD player & one Wireless Receiver
LIB-7500CU2	Liberty with built-in CD player & two Wireless Receivers
LIB-7501	Unpowered Companion Speaker



LBP-7500
LIBERTY BASIC PACKAGE
WITH WH-6000



Product Specs

Product HWD: 22" X 14" X 11.5"

Ship Weight: 40 lbs

PART NUMBER	DESCRIPTION
MICROPHONES	
WH-6000	Wireless Handheld Mic
WB-6000	Wireless Belt Pack Transmitter
CM-60	Collar Mic TA4F Plug
EM-TA4F	UltraLite Mic TA4F Plug
HBM-TA4F	Headband Mic TA4F Plug
LM-60	Lapel Mic TA4F Plug
MIC-90	Handheld Mic with 20 ft. XLR Cable
ACCESSORIES	
SS-550	Heavy-Duty Stand
MSB-201	Mic Stand with Boom
HC-ARMOR30	Anchor Armor Hard Case - Liberty
SOFT-7500	Soft Rolling Case - Liberty
NL-7500	Liberty Soft Cover
NL-7500WP	Liberty Soft Cover - Weather Proof
NL-7500WP-CAMO	Liberty Soft Cover - Weather Proof - Camouflage
MP3-TOTE	Holds MP3 Player and Mic
CC-550	Soft Case for two SS-550 Speaker Stands
CABLES	
SC-50NL	Companion Speaker Cable
SC-100NL	Companion Speaker Cable - 100 ft.
6000-14P	Cable Adapter (TA4F to 1/4")
6000-18P	Cable Adapter (TA4F to 3.5 mm)
6000-XLR	Cable Adapter (TA4F to XLR)
LINE-30M	30 ft. Line Cable (male to male phone plug)
XLR-50MF	Mic Extension Cable Male/Female 50 ft.

PORTABLE SOUND SYSTEMS

FEATURES

- True AC/DC, 110/220V power supply
- 125W AC mode / 100W DC mode (peak wattage 250W AC mode / 220W DC mode)
- 110 dB of clear sound
- Reaches crowds of 1500+ (3000+ with a companion speaker)
- Up to two built-in 16 channel UHF wireless receivers
- "Voice over" music ducking feature
- Two universal microphone jack inputs
- Recessed back panel protects knobs and parts
- Bass and treble controls
- External speaker output powers the LIB-7501 companion speaker
- 1/4" line input
- 1/4" line output
- Optional built-in MP3 player accepts SD card, USB flash drive or 3.5mm input for iPod
- Optional built-in CD player
- Charging LED bar indicator
- 5V USB charging port
- UV treated / fade resistant case

Mic choices are not pictured in photo - see pg 41 for options

LBP-7500 Liberty Basic Package Includes:

- LIB-7500MU1 with built-in MP3 or LIB-7500CU1 with built-in CD and one wireless receiver
- SS-550 (Speaker stand)
- Choice of transmitter: WH-6000 handheld or WB-6000 belt pack
- Choice of wireless mic (requires WB-6000): CM-60 collar, EM-TA4F UltraLite, HBM-TA4F headband, or LM-60 lapel
- Includes mini cable to plug in iPod or external audio source

LBP-7500 DUAL Liberty Basic Package Includes:

- LIB-7500MU2 with built-in MP3 or LIB-7500CU2 with built-in CD and two wireless receivers
- Accessories the same as LBP-7500 plus choice of second wireless mic



BASIC

Mic choices are not pictured in photo - see pg 41 for options

LDP-7500 Liberty Deluxe Package Includes:

- LIB-7500MU1 with built-in MP3 or LIB-7500CU1 with built-in CD and one wireless receiver
- LIB-7501 (Companion speaker)
- SC-50NL (Companion speaker cable)
- Two SS-550 (Speaker stands)
- Choice of transmitter: WH-6000 handheld or WB-6000 belt pack
- Choice of wireless mic (requires WB-6000): CM-60 collar, EM-TA4F UltraLite, HBM-TA4F headband, or LM-60 lapel
- Includes mini cable to plug in iPod or external audio source

LDP-7500 DUAL Liberty Deluxe Package Includes:

- LIB-7500MU2 or LIB-7500CU2 and two wireless receivers
- Accessories the same as LDP-7500 plus choice of second wireless mic



DELUXE

AnchorAudio.com

EXPLORER PRO

AC/DC Option

Where will you Explore? Traveling the world with a *portable sound system* has *never been easier*. Asia, Africa, Antarctica... the Explorer Pro has seen and done it all. Just stick it in a case, throw it on an airplane and off you go. Even in areas where AC power is not an option, the Explorer Pro's *built-in battery* continues to perform. One *wireless microphone*, two wireless microphones - it's up to you. So, where will you explore? Use the Explorer for schools, corporate events, and places of worship.



Product Specs

Product HWD: 17" X 10.5" X 9.5"

Ship Weight: 27 lbs

PART NUMBER	DESCRIPTION
EXPLORER SOUND SYSTEMS - Does not include mic	
EXP-7500	Explorer AC/DC Powered
EXP-7500U1	Explorer with one built-in Wireless Receiver
EXP-7500U2	Explorer with two built-in Wireless Receivers
EXP-7501	Unpowered Companion Speaker



PART NUMBER	DESCRIPTION
MICROPHONES	
WH-6000	Wireless Handheld Mic
WB-6000	Wireless Belt Pack Transmitter
CM-60	Collar Mic TA4F Plug
EM-TA4F	UltraLite Mic TA4F Plug
HBM-TA4F	Headband Mic TA4F Plug
LM-60	Lapel Mic TA4F Plug
MIC-90	Handheld Mic with 20 ft. XLR Cable
ACCESSORIES	
SS-550	Heavy-Duty Stand
MSB-201	Mic Stand with Boom
HC-ARMOR24-EXP	Anchor Armor Hard Case - Explorer
SOFT-EXP	Soft Rolling Case - Explorer
NL-EXP	Explorer Soft Cover
MP3-TOTE	Holds MP3 player and Mic
CC-550	Soft Case for two SS-550 Speaker Stands
CABLES	
SC-50NL	Companion Speaker Cable
SC-100NL	Companion Speaker Cable - 100 ft.
6000-14P	Cable Adapter (TA4F to 1/4")
6000-18P	Cable Adapter (TA4F to 3.5 mm)
6000-XLR	Cable Adapter (TA4F to XLR)
LINE-30M	30 ft. Line Cable (male to male phone plug)
XLR-50MF	Mic Extension Cable Male/Female 50 ft.

PORTABLE SOUND SYSTEMS

FEATURES

- True AC/DC, 110/220V power supply
- 75W AC mode / 50W DC mode (peak wattage 100W AC mode / 75W DC mode)
- 110 dB of clear sound
- Reaches crowds of 800+ (1600+ with a companion speaker)
- Up to two built-in 16 channel UHF wireless receivers
- "Voice over" music ducking feature
- 6.5" woven fiber woofer and high-output horn tweeter
- Two universal microphone jack inputs
- Recessed back panel protects knobs and ports
- UV treated / fade resistant case
- External speaker output powers companion speaker
- Charging LED bar indicator



Mic choices are not pictured in photo - see pg 41 for options

BASIC

EBP-7500 Explorer **Basic** Package Includes:

- EXP-7500U1 with one built-in wireless receiver
- SS-550 (Speaker stand)
- Choice of transmitter: WH-6000 handheld or WB-6000 belt pack
- Choice of wireless mic (requires WB-6000): CM-60 collar, EM-TA4F UltraLite, HBM-TA4F headband, or LM-60 lapel

EBP-7500 DUAL Explorer **Basic** Package Includes:

- EXP-7500U2 with two built-in wireless receivers
- Accessories same as EBP-7500 plus second wireless mic



Mic choices are not pictured in photo - see pg 41 for options

DELUXE

EDP-7500 Explorer **Deluxe** Package Includes:

- EXP-7500U1 with one built-in wireless receiver
- EXP-7501 (Companion speaker)
- SC-50NL (Companion speaker cable)
- Two SS-550 (Speaker stands)
- Choice of transmitter: WH-6000 handheld or WB-6000 belt pack
- Choice of wireless mic (requires WB-6000): CM-60 collar, EM-TA4F UltraLite, HBM-TA4F headband, or LM-60 lapel

EDP-7500 DUAL Explorer **Deluxe** Package Includes:

- EXP-7500U2 with two built-in wireless receivers
- EXP-7501 (Companion speaker)
- Accessories the same as EDP-7500 plus second wireless mic



LIBERTY PLATINUM

AC Only Option



Product Specs

Product HWD: 22" X 14" X 11.5"

Ship Weight: 28 lbs

PART NUMBER	DESCRIPTION
LIBERTY AC POWERED SOUND SYSTEM - Does not include mic	
LIB-7500AC	Liberty AC Powered
LIB-7500U1AC	Liberty with one built-in Wireless Receiver
LIB-7500U2AC	Liberty with two built-in Wireless Receivers
LIB-7500MAC	Liberty with built-in MP3 Player
LIB-7500MU1AC	Liberty with built-in MP3 player & one Wireless Receiver
LIB-7500MU2AC	Liberty with built-in MP3 player & two Wireless Receivers
LIB-7500CAC	Liberty with built-in CD Player
LIB-7500CU1AC	Liberty with built-in CD Player & one Wireless Receiver
LIB-7500CU2AC	Liberty with built-in CD Player & two Wireless Receivers
LIB-7501	Unpowered Companion Speaker
See Liberty Page 6 for Accessory and Mic Options	

Mic choices are not pictured in photo - see pg 41 for options

LBP-7500AC Liberty Basic Package Includes:

- LIB-7500MU1AC with built-in MP3 or LIB-7500CU1AC with built-in CD and one wireless receiver
- SS-550 (Speaker stand)
- Choice of transmitter: WH-6000 handheld or WB-6000 belt pack
- Choice of wireless mic (requires WB-6000): CM-60 collar, EM-TA4F UltraLite, HBM-TA4F headband, or LM-60 lapel

LBP-7500AC DUAL Liberty Basic Package Includes:

- LIB-7500MU2AC with built-in MP3 or LIB-7500CU2AC with built-in CD and two wireless receivers
- Accessories same as LBP-7500 plus choice of second wireless mic



LDP-7500AC Liberty Deluxe Package Includes:

- LIB-7500MU1AC with built-in MP3 or LIB-7500CU1AC with built-in CD and one wireless receiver
- LIB-7501 (Companion speaker)
- SC-50NL (Companion speaker cable)
- Two SS-550 (Speaker stands)
- Choice of transmitter: WH-6000 handheld or WB-6000 belt pack
- Choice of wireless mic (requires WB-6000): CM-60 collar, EM-TA4F UltraLite, HBM-TA4F headband, or LM-60 lapel

LDP-7500AC DUAL Liberty Deluxe Package Includes:

- LIB-7500MU2AC or LIB-7500CU2 and two wireless receivers
- Accessories same as LDP-7500 plus choice of second wireless mic



Mic choices are not pictured in photo - see pg 41 for options

BASIC

DELUXE

EXPLORER PRO

AC Only Option



Product Specs

Product HWD: 17" X 10.5" X 9.5"

Ship Weight: 21 lbs

PART NUMBER	DESCRIPTION
EXPLORER AC POWERED SOUND SYSTEM - Does not include mic	
EXP-7500AC	Explorer AC Powered
EXP-7500U1AC	Explorer with one Wireless Receiver
EXP-7500U2AC	Explorer with two Wireless Receivers
EXP-7501	Unpowered Companion Speaker
See Explorer Page 8 for Accessory and Mic Options	

Mic choices are not pictured in photo - see pg 41 for options

EBP-7500AC Explorer **Basic** Package Includes:

- EXP-7500U1AC with one built-in wireless receiver
- SS-550 (Speaker stand)
- Choice of transmitter: WH-6000 handheld or WB-6000 belt pack
- Choice of wireless mic (requires WB-6000): CM-60 collar, EM-TA4F UltraLite, HBM-TA4F headband, or LM-60 lapel

EBP-7500AC DUAL Explorer **Basic** Package Includes:

- EXP-7500U2AC with two built-in wireless receivers
- Accessories same as EBP-7500AC plus second wireless mic



Mic choices are not pictured in photo - see pg 41 for options

EDP-7500AC Explorer **Deluxe** Package Includes:

- EXP-7500U1AC with one built-in wireless receiver
- EXP-7501 (Companion speaker)
- SC-50NL (Companion speaker cable)
- Two SS-550 (Speaker stands)
- Choice of transmitter: WH-6000 handheld or WB-6000 belt pack
- Choice of wireless mic (requires WB-6000): CM-60 collar, EM-TA4F UltraLite, HBM-TA4F headband, or LM-60 lapel

EDP-7500AC DUAL Explorer **Deluxe** Package Includes:

- EXP-7500U2AC with two built-in wireless receivers
- EXP-7501 (Companion speaker)
- Accessories same as EDP-7500AC plus second wireless mic



MegaVox Pro

Just grab it and go! With the MegaVox Pro you're ready for any situation...it's *lightweight, loud and easy to carry*. Thousands report it's the most *reliable* PA system on the market. Emergency responders like its signal *alert siren*, *wired microphone* and *convenient shoulder strap*. Coaches, band directors and auctioneers appreciate the flexibility of the *AC/DC operation* and the range of the wireless microphones.



Product Specs

Product HWD: 13" X 9" X 14"
Ship Weight: 20 lbs



MEGA-BP DUAL
MEGAVOX PRO BASIC PACKAGE DUAL
WITH TWO WH-6000 MICS

PART NUMBER	DESCRIPTION
MEGAVOX PUBLIC ADDRESS SYSTEMS - Includes MIC-50	
MEGA-7500	MegaVox AC/DC Powered
MEGA-7500U1	MegaVox with one built-in Wireless Receiver
MEGA-7500U2	MegaVox with two built-in Wireless Receivers
MEGA-7501	Unpowered Companion Speaker (does not include mic)
MICROPHONES	
WH-6000	Wireless Handheld Mic
WB-6000	Wireless Belt Pack Transmitter
CM-60	Collar Mic TA4F Plug
EM-TA4F	UltraLite Mic TA4F Plug
HBM-TA4F	Headband Mic TA4F Plug
LM-60	Lapel Mic TA4F Plug
HBM-50	Headband Mic 1/4" Plug
MIC-50	Handheld Mic 1/4" Plug
ACCESSORIES	
SS-550	Heavy-Duty Stand
HC-ARMOR24-MV	Anchor Armor Hard Case - MegaVox Pro
NL-MEGA	Nylon Case for MegaVox Pro
SOFT-MEGA	Soft Rolling Case - MegaVox Pro
CC-550	Soft Case for two SS-550 Speaker Stands
RC-6000	MegaVox Charger
CABLES	
SC-50	Companion Speaker Cable
SC-50EX	Companion Speaker Cable Extension
6000-14P	Cable Adapter (TA4F to 1/4")
6000-18P	Cable Adapter (TA4F to 3.5 mm)
6000-18PS	Cable Adapter (TA4F to 3.5" stereo)
6000-XLR	Cable Adapter (TA4F to XLR)

FEATURES

- True AC/DC, 110/220V power supply
- 40W AC mode / 20W DC mode
- 126 dB of clear sound
- Reaches crowds of 1,000+
- Lightweight – Only 15 lbs
- High-efficiency re-entrant horn driver
- Up to two built-in 16 channel UHF wireless receivers
- Built-in rechargeable battery runs up to 10 hours on a charge
- Microphone with coil cord
- Signal alert button
- External speaker output powers optional MegaVox Pro companion speaker



MEGA-BP MegaVox Pro **Basic** Package Includes:

- MEGA-7500U1 with one wireless receiver
- SS-550 (Speaker stand)
- Choice of transmitter: WH-6000 handheld or WB-6000 belt pack
- Choice of wireless mic (requires WB-6000): CM-60 collar, EM-TA4F UltraLite, HBM-TA4F headband, or LM-60 lapel

MEGA-BP DUAL MegaVox Pro **Basic** Package Includes:

- MEGA-7500U2 with two wireless receivers
- Accessories same as MEGA-BP plus second wireless mic



Mic choices are not pictured in photo - see pg 41 for options

MEGA-DP MegaVox Pro **Deluxe** Package Includes:

- MEGA-7500U1 with one wireless receiver
- MEGA-7501 (Companion speaker)
- SC-50 (Connection cable)
- Two SS-550 (Speaker stands)
- Choice of transmitter: WH-6000 handheld or WB-6000 belt pack
- Choice of wireless mic (requires WB-6000): CM-60 collar, EM-TA4F UltraLite, HBM-TA4F headband, or LM-60 lapel

MEGA-DP DUAL MegaVox Pro **Deluxe** Package Includes:

- MEGA-7500U2 with two wireless receivers
- Accessories same as MEGA-DP plus second wireless mic



Mic choices are not pictured in photo - see pg 41 for options

BASIC

DELUXE

Little Big Horn

Emergency situations require immediate emergency awareness. In the event of an evacuation everyone must be able to hear instructions for crowd control purposes. The Little Big Horn is *easy to use*, *easy to store* and *loud* so you can be heard clearly and distinctly. You can hear it from over 100 yards away and its siren signal alert will surely grab everyone's attention.



Product Specs

Dimensions: 9" diameter X 14.5"

Ship Weight: 5 lbs

FEATURES

- DC powered
- 117 dB of clear sound
- 30 watts
- Reach crowds of 50+
- Lightweight – Only 3.3 lbs
- Folded horn driver
- Neodymium speaker
- Heavy-duty micro-switch inside trigger
- Rechargeable Batteries
- Signal Alert Button
- Two Year Warranty

PART NUMBER	DESCRIPTION
LITTLE BIG HORN PUBLIC ADDRESS SYSTEM	
LBH-30	Little Big Horn
ACCESSORY	
RC-LBH	Battery Recharge Kit

RescueMAN


RescueMAN Personal PA System was designed for first responders requiring *voice amplification* for emergencies or crowd control situations. *109 dB of crystal clear sound* pumped out of a *lightweight, wearable enclosure* designed to be heard over loud emergency equipment or in an active environment. It also features a *high quality record and replay function* which allows a user to record a voice message up to 20 seconds with repeating capability.



Product Specs

Product HWD: 6.75" x 4.6" x 3.4"
Ship Weight: 2.5 lbs

MT-RSM



FEATURES

- 109 dB of clear sound
- 30 watt amplifier (60 watt peak rating)
- Lightweight - Just over 2 lbs
- High quality record & replay function
- Up to 20 second recordable messages with repeating capability
- Siren alert button
- Large push buttons for use with gloves on
- Dynamic lightweight microphone
- Powered with 10 AA Alkaline or rechargeable NIMH
- Operates up to 12 hours on a single charge
- Optional car charger
- Adjustable strap for easy handling

Shoulder strap with MIC-50 holster



PART NUMBER	DESCRIPTION
RESCUEMAN PUBLIC ADDRESS SYSTEM	
RSM-7500	RescueMAN with shoulder strap - no holster (microphone and batteries not included)
RSM-7500H	RescueMAN with holster strap (microphone and batteries not included)
MICROPHONE	
HBM-50	Headband Mic 1/4" Plug
MIC-50	Handheld Mic 1/4" Plug
ACCESSORY	
RC-30	Battery Recharge Kit
RC-RSM	Car Charger
MT-RSM	Mounting Magnet



RSM-BP

RSM-BP Basic Package Includes:

BASIC

- RSM-7500H includes shoulder strap with MIC-50 holster
- MIC-50 handheld mic
- RC-30 (Battery recharge kit)

RSM-HB Headband Package Includes:

HEADBAND

- RSM-7500 with shoulder strap - no holster
- HBM-50 headband mic
- RC-30 (Battery recharge kit)

AN-Mini / MiniVox Lite

The AN-Mini speaker monitor is the *most powerful, smallest system* in the market. The AN-Mini is *battery-operated* so you *can take it anywhere*. It delivers a powerful *109 db of sound*, which will project *clear, intelligible* speech to audiences up to 50+. *Just switch* it on and you are ready for any indoor or outdoor assemblies. You can also *connect your iPod, MP3 player, or CD Player* to the AN-Mini. Perfect for any school event, special event, classroom, or cheer squad.



*available in blue, clear, red, black, & yellow

Product Specs

Product HWD: 5.5" X 5.5" X 6.5"

Ship Weight: 5 lbs



AN-MINI WITH SS-300 AND MIC-50

PART NUMBER	DESCRIPTION
AN-MINI SPEAKER MONITOR - Does not include mic	
AN-MINI	AC/DC Powered - Black (other colors available)
AN-MINIU1	AN-MINI with one built-in wireless receiver
MICROPHONES	
WH-6000	Wireless Handheld Mic
WB-6000	Wireless Belt Pack Transmitter
CM-60	Collar Mic TA4F Plug
EM-TA4F	UltraLite Mic TA4F Plug
HBM-TA4F	Headband Mic TA4F Plug
LM-60	Lapel Mic TA4F Plug
HBM-MINI	Headband Mic Mini Plug
HBM-50	Headband Mic 1/4" Plug
MIC-50	Handheld Mic 1/4" Plug
ACCESSORIES	
SS-300	Speaker Stand for AN-Mini and MiniVox Lite
SOFT-30	Soft Case for AN-Mini (Custom colors available)
RC-30	Battery Recharge Kit
AC-30	AN-Mini Adapter

SPEAKER MONITORS

FEATURES

- AC/DC powered
- 109 dB of clear sound
- 30W amplifier
- Reach crowds of 50+
- Lightweight – Only 2.5 lbs
- Optional built-in 16 channel UHF wireless receiver
- 4.5" woofer
- Line input allows you to plug-in an iPod, MP3, and CD Player
- Phantom-powered input for electret-type microphone
- Operates on batteries for up to 12 hrs
- Optional rechargeable kit



*bags available in blue, red, black, camo, & neon yellow



DELUXE

AN-MINIDP Deluxe Package Includes:

- AN-MINI1 with one built-in wireless receiver
- RC-30 (Battery recharge kit)
- Choice of transmitter: WH-6000 handheld or WB-6000 belt pack
- Choice of wireless mic (requires WB-6000): CM-60 collar, EM-TA4F UltraLite, HBM-TA4F headband, or LM-60 lapel

BASIC

MiniVox-LiteBP Basic Package Includes:

- AN-MINI with SOFT-30 (soft case)
- MIC-50 (Handheld Mic 1/4" Plug)
- RC-30 (Battery recharge kit)

DELUXE

MiniVox-LiteDP Deluxe Package Includes:

- AN-MINI1 with SOFT-30 (soft case)
- One built-in wireless receiver and MIC-50 (Handheld Mic 1/4" Plug)
- RC-30 (Battery recharge kit)
- Choice of one transmitter: WH-6000 handheld or WB-6000 belt pack
- Choice of wireless mic (requires WB-6000): CM-60 collar, EM-TA4F UltraLite, HBM-TA4F headband, or LM-60 lapel

AN-30

The AN-30CP Contractor Package was designed to respond to dealers who install projectors, sound systems, screens or flat panels in classrooms, conference rooms and meeting rooms. It is the logical evolution of the AN-Mini to meet the requirements of install projects that require a *powered speaker* mounted on a wall or ceiling. It is available in black, clear, yellow, blue, and red.

The AN-30 speaker is the *smallest system* in the Anchor Audio line of products and offers *a lot of sound* in such a small cube. With 30 watts of rated power output, the AN-30 can cover a typical sized conference room or classroom with ease. The AN-30 is so *lightweight* that it *mounts* to a wall or ceiling quite effortlessly. Combine an AN-30 with a projector in a classroom for the perfect audiovisual solution.



Product Specs

Product HWD: 5.5" X 5.5" X 6.5"

Ship Weight: 3 lbs



PART NUMBER	DESCRIPTION
AN-30 SPEAKER MONITOR	
AN-30	AN-30 AC Powered Speaker
ACCESSORIES	
SS-300	Speaker Stand for AN-Mini and MiniVox Lite
SB-30	180° Tilt Wall Bracket
MINI-15ST	15 ft. Stereo Mini-Plug Cable
AC-30	AC Adapter

SPEAKER MONITORS

FEATURES

- AC powered
- 109 dB of clear sound
- 30W amplifier
- Reach crowds of 50+
- Lightweight – Only 2.5 lbs
- 4.5" woofer
- Line input for audio source
- Line output for daisy chain of multiple units
- Mounts to a wall or ceiling
- Built-in bracket mount with Allen wrench for easy installation (AN-30CP Package)
- Available in black, clear, yellow, blue, and red



CONTRACTOR

AN-30CP Contractor Package Includes:

- AN-30
- SB-30 (Wall mount bracket)



AN-130

Command the classroom, dominate the board room, enthrall the lecture hall; you can do it all with the Anchor Audio AN-130 speaker monitor. This *lightweight, easy to use* system fills the room with your voice and with the wireless microphone you're free to move around the room. Need to add some punch to your presentation? The AN-130 is ideal for use with your video projector, CD/DVD player or PC. Teachers, corporate presenters, or anyone who needs to reach groups of 1-100 uses the AN-130. *Mount it* on a stand, *place it* on a shelf, *set the volume* and you're ready to go!

Product Specs

Product HWD: 5.25" X 8.4" X 9"

Ship Weight: 9 lbs



AN-130BP BASIC PACKAGE WITH SS-250 STAND & SB-1BK STAND MOUNT



PART NUMBER	DESCRIPTION
AN-130 SPEAKER MONITOR - Does not include mic	
AN-130	AN-130 - White
AN-130BK	AN-130 - Black
AN-130U1	AN-130 with one built-in Wireless Receiver - White
AN-130U1BK	AN-130 with one built-in Wireless Receiver - Black
AN-130U1RC	AN-130 with one built-in Wireless Receiver and Remote Control - White
AN-130U1RCBK	AN-130 with one built-in Wireless Receiver and Remote Control - Black
AN-130RC	AN-130 with Remote Control - White
AN-130RCBK	AN-130 with Remote Control - Black
MICROPHONES	
WH-6000	Wireless Handheld Mic
WB-6000	Wireless Belt Pack Transmitter
CM-60	Collar Mic TA4F Plug
EM-TA4F	UltraLite Mic TA4F Plug
HBM-TA4F	Headband Mic TA4F Plug
LM-60	Lapel Mic TA4F Plug
MIC-90	Handheld Mic with 20 ft. XLR Cable
ACCESSORIES	
SS-250	Speaker Stand
MSB-201	Mic Stand with Boom
HC-ARMOR24-AN	Anchor Armor Hard Case for AN Series
CC-100XL	Extra Large Carrying Bag for AN-130 & SB-1BK
CC-100	Carrying Bag for AN-130
CC-550	Soft Case for two SS-250 / SS-550 Speaker Stands
REMOTE-130	Infrared Remote Control
BRACKETS	
SB-1BK	Stand Mount - Black
SB-3W	40° Tilt Bracket - White
SB-3BK	40° Tilt Bracket - Black
SB-360W	360° Swivel - White
SB-360BK	360° Swivel - Black
RM-1BK	Single Rackmount - Black
RM-12BK	Dual Rackmount - Black

SPEAKER MONITORS

FEATURES

- AC powered
- 106 dB of clear sound
- Reach crowds of 100+
- Lightweight – Only 8.5 lbs
- Magnetically shielded speaker for AV use
- 4.5" woofer and 10 mm dome tweeter
- 30W amplifier
- Optional built-in 16 channel UHF wireless receiver
- RCA line input, 1/4" line input & 1/4" mic-In
- 1/4" line output jack – daisy chain multiple systems or record output
- Remote control for volume & mute available
- Bass & treble controls
- Available in black or white



CC-100XL
Extra Large Carrying Bag
(Not included in package)

AN-130BP Basic Package Includes:

- AN-130U1 with one built-in wireless receiver
- Choice of transmitter: WH-6000 handheld or WB-6000 belt pack
- Choice of wireless mic (requires WB-6000): CM-60 collar, EM-TA4F UltraLite, HBM-TA4F headband, or LM-60 lapel

BASIC

AN-130CP Contractor Package Includes:

- AN-130U1
- SB-360 (360° Swivel Bracket)
- Choice of transmitter: WH-6000 handheld or WB-6000 belt pack
- Choice of wireless mic (requires WB-6000): CM-60 collar, EM-TA4F UltraLite, HBM-TA4F headband, or LM-60 lapel

CONTRACTOR

AN-135

The AN-135 speaker is a *lightweight, easy to use* system that fills the room with sound. The AN-135 is ideal for use with a video projector, PC or CD/DVD player. Use the AN-135 in a classroom, conference room, or anywhere that requires sound coverage for groups up to 100 people.



AN-135

Product Specs

Product HWD: 5.25" X 8.4" X 9"

Ship Weight: 5 lbs



PART NUMBER	DESCRIPTION
AN-135 SPEAKER MONITOR	
AN-135	AN-135 - White
AN-135BK	AN-135 - Black
BRACKETS	
SB-3W	40° Tilt Bracket - White
SB-3BK	40° Tilt Bracket - Black
SB-360W	360° Swivel Bracket - White
SB-360BK	360° Swivel - Black

SPEAKER MONITORS

FEATURES

- AC Powered
- 109 dB of clear sound
- Reach crowds of 100+
- Lightweight – Only 4.5 lbs
- 4.5" woofer and 10 mm dome tweeter
- 30W amplifier
- Line input for audio source - 3.5 mm & 1/4"
- Line output for daisy chain of multiple units - 3.5 mm
- Mounts to a wall or ceiling
- Built-in bracket mount with Allen wrench for easy installation
- Available in black or white



AN-135BK



CONTRACTOR

AN-135CP Contractor Package Includes:

- AN-135
- SB-360 (360° Swivel Bracket)

ClassACT

Designed to fill the classroom with your voice and your voice only, the ClassACT sound system *eliminates outside interference*. This *lightweight speaker* with hands free microphone allows teachers, corporate presenters and training instructors to make presentations, write on a whiteboard or operate a projector without any interruptions. The ClassACT is all about *quality, reliability, and simplicity*.




CA-130U1RC

Product Specs

Product HWD: 5.25" X 8.4" X 9"

Ship Weight: 9 lbs



FOR YOUR CLASS ROOM ONLY
30 FT. RANGE

PART NUMBER	DESCRIPTION
CLASSACT SPEAKER MONITOR - Does not include mic	
CA-130U1	ClassACT with one built-in Wireless Receiver - White
CA-130U1BK	ClassACT with one built-in Wireless Receiver - Black
CA-130U1RC	ClassACT with one built-in Wireless Receiver and Remote Control - White
CA-130U1RCBK	ClassACT with one built-in Wireless Receiver and Remote Control - Black
MICROPHONES	
WH-6000	Wireless Handheld Mic
WB-6000	Wireless Belt Pack Transmitter
CM-60	Collar Mic TA4F Plug
EM-TA4F	UltraLite MIC TA4F Plug
HBM-TA4F	Headband Mic TA4F Plug
LM-60	Lapel Mic TA4F Plug
MIC-90	Handheld Mic with 20 ft. XLR Cable
ACCESSORIES	
SS-250	Speaker Stand
MSB-201	Mic Stand with Boom
CC-100XL	Extra Large Carrying Bag for ClassACT & SB-1BK
CC-100	Carrying Bag for ClassACT
CC-550	Soft Case for two SS-250 / SS-550 Speaker Stands
REMOTE-130	Infrared Remote Control
BRACKETS	
SB-3W	40° Tilt Bracket - White
SB-360W	360° Swivel - White
SB-1BK	Stand Mount - Black

SPEAKER MONITORS

FEATURES

- AC powered
- 110 dB of clear sound
- Reach crowds of 100+
- Lightweight – Only 8.5 lbs
- Magnetically shielded speaker for AV use
- 4.5" woofer and 10 mm dome tweeter
- 30W amplifier
- Built-in 16 channel UHF wireless receiver
- Limited wireless range so units in adjacent rooms do not cross wireless channels
- Optional remote control for volume & mute
- RCA line input, 1/4" line input & 1/4" mic-in
- 1/4" line output jack – Daisy chain multiple systems or record output
- Unit can be mounted on a wall, ceiling or speaker stand
- Available in black or white



Remote control for volume & mute



ClassACT Basic Package Includes:

- CA-130U1RC with one built-in wireless receiver and remote control
- Choice of transmitter: WH-6000 handheld or WB-6000 belt pack
- Choice of wireless mic (requires WB-6000): CM-60 collar, EM-TA4F UltraLite, HBM-TA4F headband, or LM-60 lapel

BASIC

AN-1000X

The AN-1000X is the *most versatile powered speaker* monitor on the market. You can *add it* to an A/V rack setup, use it as a studio monitor, *install it* in a trade show booth, or place it in the Captain's quarters on a US Navy warship to monitor activities in the intelligence room.

Product Specs

Product HWD: 5.25" X 8.4" X 9"

Ship Weight: 10 lbs



AN-1000X



AN-1001X

PART NUMBER	DESCRIPTION
AN-1000X SPEAKER MONITOR - Does not include mic	
AN-1000X	AN-1000X AC Powered
AN-1001X	Unpowered Companion Speaker

PART NUMBER	DESCRIPTION
MICROPHONES	
MIC-90	Handheld Mic with 20 ft. XLR Cable
ACCESSORIES	
SS-250	Speaker Stand
MSB-201	Mic Stand with Boom
HC-ARMOR24-AN	Anchor Armor Hard Case for AN Series
CC-100XL	Extra Large Carrying Bag for AN-1000X & SB-1BK
CC-100	Carrying Bag for AN-1000X
CC-550	Soft Case for two SS-250 / SS-550 Speaker Stands
BRACKETS	
SB-1BK	Stand Mount - Black
SB-3W	40° Tilt Bracket - White
SB-3BK	40° Tilt Bracket - Black
SB-360W	360° Swivel - White
SB-360BK	360° Swivel - Black
RM-1BK	Single Rackmount - Black
RM-12BK	Dual Rackmount - Black
CABLES	
SC-50	Companion Speaker Cable

FEATURES

- AC powered
- 103 dB of clear sound
- Reach crowds of 400+
- Lightweight – Only 9.5 lbs
- Magnetically shielded speakers
- 4.5" woofer and 10 mm dome tweeter
- 50W amplifier
- Balanced input, Mic/Line configurable with female XLR, switchable phantom power
- Hi-Z RCA line level input
- Hi-Z 1/4" line level output
- 1/4" speaker output
- Bass and treble controls
- Unit can be mounted on a wall, ceiling or speaker stand

AN-1000X Basic Package Includes:

- AN-1000X
- AN-1001X (Companion speaker)
- SC-50 (Speaker Cable)

BASIC

MINI-70/ANX-70/AMP-70

ANX-70 FEATURES

- 4" (100 mm) woven carbon fiber woofer
- 103 dB continuous / 108 dB peak
- Built-in top quality 70 volt line transformer with minimal saturation
- 5, 10 and 30 watt taps
- 5/8" (10 mm) PEI dome tweeter with ferrofluid for best reliability
- 1/4" (6 mm) 8 ohm input

MINI-70 FEATURES

- High sensitivity, 4" speaker with 5, 10 and 15 watt taps
- 106 dB maximum output
- Built-in top quality 70 volt line transformer with minimal saturation
- Daisy-chain multiple speakers to cover any area

AMP-70 FEATURES

- 120W / 70V amplifier
- Compact, durable, and easily operated
- Fixed resistance 4 ohm output and 70V output for long distance broadcasting
- Four mic / line input and two RCA inputs
- Can connect ten 10W / 70V speakers to cover large areas



ANX-70 Product Specs

Product HWD: 5.25" X 8.4" X 9"
Ship Weight: 10 lbs



Mini-70 Product Specs

Product HWD: 5.5" X 5.5" X 6.5"
Ship Weight: 3 lbs



AMP-70 Product Specs

Product HWD: 3.5" X 22" X 17"
Ship Weight: 23 lbs

PART NUMBER	DESCRIPTION
MINI-70 SPEAKER MONITOR - Includes SB-30 bracket	
MINI-70	MINI-70
BRACKET	
SB-30	180° Tilt Wall Bracket
ANX-70 SPEAKER MONITOR - Includes SB-3BK bracket	
ANX-70	ANX-70
BRACKET	
SB-3BK	40° Tilt Bracket - Black
AMP-70 AMPLIFIER	
AMP-70	70V Amplifier

PortaCom

PortaCom is a *flexible, high-performance wired intercom system* that is built *smart and simple*. PortaCom gives you two channels without sacrificing power or quality. It is *expandable, portable or rack mountable*. Best of all, PortaCom is priced to sell to the junior high school theater, local cable studio, church setting, or to the high school football coach.



Product Specs

Branch Box: 1.9" X 4.1" X 4.25"
Ship Weight: 1 lbs

Two-Channel Power Console: 1.75" X 8.5" X 4.5"
Ship Weight: 5 lbs

Belt Pack: 3.8" X 2.75" X 1.25"
Ship Weight: 2 lbs



WingMAN InterfaceStation
See details on page 31



PART NUMBER	DESCRIPTION
PORTACOM TWO-CHANNEL WIRED INTERCOM	
PC-2000	Power Console
BP-2000	PortaCom Belt Pack
H-2000	Headset-Dual
H-2000S	Headset-Single
B3-2000	Branch Box
CABLES	
EX-25M	XLR Cable - 25 ft.
EX-50M	XLR Cable - 50 ft.
EX-75M	XLR Cable - 75 ft.
ACCESSORIES	
PGM-100	Program Mixer
HC-ARMOR24-PC	Anchor Armor Hard Case - PortaCom
RM-100	Rack for PC-2000
AC-20	AC Power Module

FEATURES

- AC operable
- Easy to setup and operate
- Two channel, wired full duplex intercom
- Up to 20 headset capacity
- Comfortable lightweight noise cancelling headsets
- Optional single, dual or mixed headsets
- Standard double shielded microphone cable
- Can use Standard 3-pin XLR mic cables
- Portable or rackmountable
- Durable lightweight metal packs
- High performance - low cost



COM-40FC

COM-40FC No cables:

- Four headsets - Choice of H-2000 (dual) or H-2000S (single)
 - Four BP-2000 (Belt packs)
 - PC-2000 (Power console)
 - Sturdy cardboard carrying case
- *Cables not included

COM-40FC/C

COM-40FC/C Includes cables:

- Four headsets - Choice of H-2000 (dual) or H-2000S (single)
- Four BP-2000 (Belt packs)
- PC-2000 (Power console)
- Four EX-50M 50 ft. cables
- Sturdy cardboard carrying case

COM-60FC

COM-60FC No cables:

- Six headsets - Choice of H-2000 (dual) or H-2000S (single)
 - Six BP-2000 (Belt packs)
 - PC-2000 (Power console)
 - B3-2000 (Branch box)
 - Sturdy cardboard carrying case
- *Cables not included

COM-60FC/C

COM-60FC/C Includes cables:

- Six headsets - Choice of H-2000 (dual) or H-2000S (single)
- Six BP-2000 (Belt packs)
- PC-2000 (Power console)
- B3-2000 (Branch box)
- Seven EX-50M 50 ft. cables
- Sturdy cardboard carrying case

ProLink 500™

The ProLink 500 is a *digital wireless intercom system* that allows full duplex communication between four users simultaneously with the option of unlimited number of listen only belt packs. The transmitter and receiver operate utilizing the *FCC license free 902 - 928 MHz range* for the U.S. *without the need for a base station*. ProLink 500 has the capability to *transmit up to 500 feet line of sight and allows communication through walls and glass*. It also has optional *Bluetooth or encryption capability available upon request*.



Product Specs

Belt Pack: 4.5" X 6.25" X 2.5"

Ship Weight: 1 lbs

PART NUMBER	DESCRIPTION
PROLINK 500 WIRELESS INTERCOM	
BP-500M	Master Belt Pack
BP-500R	Remote Belt Pack
BP-500L	Listen Only Belt Pack
H-2000	Headset - Dual Muff
H-2000S	Headset - Single Muff
H-2000L	Headset - Dual Muff (Listen Only)
H-2000LS	Headset - Single Muff (Listen Only)
H-2000LT	Headset - Lightweight
ACCESSORIES	
GC-500	Gang Charger - 110/220 AC
HC-ARMOR24-PL	Anchor Armor Hard Case - ProLink
WM-500	WingMAN - combination master base station & interface to wired intercom system
RM-500	Rackmount for the WM-500
AB-500	Antenna Bracket for WM-500
ANT-CABLE	Antenna Extension Cable

FEATURES

- 500 ft. line of sight wireless communication
- Heavy duty 4-pin XLR connector
- Choice of single, dual muff, or lightweight headset
- A/B channel selection
- *Push to Talk* or *Always On* modes
- Microphone gain setting
- Out of range LED indicator
- Low battery LED indicator
- Rechargeable batteries included
- Gang charger for four belt packs
- FCC License free

WingMAN 500 Interface Station

You can interface ProLink 500 wireless with some wired systems including PortaCom and other 2-wire party line unbalanced systems using WM-500 - please check with your wired system manufacturer. (When using ProLink 500 with a wired PortaCom system, substitute the WingMAN for the Master remote. The ProLink 500 Master will not work when the WingMAN is in use.)

- Full Duplex Communication
- Two Wireless Channels
- Two Wired Channels
- Easy Operation
- Rack Mount Kit Available



PRO-540 Package Includes:

- Four headsets - Choice of H-2000 (dual) or H-2000S (single)
- One BP-500M (Master belt pack)
- Three BP-500R (Remote belt packs)
- One GC-500 (Gang charger)
- Sturdy cardboard carrying case

PRO-540

PRO-570 Package Includes:

- Seven headsets - Choice of H-2000 (dual) or H-2000S (single)
- Two BP-500M (Master belt packs)
- Five BP-500R (Remote belt packs)
- Two GC-500 (Gang chargers)
- Sturdy cardboard carrying case

PRO-570

CouncilMAN™

The Anchor Audio CouncilMAN *portable conference system* travels from the council chambers to a community center with *easy set-up* and *simplicity of use*. The system microphones include a Chairman and Delegate model, and are powered by the CouncilMAN speaker the AN-100CM.

The system is designed to be *flexible* to the demands of any environment. Smaller rooms with crowds less than 100 people can rely on the system packages, and larger spaces with crowds up to 1,000 can add a Liberty Platinum portable sound system for greater coverage. All of Anchor's speakers provide excellent sound and speech quality.



Product Specs

Console Speaker: 5.25" X 8.4" X 9"

Ship Weight: 8 lbs

Microphone Base: 1.75" X 6.5" X 5.8"

Ship Weight: 1 lb

PART NUMBER	DESCRIPTION
COUNCILMAN COFREENCE SYSTEM	
AN-100CM	Speaker Amplifier
AN-100CMU1	Speaker Amplifier with one built-in Wireless Receiver
CHM-100	Chairman Microphone
DEL-100	Delegate Microphone
MICROPHONES	
WH-6000	Wireless Handheld Mic
ACCESSORIES	
SS-250	Speaker Stand
CC-550	Soft Case for two SS-250/SS-550 Speaker Stands
HC-ARMOR24-CM	Anchor Armor Hard Case - CouncilMAN
BRACKETS	
SB-1BK	Stand Mount - Black
SB-3BK	40° Tilt Bracket - Black
SB-360BK	360° Swivel - Black
RM-1BK	Single Rackmount - Black
RM-12BK	Dual Rackmount - Black
CABLES	
EX-4M	4 ft. male/female XLR
EX-25M	25 ft. male/female XLR

FEATURES

- The AN-100CM powers up to ten microphones
- Reach crowds up to 100+
- Conference microphones daisy chain with standard XLR cables
- Cardioid microphones have excellent “pick-up”
- Each microphone has adjustable volume control
- 16 channel UHF wireless mic option for audience Q&A
- Chairman microphone can mute all delegate microphones
- Immunity from mobile telephone interference
- ¼” & XLR balanced line output for recording, connection to house audio system or Assistive Listening System
- 3.5mm Line In for music player device
- Most cost efficient option on the market!



CM-4

CM-4 Package Includes:

- One CHM-100 (Chairman Mic)
- Three DEL-100 (Delegate Mics)
- One AN-100CM (Speaker amplifier)
- Three EX-4M (4 ft. XLR cables)
- One EX-25M (25 ft. XLR cable)
- Sturdy cardboard carrying case

CM-4W

CM-4W Wireless Package Includes:

- One CHM-100 (Chairman Mic)
- Three DEL-100 (Delegate Mics)
- One AN-100CMU1 (Speaker amplifier with wireless receiver)
- WH-6000 wireless handheld mic
- Three EX-4M (4 ft. XLR cables)
- One EX-25M (25 ft. XLR cable)
- Sturdy cardboard carrying case

CM-6

CM-6 Package Includes:

- One CHM-100 (Chairman Mic)
- Five DEL-100 (Delegate Mics)
- One AN-100CM (Speaker amplifier)
- Five EX-4M (4 ft. XLR cables)
- One EX-25M (25 ft. XLR cable)
- Sturdy cardboard carrying case


CM-6W

CM-6W Wireless Package Includes:

- One CHM-100 (Chairman Mic)
- Five DEL-100 (Delegate Mics)
- One AN-100CM (Speaker amplifier with wireless receiver)
- WH-6000 wireless handheld mic
- Five EX-4M (4 ft. XLR cables)
- One EX-25M (25 ft. XLR cable)
- Sturdy cardboard carrying case

Acclaim

The Acclaim is *versatile* enough to meet the needs of your most demanding customer and is filled with features and *benefits that outshine all the rest*. The lectern base is also a *portable* transport case with *tilt-n-roll* casters for *easy movement*. Add wireless microphone for audience participation. Use the Acclaim at your next indoor/outdoor event, school spelling bee, city council meeting, and more!



Product Specs

Product Base HWD:
 Top: 14.5" X 22.5" x 19"
 Base: 30.5" X 21.5" X 20.5"
 Ship Weight: 40 lbs

ACCLAIM PORTABLE LECTERN
 SHOWN ON ACL-BASE



PART NUMBER	DESCRIPTION
ACCLAIM COFERENCE SYSTEM - Includes LM-618 mic/ Does not include wireless mic	
ACL-7500	Acclaim Lectern (gray)
ACL-7500BK	Acclaim Lectern (black)
ACL-7500U1	Acclaim Lectern with one built-in wireless receiver (gray)
ACL-7500U1BK	Acclaim Lectern with one built-in wireless receiver (black)
ACL-7500U2	Acclaim Lectern with two built-in wireless receivers (gray)
ACL-7500U2BK	Acclaim Lectern with two built-in wireless receivers (black)
AN-1001X	Unpowered Companion Speaker
MICROPHONES	
WH-6000	Wireless Handheld Mic
WB-6000	Wireless Belt Pack Transmitter
CM-60	Collar Mic TA4F Plug
EM-TA4F	UltraLite Mic TA4F Plug
HBM-TA4F	Headband Mic with 20 ft. XLR Cable
LM-60	Lapel Mic TA4F Plug
MIC-90	Handheld Mic with 20 ft. XLR Cable
LM-618	Lectern Gooseneck Mic
ACCESSORY	
ACL-BASE	Base Module for Acclaim Lectern (black or gray)
CABLE	
SC-50	Companion Speaker Cable

FEATURES

- True AC/DC powered
- 114 dB of clear sound
- 22W amplifier
- Reach crowds of 500+
- Tabletop is lightweight - Only 30 lbs
- High fidelity sound from high efficiency amp & full-range speaker
- Optional built-in 16 channel UHF wireless receiver
- Sensitive electret 24" gooseneck mic
- 1/4" input mic jack
- External speaker 1/4" output jack power companion speaker
- Sealed, lead-acid batteries & built-in charger
- Runs 7 hours on a charge using rechargeable batteries



TOP PANEL



BACK PANEL

BUDGET

ACL-BUDGET Acclaim **Budget** Package Includes:

- ACL-7500
- ACL-BASE

BASIC

ACL-BP Acclaim **Basic** Package Includes:

- ACL-7500U1 with one built-in wireless receiver
- ACL-BASE
- Choice of transmitter: WH-6000 handheld or WB-6000 belt pack
- Choice of wireless mic (requires WB-6000): CM-60 collar, EM-TA4F UltraLite, HBM-TA4F headband, or LM-60 lapel

DELUXE

ACL-DP Acclaim **Deluxe** Package Includes:

- ACL-7500U2 with two built-in wireless receivers
- ACL-BASE
- Choice of two transmitters: WH-6000 handheld or WB-6000 belt pack
- Choice of wireless mic (requires WB-6000): CM-60 collar, EM-TA4F UltraLite, HBM-TA4F headband, or LM-60 lapel

Seville

The Seville lectern brings an air of *strength* and *integrity* to any presentation. With its *built-in sound system* and *rich oak finish*, the Seville is at home on stage, in an elegant hotel or in the university auditorium. The *wireless* model allows the presenter to use a projector or white board with a *hands free microphone*.



Product Specs

Product HWD: 49" X 24" X 21"

Ship Weight: 145 lb

FEATURES

- American oak
- 107 dB of clear sound
- 22W amplifier and high efficiency speaker
- Reach crowds of 750+
- Sensitive 24" gooseneck electret microphone for clear voice projection
- Shock-absorbing microphone mount
- Line output jack for recording presentations
- One or two built-in wireless receivers
- Bass and treble controls
- Dual-intensity reading light
- Tilt-n-roll casters for quick & easy transport



PART NUMBER	DESCRIPTION
SEVILLE LECTERN - Includes LM-618 mic	
LP-7500	Seville Lectern
LP-7500U1	Seville Lectern with one built-in wireless receiver
LP-7500U2	Seville Lectern with two built-in wireless receivers
MICROPHONE	
LM-618	Lectern Gooseneck Mic
ACCESSORY	
LC-650	Seville Cover

Admiral

The Admiral is an impressive lectern made from *100% American oak* and provides the portability needed for any event. With the *installed casters*, and *lightweight* of only 65 lbs, transportation for the Admiral will be a cinch. The Admiral conveniently fits a Liberty or Explorer Pro Sound System right into the rich oak cabinet space perfectly. Simply plug the microphone connection into the back of the sound system, and you have turned the *portable sound system* into a formal, powered lectern with a 24" gooseneck electric mic. Use the Admiral at your next *indoor/outdoor* event, school presentation, city council meeting, and more!

FEATURES

- American oak
- Microphone mounted on detachable 24" gooseneck
- Gooseneck electret microphone to pick up even the most soft-spoken presenters
- Designed to safely hold Liberty Platinum & Explorer Pro Sound Systems with safety strap and wood shelf
- Connects to existing PA systems via XLR microphone connector
- Shock-absorbing microphone mount lets you boost volume without adding feedback/vibration noise
- Tilt-n-roll casters for easy transport
- Lectern ships flat in one box (sound systems sold separately)
- Easy assembly with Phillips screwdriver (not included)



Product Specs

Product HWD (Assembled): 46" X 25" X 20"

Table Top: 24" X 21.5"

Ship Weight: 75 lbs

PART NUMBER	DESCRIPTION
ADMIRAL LECTERN - Includes LM-618 mic	
FL-7500	Admiral Lectern
PART NUMBER	DESCRIPTION
LK-LIB	Admiral with Liberty Platinum AC/DC

MICROPHONE	
LM-618	Lectern Gooseneck Mic
ACCESSORY	
LC-400	Admiral Cover

Assistive Listening

This *multipurpose* assistive listening system is designed to help hard of hearing people better understand speech, music and other sounds during a performance, lecture, movie, meeting or worship service. It's ideal for house of worship, theater, cinema, auditorium, classroom or boardroom. You can *add a wireless receiver/transmitter* for a *complete wireless solution*.

Both types of transmitters come with rack mount kit.

The tour guide system provides *one-way communication* that helps cut through the background noise. The tour guide or interpreter wears a body pack transmitter with head band microphone. Listeners use portable belt pack receivers and *lightweight headphones* to *hear* every word *clearly* and *easily*.

Both systems are available in packages and are ADA compliant.



PART NUMBER	DESCRIPTION
ASSISTIVE LISTENING	
AL-WB	Belt Pack Receiver
AL-TX	Transmitter Base Station
ACCESSORIES	
AL-HP	Lightweight Headphone
RC-AL	A/C Adapter with two Rechargeable Batteries

FEATURES

- 16 User Selectable UHF Channels
- ADA Compliant
- Expandable for an Unlimited Number of Users
- Rack Mount Kit with Base Station
- Easy to Set-up and Operate
- Lightweight In-ear Headphones

Product Specs

Base Station Transmitter: 8.3" X 1.7" X 7.1"
Ship Weight: 4 lbs

Belt Pack Receiver: 3" X 4.2" X 1.1"
Ship Weight: 2 lbs



TOUR-60 Tour Guide System Includes:

TOUR

- Six AL-WB (Belt pack receivers with in-ear headphones)
- WB-6000 (Wireless transmitter with headband mic)

ALB-40 Assistive Listening Basic Package Includes:

BASIC

- Four AL-WB (Belt pack receivers with in-ear headphones)
- AL-TX (Wireless transmitter base station in a lightweight carrying case)

ALD-40 Assistive Listening Deluxe Package Includes:

DELUXE

- Four AL-WB (Belt pack receivers with in-ear headphones)
- AL-TX (Wireless transmitter base station in a lightweight carrying case)
- UHF-6400 (Wireless Receiver/Transmitter with Handheld Mic)

Anchor UHF Wireless

(wireless mics operate in 682 - 698 frequency)

6400 SERIES

64 Channels - True Delivery Receiver

64 User-Selectable Channels

- Locate clear channel in your area

True Diversity

- Selects the best signal from the two independent receivers, thus reducing dropouts & minimizing multiple distortion

PLL Synthesized

- Provides a strong solid signal by locking onto channels stopping drift

Tone Key Noise Suppression

- Utilizes microphone identification signal to lock out unwanted interference

Rackmountable

- Removable antennas for easy installation
- Rackmount kit included
- Half rack size

Receiver Inputs/Outputs

- Balanced XLR output
- Unbalanced 1/4" phone output
- Headphone jack with volume control

Displays

- LED channel display
- RF/AF VU meters with peak indicators

Microphone Transmitters

- Rechargeable from receiver (batteries and cable included)
- Low battery indicator
- Body Pack Transmitter with Mic/Line level switch to transmit signal from CD, tape player, PC, audio mixer, etc.

UHF BELT PACK
WB-6400



UHF HANDHELD MIC
WH-6400

PART NUMBER	DESCRIPTION
UHF-6400US/HH	Wireless Receiver/Tx with Handheld Mic
UHF-6400US/BP	Wireless Receiver/Tx with Belt Pack and choice of Handsfree Mic

PART NUMBER	DESCRIPTION
TRANSMITTERS/RECEIVER	
WH-6400	Handheld Transmitter
WB-6400	Belt Pack Transmitter
WR-6400	Receiver

6000 SERIES

Liberty Platinum, MegaVox Pro, Beacon, Explorer Pro, Acclaim, MiniVox Lite, AN-Mini and AN-130

UHF BELT PACK
WB-6000



UHF HANDHELD MIC
WH-6000

PART NUMBER	DESCRIPTION
MICROPHONES	
WH-6000	Wireless Handheld Mic
WB-6000	Wireless Belt Pack Transmitter

MICROPHONES

HANDSFREE MICROPHONES

For use with WB-6000 and WB-6400 belt packs

LAPEL MIC
LM-60



COLLAR MIC
CM-60

ULTRALITE MIC
EM-TA4F



HEADBAND MIC
HBM-TA4F

PART NUMBER	DESCRIPTION
MICROPHONES	
LM-60	Lapel Mic TA4F Plug
CM-60	Collar Mic TA4F Plug
EM-TA4F	UltraLite Mic TA4F Plug
HBM-TA4F	Headband Mic TA4F Plug

WIRED MICROPHONES

HANDHELD MIC
MIC-90
(XLR CONNECTOR)



HANDHELD MIC
MIC-90P
(1/4" PHONE PLUG)



HANDHELD MIC
FOR MEGAVOX PRO
(1/4" PHONE PLUG)



GOOSENECK MIC
LM-618



HEADBAND MIC
HBM-50



PART NUMBER	DESCRIPTION
MICROPHONES	
MIC-50	Handheld Mic 1/4" Plug
MIC-90	Handheld Mic with 20 ft. XLR Cable
MIC-90P	Handheld Mic with 20 ft. 1/4" Phone Cable
HBM-MINI	Headband Mic 1/8" Plug
HBM-50	Headband Mic 1/4" Plug
LM-618	Lectern Gooseneck Mic

Transporters / Cases / Covers

SOFT-7500



HC-ARMOR30



CC-550



NL-7500



PART NUMBER	DESCRIPTION
HARD CARRYING CASES	
HC-ARMOR24 -AN	Anchor Armor Hard Case - AN Series
HC-ARMOR24-CM	Anchor Armor Hard Case - CouncilMAN
HC-ARMOR24-EXP	Anchor Armor Hard Case - Explorer Pro
HC-ARMOR24-MV	Anchor Armor Hard Case - MegaVox Pro
HC-ARMOR24-PC	Anchor Armor Hard Case - Portacom
HC-ARMOR24-PL	Anchor Armor Hard Case - ProLink 500
HC-ARMOR30	Anchor Armor Hard Case - Liberty Platinum
SOFT ROLLING CASES	
SOFT-7500	Soft Rolling Case - Liberty Platinum
SOFT-EXP	Soft Rolling Case - Explorer Pro
SOFT-MEGA	Soft Rolling Case - MegaVox Pro

PART NUMBER	DESCRIPTION
BAGS/SOFT CASES	
CC-100	Carrying Bag for ClassACT, AN-130, & AN-1000X
CC-100XL	Extra Large Carrying Bag for ClassACT, AN-130, AN-1000X, & SB-1BK
CC-550	Soft Case for two SS-250 / SS-550 Speaker Stands
MP3-TOTE	Holds MP3 Player and Mic
SOFT-30	Soft Case for AN-MINI (Custom colors available)
COVERS	
NL-7500	Liberty Soft Cover
NL-7500WP	Liberty Soft Cover - Water Proof
NL-7500WP-CAMO	Liberty Soft Cover - Camouflage
NL-EXP	Explorer Soft Cover
NL-MEGA	MegaVox Pro Soft Cover
NL-MEGA-CAMO	MegaVox Pro Soft Cover - Camouflage
LC-400	Admiral Lectern Cover
LC-650	Seville Lectern Cover

WEIGHTS AND MEASUREMENTS

PRODUCT	DIMENSIONS (HWD)	WEIGHT
PORTABLE SOUND SYSTEMS *		
Beacon (BEA-7500)	28.5" X 18" X 12.5"	60 lbs
Liberty Platinum (LIB-7500)	22" X 14" X 11.5"	40 lbs
Liberty Platinum (LIB-7500AC)	22" X 14" X 11.5"	28 lbs
Liberty companion (LIB-7501)	22" X 14" X 11.5"	28 lbs
Explorer Pro (EXP-7500)	17" X 10.5" X 9.5"	27 lbs
Explorer Pro (EXP-7500AC)	17" X 10.5" X 9.5"	21 lbs
Explorer Companion (EXP-7501)	17" X 10.5" X 9.5"	17 lbs
PUBLIC ADDRESS SYSTEMS *		
MegaVox Pro (MEGA-7500)	13" X 9" X 14"	20 lbs
MegaVox Companion (MEGA-7501)	13" X 9" X 14"	13 lbs
MiniVox Lite	5.5" X 5.5" X 6.5"	6 lbs
RescueMAN (RSM-7500)	6.75" x 4.6" x 3.4"	2 lbs
Little Big Horn (LBH-30)	9" diameter X 14.5"	5 lbs
SPEAKER MONITORS		
AN-Mini	5.5" X 5.5" X 6.5"	5 lbs
AN-30	5.5" X 5.5" X 6.5"	3 lbs
AN-130	5.25" X 8.4" X 9"	9 lbs
AN-135	5.25" X 8.4" X 9"	5 lbs
ClassACT (CA-130U1)	5.25" X 8.4" X 9"	9 lbs
AN-1000X	5.25" X 8.4" X 9"	10 lbs
ANX-70	5.25" X 8.4" X 9"	10 lbs
MINI-70	5.5" X 5.5" X 6.5"	5 lbs
AMP-70	17" X 12" X 3.5 "	23 lbs
INTERCOMS SYSTEMS		
PortaCom		
Power Console (PC-2000)	1.75" X 8.5" X 4.5"	5 lbs
Belt Pack (BP-2000)	3.8" X 2.75" X 1.25"	2 lbs
Branch Box (B3-2000)	1.9" X 4.1" X 4.25"	1 lb
ProLink 500		
Master Belt Pack	4.5" X 6.25" X 2.5"	1 lb
Remote Belt Back	4.5" X 6.25" X 2.5"	1 lb
Listen Only Belt Back	4.5" X 6.25" X 2.5"	1 lb
Headsets		
Headset Dual (H-2000)	N/A	1 lb
Headset Single (H-2000S)	N/A	1 lb
CONFERENCE SYSTEM		
CouncilMAN		
Speaker Amp (AN-100CM)	5.25" X 8.4" X 9"	8 lbs
Chairman Mic (CHM-100)	1.75" X 6.5" X 5.8"	1 lb
Gooseneck Mic (LM-618)	22" for mic tip to XLR top	
LECTERNS		
Acclaim (ACL-7500)	Top: 14.5" X 22.5" x 19" Base: 30.5" X 21.5" X 18.5"	40 lbs
Admiral (FL-7500)	(Assembled): 46" X 25" X 20" Table Top: 24" X 21.5"	75 lbs
Seville (LP-7500)	49" X 24" X 21"	145 lbs

PRODUCT	DIMENSIONS (HWD)	WEIGHT
ASSISTIVE LISTENING		
Base Station (AL-TX)	8.3" X 1.7" X 7.1"	4 lbs
Transmitter		
Belt Pack Receiver (AL-WB)	3" X 4.2" X 1.1"	2 lbs
ACCESSORIES		
MSB-201	36" x 3.5" x 3.5"	6 lbs
RM-1BK	6.75" x 6.25" x 9"	4 lbs
RM-12BK	6.75" x 6.25" x 9"	3 lbs
SB-1BK	N/A	3 lbs
SB-3BK	6.75" x 6.25" x 9"	1 lb
SB-30	N/A	1 lb
SB-360BK	6.75" x 6.25" x 9"	1 lb
SC-50NL	N/A	4 lbs
SC-100NL	N/A	7 lbs
SS-250	40" x 4.75" x 4.75"	5 lbs
SS-300	43" x 4" x 5"	5 lbs
SS-550	47" x 6" x 6"	9 lbs
TRANSPORTERS		
HC-ARMOR24-CM	23.5" x 19.5" x 14.75"	18 lbs
HC-ARMOR24-AN	23.5" x 19.5" x 14.75"	18 lbs
HC-ARMOR24-PL	23.5" x 19.5" x 14.75"	18 lbs
HC-ARMOR24-PC	23.5" x 19.5" x 14.75"	18 lbs
HC-ARMOR24-EXP	23.5" x 19.5" x 14.75"	18 lbs
HC-ARMOR24-MV	23.5" x 19.5" x 14.75"	18 lbs
HC-ARMOR30	30.25" x 20.56" x 15.5"	22 lbs
SOFT-7500	25" x 10" x 20"	18 lbs
SOFT-EXP	38.5" x 25.5" x 25"	14 lbs
SOFT-MEGA	25" x 10" x 20"	18 lbs
SOFT CASES/COVERS		
CC-100	10" x 11.25" x 5.5"	1 lbs
CC-100XL	9.75" x 10" x 9.5"	1 lbs
CC-550	5.25" x 48.5" x 5"	1.5 lbs
LC-400	47.5" x 26" x 22.5"	6 lbs
LC-650	49" x 24" x 21"	6 lbs
MP3-TOTE	3" x 10"	.2 lbs
NL-EXP	15.5" x 10.5" x 11"	1 lb
NL-MEGA	14" x 9.5" x 14.5"	1 lb
NL-7500	21.5" x 13" x 10.75"	1.5 lbs
SOFT-30	5" x 5.5" x 6"	1 lbs

* Other models may vary in weight

ANCHOR AUDIO PRODUCT / MARKET MATRIX

Consult the table below to identify any **Untapped Markets** for Anchor Audio products

MADE IN THE USA



SIX YEAR WARRANTY ON SOUND SYSTEMS



	BEACON	LIBERTY PLATINUM	EXPLORER PRO	AN-130 / AN-1000X	RESCUEMAN	MEGAVOX PRO	AN-MINI	64 CHANNEL UHF WIRELESS	LECTERNS	ANCHOR PROLINK	PORTACOM
EDUCATION											
Classrooms-Teachers											
Lecture Halls - Professors											
Assemblies - Principals											
Graduations / Presentations - Principals											
Library / AV											
Marching Band- Band Director											
Choir/Orchestra - Director											
Cheer leading / Pep Squad - Activities Director											
Sporting Events - Athletic Director											
All Sports - Individual Coaches											
Music Dept. / Dance - Music Teacher											
Special Events Indoor / Outdoor - Activities Director											
Crowd Control / Emergency Preparedness - Security Administrator											
Ceremonies											
Auditorium / Gymnasium											
Drama-Theater Director											
ROTC											
HOUSE OF WORSHIP											
Choir											
Camps / Retreats											
STATE & LOCAL GOVERNMENT											
City Officials											
Police / Fire Departments											
Homeland Security											
Parks & Recreation											
Airports											

ANCHOR AUDIO PRODUCT / MARKET MATRIX

Consult the table below to identify any **Untapped Markets** for Anchor Audio products

MADE IN THE USA



SIX YEAR WARRANTY ON SOUND SYSTEMS



	BEACON	LIBERTY PLATINUM	EXPLORER PRO	AN-130 / AN-1000X	MEGAVOX PRO	AN-MINI	64 CHANNEL UHF WIRELESS	LECTERNS	ANCHOR PROLINK	PORTACOM
FEDERAL GOVERNMENT										
Homeland Security										
Military										
Law Enforcement										
Judicial System										
ENTERTAINMENT INDUSTRY										
Movie / TV Sets										
Amusement Parks										
Orchestras										
Video Editing										
Performing Arts Center										
DJ & Party Rentals										
BUSINESSES										
Rental & Staging										
Clubs / Studios										
Shopping Centers										
Hotels / Resorts										
Meeting Halls / Restaurant										
Board/Meeting Rooms										
Installers										
Convention Centers/Trade Shows										
Stadiums / Arenas										
MISC										
Auctions - Auctioneers										
Funeral Homes - Funeral Directors										
Zoo - Public Activities Director										

SIX YEAR WARRANTY • MADE IN THE USA • OVER 35 YEARS STRONG • NO DROPSHIP FEES

TERMS AND CONDITIONS

1. Prices – Orders are billed at the prices in effect at the time of shipment. Prices will be as specified by Anchor and will be applicable for the period specified in the Dealer's Price List. If Dealer does not purchase the quantity upon which quantity prices are based, Dealer will pay the non-discounted price for the quantity actually purchased. Prices are exclusive of taxes and other charges, including sales, use, excise, value-added and similar taxes or charges imposed by any government authority, international shipping charges, forwarding agent's and broker's fees, bank fees, consular fees, and document fees.
2. Payment Terms – 2% 15 net 30 for payments by cash or check. 2% discount on credit card or cash payments made at the time of order. All payments must be made in US dollar currency billed on the original invoice.
3. Return Policy – Anchor Audio (the Company) will accept product returns within 30 days of purchase and will pay for the return freight under the following three conditions:
 - a. Anchor Audio ships product other than that ordered by the dealer.
 - b. Anchor Audio ships product to an address other than specified by the Dealer's purchase order.
 - c. Anchor Audio ships product that is defective. (Must be approved by Management.)
4. Restock Policy – Anchor Audio will accept back products in "new condition" within 30 days of the Dealer accepting the shipment provided:
 - a. The Dealer pays a 15% restocking fee.
 - b. The Dealer pays the return freight charge.
 - c. The products are received at Anchor's factory within 30 days of shipment and the products are in perfect working order. Anchor reserves the right to charge the Dealer if the products require repair and/or refurbishing.
 - d. Credit for returned orders will be applied to the Dealer's account or credit card as appropriate if items were in new condition and within 30 days of original shipment.
5. Warranty Statement – Anchor Audio products are warranted to be free from defects in materials and workmanship for a period of 6 years from the date of original purchase unless listed below:
 - a. All microphones, belt pack transmitters, and wood products (Seville & Admiral) shall be warranted for a 2 year period.
 - b. Batteries in the Beacon, Liberty Platinum, MegaVox Pro, Explorer Pro and Acclaim sound systems shall be warranted for a 2 year period.
 - c. PortaCom / ProLink 500 headsets / belt packs and CouncilMAN bases / mics shall be warranted for a 2 year period.
 - d. Little Big Horn shall be warranted for a two year period.
 - d. Built-in MP3 or CD players shall be warranted for a 2 year period.

And all warranties are subject to the following conditions;

 - e. The product must have been purchased from an authorized Anchor Audio Dealer and have an Anchor Audio serial number.
 - f. Anchor Audio must perform all warranty service. Any service performed without Anchor Audio's authorization will void the entire warranty.
 - g. This warranty does not cover any product that has been subjected to negligent use including considerate damage, connection to an improper power source, misuse, or operated beyond its manufactured specifications and limits, or has not been reasonably maintained.
 - h. Warranty shall not apply to batteries (other than those mentioned above), exterior finish, AC power cords, bulbs, or any other failings due to normal wear.
 - i. Warranty is void when equipment is subjected to adverse temperature, humidity, moisture, or other conditions that are not considered normal environmental conditions.
 - j. This warranty excludes all damages or defects caused by shipping transportation, or incorrectly packing for shipment.
6. Return Authorization Procedures
 - a. In all cases dealers and endusers must first obtain approval for any product they are attempting to return to Anchor Audio. Upon approval, a Return Authorization (RA) number will be issued by the Anchor Audio Customer Service Department and must accompany all products returned.
 - b. Products returned without approval and RA number may be returned to the sender.
 - c. RA expires 30 days from date of issue. Any product received after 30 days of the RA issue date will be returned to sender.
 - d. Products returned must include a RA number. Product received without a RA number visibly seen on the box, will incur a \$25 processing fee.
7. Domestic Shipping
 - a. Loss or Freight Damage – All shipments are thoroughly inspected by Anchor Audio and carefully packed prior to shipment. Anchor Audio will only be responsible for the order up to the time of pick-up by the carrier (usually FedEx). Recipient is strongly urged to inspect the shipment upon arrival and prior to signing for the product. If the shipment is damaged, refuse to accept the order. All shipping liability will be the responsibility of the dealer if dealer requests that Anchor uses dealer shipping account number.
 - b. Drop Shipment – There is no additional charge for drop shipment when the entire order is shipped to one address. Anchor Audio will charge a \$15 handling fee for each additional ship-to address. Anchor Audio accepts no responsibility for refused shipment, inability to

deliver shipment, "no such address" returns, receipt by unknown person, or any other receiving discrepancy. If re-shipment is requested as a result of incorrect shipping address, an additional shipping charge may apply.

- c. Anchor Audio requires a 1% handling fee on each order.
- d. Free Freight – All orders are FOB Carlsbad, CA. Free freight is offered on orders of \$5,000 (or greater) shipping to one location in the continental US via FEDEX Ground. Seville lecterns are excluded from free freight provision. A freight handling charge is included on the invoice, and a fuel charge may be included.
- e. Same Day Shipping - Anchor will ship all orders (excluding Seville & Encrypted ProLink 500) same day if submitted by 1:30pm PST. Any orders placed after the cut-off time will be shipped the next day. Same day shipping applies only to domestic dealers within the 48 contiguous states.

Orders may be delayed if:

- a. Credit card information is inaccurate or expired.
- b. Dealer is placed on credit hold.
- c. Large quantity orders.
- d. Pricing is incorrect on order.
- e. Accessories, mic, or color options are not specified on the order.
- f. Changes to the sales order after the cut-off time.

8. International Shipping

- a. Shared Shipping Program - Anchor Audio will share shipping costs with international dealers up to 12% of the invoice cost when shipping outside the 48 contiguous US States (excluding HI and AK) when the purchase order totals \$5,000 or greater. Any balance of freight cost that exceeds 12% of the invoice cost, will be charged to your invoice. International orders may require an extra 2-3 days to obtain freight quotes when shipping free or using our shared shipping program. This program applies to all our products except Lectern Systems. Importer is responsible for any associated cost other than freight. This includes, but not limited to, handling, customs, duties, import tax, or any other import costs.

9. Dealer Spiff Program - Dealer spiff checks are mailed directly to the sales person the same week the order is placed. Spiff recipient name should be clearly stated on the purchase order to insure speedy delivery. Spiffs are valid for thirty days after the purchase order has been submitted.


10. Dealer Performance Standards

- a. Dealer agrees to advertise Anchor Audio's products at pricing levels that are equal to or greater than the Minimum Advertised Price (MAP) established for each product on the current Price List.
- b. Dealer acknowledges that the Company is the owner or licensee of all Anchor Audio patents, copyrights, trademarks, service marks, trade names, trade secrets, designs and other proprietary right in connection with or applicable to the sale and service of the products, parts and supplies and agrees it shall never contest such rights.
- c. Dealer shall at no time engage in any unfair trade practices with respect to the products, and shall make no false, misleading or derogatory representations with regard to the Company or the Products.
- d. No rights, duties, agreement or obligation hereunder, may be assigned or transferred by operation of law, merger or otherwise, without the prior written consent of Anchor. The obligations, rights, terms and conditions hereof will be binding on the parties hereto and their respective successors and assigns.
- e. The waiver or breach of any term, condition or covenant hereof, or default under any provision hereof, will not be deemed to constitute a waiver of any other term, condition, or covenant contained herein, or of any subsequent breach or default of any kind or nature.
- f. The Terms and Conditions will be governed by and construed in accordance with the laws of the State of California and the applicable laws of the United States.
- g. Anchor Audio has the right to alter the terms and conditions of sale with or without notice to Dealers.

PRODUCT SELECTION GUIDE

The Anchor Audio product line is designed to suit a variety of end-user requirements. While anyone who must project their voice as a part of their profession is a potential Anchor Audio customer, the teacher’s sound system requirements in a classroom differs significantly from the requirements of a drill sergeant on a military base. To determine the best Anchor Audio product for a particular customer, we recommend the following conversation:

1. General description of the customer’s application.
2. Need for speech AND music or speech only?
3. Plan to use the system indoors AND outdoors, or outdoors only?
4. A/C power available?
5. Maximum number of people in audience?




NOTE: Estimating crowd size is tricky business due to ambient noise conditions, construction materials in the room, shape of terrain in an outdoor environment, microphone handling techniques of the individual who is speaking, etc.

Anchor Audio engineers have made their estimates based on the following factors:


- SPL rating of each sound system, without a companion speaker (except deluxe packages)
- Typical distance covered by a given level of SPL
- Angle of the sound field for each product
- Number of people who can fit into that sound field at 12 sq. ft. per person

Anchor Audio focuses its design efforts on voice intelligibility. Two factors contribute to intelligibility: Proper **FREQUENCY RESPONSE** and **Low DISTORTION** allow Anchor Audio Sound Systems to deliver excellent voice intelligibility.


1. Frequency Response – Anchor Audio sound systems are designed to emphasize the mid-range frequencies to enhance vocal intelligibility. Music-oriented systems artificially boost the bass and treble amplification in order to deliver "boom and sizzle"; however, this design causes the voice reproduction to be muddy and hard to understand. Anchor systems accentuate the mid-range where vocal intelligibility exists. We then use bass and treble frequencies to give the voice a natural warmth.



Anchor's "Music & Voice" sound systems deliver a smooth frequency response through the mid-range for clear, natural voice amplification. On the Explorer Pro models, the "Speech Projection" switch boosts the mid-range for even greater speech projection (that's the dotted line).



Anchor's "Public Address" systems including the MegaVox, MiniVox Lite and Little Big Horn deliver their power in the mid-range to maximize clear vocal intelligibility. For crowd control, coaching instructions or demonstrating the use of heavy equipment outdoors, this is the type of sound system to choose.



Competitive sound systems that are designed primarily for music boost the bass and treble in order to deliver that "boom & sizzle" which we all love. Unfortunately, that design overwhelms the mid-range frequencies and results in muddy, hard to understand speech projection.

2. Distortion - Anchor Audio sound systems are designed for low distortion (accurate sound reproduction).

The factors that contribute to this accuracy include:


- **Accurate / Low Noise Electronics** – Anchor's amplifier designs can deliver unusually high peak power levels and incorporate "active dynamic limiting" which combine to prevent overloading and distortion of the sound. This insures clean, pure sound at even the highest power levels.
- **Enclosure Resonance** – Anchor's enclosures are designed to resist vibration and internal echoes; therefore, the enclosure itself does not distort the sound.
- **High Quality Speakers** – Sophisticated speaker design, quality materials, and excellent assembly workmanship all contribute to crisp, pure sound.

The result is accuracy and intelligibility, and no one does it better.

SOUND PRESSURE LEVEL (SPL) is a measure of loudness. Anchor Audio designs its sound systems to deliver the maximum SPL while minimizing weight, size and power consumption on battery-powered systems.

How do you measure how loud something is? Many people think that comparing wattage ratings of various sound systems is a relevant measure, but wattage is only one element in the equation. SPL, which is measured in dB (decibels), results from a combination of (1) microphone sensitivity, (2) mixer pre-amp voltage, (3) main amplifier wattage, and (4) speaker efficiency.

AMPLIFICATION PROCESS



The goal of an Anchor Audio sound system is to balance each stage of the amplification process in order to maximize SPL without generating distortion by overdriving the system. If you are assembling a component-based system, you will have to balance the power and sensitivities of each part of the system; however, in a packaged system, sensitivities and wattage are handled by the manufacturer, and the only relevant measure is the ultimate SPL of the package.

Anchor Audio's products have optimized the balance between SPL, weight of the system, size and battery life in order to suit the needs of our various customers. Anchor's products are rated based on their dB levels and the following chart will provide a general understanding of how loud the different dB ratings are in the real world.

COMMON SOUNDS	SPL	ANCHOR AUDIO	SPL
Threshold of hearing	0 dB		
Rustling leaves	20 dB		
Quiet whisper	30 dB		
Normal conversation	60 dB		
Loud singing (3 feet)	75 dB		
Food blender	90 dB		
		ClassAct	101 dB
		AN-30	101 dB
		AN-130	101 dB
		AN-1000X	103 dB
Power mower	107 dB	Seville Lectern	107 dB
		AN-MINI	108 dB
		RescueMAN	109 dB
		Explorer Pro	110 dB
		Beacon*	110 dB
		Acclaim	114 dB
Chain saw (3 feet)	117 dB	Liberty Platinum	110 dB
		Little Big Horn	117 dB
Amplified rock & roll (6 feet)	120 dB	Liberty and Companion	123 dB
		MegaVox	126 dB
Jet plane (100 feet)	130 dB		

NOTE: An increase of 6 dB represents a doubling of SPL (loudness)

* The Beacon line array provides a 120° sound dispersion pattern that triples the coverage of a traditional speaker at the same SPL.



Need more pictures?
Anchor has created an image gallery of all our products.
Visit <http://images.myanchoraudio.com>



Need updates on product launches, specials, and more? Use these QR codes by reading them with any QR code reader application on your smart phone.



Like us on Facebook
www.facebook.com/anchoraudioinc



Follow us on Twitter
www.twitter.com/anchoraudio



Check us out on YouTube
<http://www.youtube.com/user/anchor2565>



Subscribe to our Blog
www.anchoraudio.com/anchorblog



Want to video conference with us? Just make an appointment with your Sales Account Rep and then visit this link to view your live video conference:
http://www.anchoraudio.com/video_conference.html

For the latest technical specs, manuals, spiff information and terms & conditions, visit the dealer website at <http://www.anchoraudio.com/dealers.cfm>. Just use your dealer ID assigned you. If you don't remember, give us a call. We will be more than happy to provide you with that information.

Anchor Products are covered by a Six Year Warranty. Intercoms, Little Big Horn, batteries, microphones, and built-in MP3 or CD player shall be warranted for two years.

AB-500.....	30	H-2000/H-2000S.....	28,30	PROLINK 500.....	30
AC-20.....	28	H-2000L/LS/LT.....	30	RC-6000.....	12
AC-30.....	16,18	HBM-50.....	12,15,16,41	RC-30.....	15,16
ACCLAIM (all models).....	34	HBM-TA4F.....	4,6,8,12,16,20,24,34,41	RC-AL.....	38
ADMIRAL.....	37	HBM-MINI.....	16	RC-LBH.....	14
AL-HP.....	38	HC-ARMOR24-AN.....	20,26,42	REMOTE-130.....	20,24
AL-TX.....	38	HC-ARMOR24-EXP.....	8,42	RM-100.....	28
AL-WB.....	38	HC-ARMOR24-MV.....	12,42	RM-1BK.....	20,26,32
AN-30.....	18	HC-ARMOR24-PC.....	28,42	RM-12BK.....	20,26,32
AN-100CM (all models).....	32	HC-ARMOR24-PL.....	30,32	RM-500.....	30
AN-130 (all models).....	20	HC-ARMOR24-CM.....	32,42	RSM-7500.....	15
AN-1000X (all models).....	26	HC-ARMOR30.....	6,42	SB-1BK.....	20,24,26,32
AN-135.....	22	LBH-30.....	14	SB-3W.....	20,22,24,26,32
ANX-70.....	27	LC-400.....	37	SB-3BK.....	20,22,26
AN-Mini.....	16	LC-650.....	36	SB-30.....	18
ANT-CABLE.....	30	LIBERTY (all AC/DC models).....	6	SB-360W.....	20,22,24,26,32
BEACON (all models).....	4	LIBERTY (all AC models).....	10	SB-360BK.....	20,22,26
B3-2000.....	28	LINE-30M.....	6,8	SC-50.....	12,26
BP-500M.....	30	LK-LIB.....	37	SC-50NL.....	6,8
BP-500R.....	30	LM-60.....	4,6,8,12,16,20,24,34,41	SC-100NL.....	6,8
BP-500L.....	30	LM-618.....	34,36,41	SEVILLE.....	36
BP-2000.....	28	MEGAVOX (all models).....	12	SOFT-30.....	16,42
CC-100.....	20,24,26,42	MIC-50.....	12,15,16,41	SOFT-7500.....	6,42
CC-100XL.....	20,24,26,42	MIC-90.....	4,6,8,20,24,26,34,41	SOFT-EXP.....	8,42
CC-550.....	6,8,12,20,24,26,32,42	MIC-90P.....	41	SOFT-MEGA.....	12,42
CHM-100.....	32	MINI-15ST.....	18	SS-250.....	20,24,26,32
CM-60.....	4,6,8,12,16,20,24,34,41	MINI-70.....	27	SS-300.....	16,18
CLASSACT (all models).....	24	MINIVOX-LITE.....	16	SS-550.....	6,8,12
DEL-100.....	32	MP3-TOTE.....	6,8	UHF-6400.....	40
EM-TA4F.....	4,6,8,12,16,20,24,34,41	MSB-201.....	6,8,20,24,26	WB-6000.....	4,6,8,12,16,20,24,34,40
EX-4M.....	32	NL-EXP.....	8,42	WH-6000.....	4,6,8,12,16,20,24,32,34,40
EX-25M.....	28,32	NL-7500.....	6	WM-500.....	30
EX-50M.....	28	NL-7500WP.....	6	XLR-50MF.....	6,8
EX-75M.....	28	NL-7500WP-CAMO.....	6	6000-14P.....	6,8,12
EXPLORER (all AC/DC models).....	8	NL-MEGA.....	12,42	6000-18P.....	6,8,12
EXPLORER (all AC models).....	11	PGM-100.....	28	6000-18PS.....	12
		PORTACOM.....	28	6000-XLR.....	6,8,12