

AVerMedia[®]

Portable
Visualizer

AVerVision[®] CP155

Real Clear



**All-New Revolutionary
AVer+ Software Included!**





AverVision®

CP155

Instant Clarity


This flexible 3.2-megapixel visualizer comes with a one-touch Auto Focus to instantly clear up any fuzzy images, so you can present documents, 3D objects, and live movements with style and grace. Fulfill your innovative presentations desires with the revolutionary AVer+ software by pooling content from your computer files or the internet, creating content with the software, or using images from the visualizer.

3.2M Sensor



Clear Image Quality

3.2-Megapixel camera sensor captures vivid images of documents, 3D objects, and live movements.



Zoom Zoom Zoom!

Use the exclusive shuttle wheel to swiftly magnify details up to 16X.



No Lag

24fps delivers smooth real-time video feed such as instructional demonstrations.



Automatic

Deliver clear images in any light condition with the one-touch Auto Image. Sharpen images with the one-touch Auto Focus.

Inspire the Next
Genius!



High-Definition Output

HD 720p output resolution ensures your displayed images are clear on big screens.



All-New Revolutionary AVer+ Software

- Leverage content from an AVerVision visualizer, a computer, the internet, and user-created material to provide a rich learning experience
- Organize your teaching material on multiple project pages with unlimited page space for intuitive learning
- Write, draw, or type text on top of any material you have chosen to use
- Record and share your favorite teachings and your students' work



Snap, Save, Share

Take 3-megapixel pictures of great works, save them in the built-in memory, and create a refreshing in-class sharing experience of your own.

With a visualizer, you can display...



Input → Output

AVerVision® CP155

With a visualizer, display images to a whole audience through a...



Product Specifications

Image Sensor	1/2" CMOS Color Image Sensor
Total Pixels	3.2M Pixels
Output Resolution	HD 720p (1280 x 720)
Lens	F 3.0; fl = 9.6mm
Zoom	16X Total Zoom (2X AVerZoom™ + 8X Digital Zoom)
Frame Rate	24fps (Max.)
Focus	Auto / Manual
Shooting Area	330 x 248mm (Max.)
Image Rotation	Camera Head 0° / 90° / -90°
Image Storage	Built-in Memory (Max: 80; up to 3M each)
On-Screen Display (OSD)	Provided
Image Effects	Color / B&W / Negative / Mirror / Reverse / Freeze
Image Adjustments (White Balance / Exposure / Night View)	Auto / Manual
AVerPresenter	Provided (AVerBox & AVerVisor)
Split Screen	Provided (Vertical & Horizontal)
Picture-in-Picture	Provided
Display Mode	Text / Graphics / High Frame
Capture Mode	Single / Continuous
User Profiles	Up to 3
Timer	Provided
Flicker Filter Control	Provided (2 Levels)
Remote Control	Provided
DVI-I Output	Provided
RGB Input	Provided (15-Pins D-Sub, Pass Through)
RGB Output	Provided (15-Pins D-Sub, Pass Through)
S-Video & Composite Video Output	Provided (NTSC or PAL)
USB 2.0 Port	Provided (PC Camera / Built-in Image Download)
Light Source	Embedded LED Lamp
Dimension	Operating: 180mm x 480mm x 504mm Folded: 230mm x 340mm x 61mm
Net Weight	2.4kg (5.29lbs)
Power Consumption	20W (Max.)
Certifications	FCC, CE

Compatible Operating System (AVer+ Software)


Windows®	XP (SP2), Vista (32-bit or 64-bit)
Macintosh®	OS 10.4 (Tiger), OS 10.5 (Leopard)

Package Content

AVerVision® CP155 Unit	Remote Control with Batteries
AVer+ Software CD	User Manual CD
Power Adapter	Quick Guide
RGB Cable	Warranty Card
USB Cable	Anti-Glare Sheet



Rear Panel



Right Panel



Left Panel



Optional Accessories



Distributor / Dealer :

Touchboards
 205 Westwood Ave, Long Branch, NJ 07740
 Phone: 866-94 BOARDS (26273) / (732)-222-1511
 Fax: (732)-222-7088 | E-mail: sales@touchboards.com



Patent No: Japan 3122844, Taiwan I276904

All rights reserved. No part of this document may be reproduced, transmitted, transcribed, stored in a retrieval system, transmitted in any form, or translated into any language by any means (electronically, mechanically, photocopied, recorded, etc.) without the prior written permission of AVerMedia. Information in this document is subject to change without notice. The information contained herein is for informational purposes only and shall not be considered legally binding. "AVerVision" and "AVer" are trademarks (or registered trademarks) of AVerMedia Information, Inc. Other trademarks used herein for description purposes only belong to each of their respective companies. (200912)