

We Are the Measurable Difference

Bacharach has been delivering quality products to you for over 90 years. You have known us as your supplier of superior performing gas measurement & detection equipment and technical service. You recognize us as a manufacturer of high-quality recovery systems, like the popular Stinger™ model. Our strong reputation for innovation grounded in technical expertise has solidified our position as the industry leader.

Now, we are prepared to become your one-stop supplier for all your HVAC and Refrigeration needs.

Bacharach carries a full line of Air Conditioning and Refrigeration Service Tools and Meters. Combined with our complete line of professional and commercial recovery systems, we now provide you with an extensive product mix from vacuum pumps to tube cutters and more. When your job requires quality products at the right price, backed by Bacharach's commitment to excellence, our comprehensive line of products offers you the measurable difference.

Look through the pages of this Brochure for an introduction to our new line of Service Tools and Meters.



If you need information about any of our other products lines...



○ Combustion & Environmental Analyzers



○ Indoor Air Quality



Safety Monitors & Detectors



○ Leak Detection



O
→ Air Conditioning & Refrigeration Recovery Systems





...simply request a copy of our complete Product Catalog #4089.

Digital Meters

Pocket Digital Multimeter

All models include batteries, test leads and 1-year warranty



2002-0900

Model # MMP900

- 4 Functions
- Compact DMM w/built-in case for leads
- · Auto power off
- · Data-hold function
- Battery check function
- · Auto-range
- · Over-range & low battery indication

3 Functions Digital Multimeter



2050-0000

Model # MM5000

- · 3 Functions
- Includes protective boot & soft carrying case
- Auto power off
- · Data-hold function
- · Auto-range
- Low battery indication

6 Functions Digital Multimeter



2002-3200

- Model # MM3200

 6 Functions
- Includes protective boot & soft carrying case
- Auto power off (Time Selectable)
- · Data-hold function
- Memory & recall function
- · Auto-range
- · Transistor test
- · Over-range & low battery indication

True RMS Digital Multimeter



2002-3800

- Model # MM3800

 · 7 Functions
- · True RMS capability
- Includes protective boot & soft carrying case
- Backlight LCD
- · Data-hold function
- Memory & recall function
- · Auto-range & low battery indication

 Measures temperature with optional thermocouple (P/N104-1797)

Clamp Meter



2060-0000

- Model # CM6000
- · 3 Functions
- Includes soft carrying case
- · Auto power off
- · Data-hold function
- · Auto range
- Over-range & low battery indication

Mini Clamp Meter



2040-0000

Model # CM4000

- · 3 Functions
- Includes soft carrying case
- · Auto power off
- · Data-hold function
- · Auto range
- · Over-range & low battery indication

Model	MMP900	MM5000	MM3200	MM3800	CM6000	CM4000
Functions	1. Volts 2. Amps 3. Ohms 4. Diode Test	1. Volts 2. Amps 3. Ohms	1. Volts 2. Amps 3. Ohms 4. Diode Test 5. Capacitance 6. Frequency	1. Volts 2. Amps 3. Ohms 4. Diode Test 5. Capacitance 6. Frequency 7. Temperature	1. Volts 2. Amps 3. Ohms	1. Volts 2. Amps 3. Ohms
Display Count	4000	4000	4000	4000	3200	4000
DC V	400mV / 300V	400mV / 600V	400mV / 600V	400mV / 600V	300mV / 600V	400mV / 450V
DC A	400mA	400mA / 10A	400μΑ / 20Α	400μA / 20A	N/A	400A
AC V	300V	600V	600V	600V	600V	450V
AC A	N/A	400mA / 10A	400μΑ / 20Α	400μA / 20A	600A	400A
Resistance	40ΜΩ	40ΜΩ	40ΜΩ	40ΜΩ	300Ω	400Ω
Capacitance	N/A	N/A	200μF	400μF	N/A	N/A
Frequency	N/A	N/A	4MHz	40MHz	N/A	N/A
Temperature	N/A	N/A	N/A	-14° F ~ 2192° F -40° C ~ 1200° C	N/A	N/A
CE or UL Listed	Both	CE Only	CE Only	CE Only	CE Only	CE Only

Quick Vac Vacuum Pumps

The QUICKEST & LIGHTEST 2-Stage Rotary Vane Vacuum Pump

Features & Benefits

Compact and Easy to Use

- Each model features compact and lightweight, yet sturdy, construction.
- Simple, ergonomic design provides ease of operation.

Safe Operation

- Integral check valve prevents pump oil from being sucked into the system when the pump is stopped.
- Front-view sight glass allows easy view of oil level.

QV2 Pump



QV2 SPECIFICATIONS		P/N 2002-0002
Weight (with oil)	15 lbs. / 7 Kg	
Air Displacement	2 cfm.	
Stages	2	
Factory Rating	25 microns	
Oil Capacity	10 oz / 0.3 L	
Operating Range	41-104°F (5-40°C)	
Intake	1/4" SAE	
Motor Size	0.55 HP, 3400 rpm	
Voltage	115 Volt, 60 Hz	
Cord Length	10 Feet	
Dimensions	11 x 5 x 9.5 inches	

Reliable Performance


- Reliable and efficient rotary vane pump element pulls a fast vacuum.
- Integrated gas ballast valve helps keep the pump oil clean longer, resulting in fewer oil changes.

Range of Applications

• Ideal for air conditioning and refrigeration applications including R22, R134a, R404A, R407C and other HFCs.

Fully Tested

• Each pump is inspected and run-in prior to shipment. Just add oil (supplied with pump) before use.



QV6 SPECIFICATIONS		P/N 2002-0006
Weight (with oil)	33 lbs. / 15 Kg	
Air Displacement	6.3 cfm.	
Stages	2	
Factory Rating	25 microns	
Oil Capacity	20 oz / 0.6 L	
Operating Range	41-104°F (5-40°C)	
Intake	1/4", 3/8" SAE	
Motor Size	0.76 HP, 3400 rpm	
Voltage	115 Volt, 60 Hz	
Cord Length	6 Feet	
Dimensions	14 x 7 x 11 inches	

Refrigeration & Hand Tools

Gauges

R-12/22/134a









2002-0250 Model # MSG250

2002-0550 Model #MSG550

2002-0410 Model # MSG410

2002-0420 Model # MSG420

Model	MSG250	MSG55
Dial Size	2 1/2"	2 1/2"
Connection	1/8 NPT	1/8 NPT

Dial Size	2 1/2"	2 1/2"
Connection	1/8 NPT	1/8 NPT
Scale	°F, PSI, kg/cm ²	°F, PSI, kg/cm ²
Pressure	250 psi	500 psi
Color	Blue	Red

MSG410 MSG420 2 1/2" 2 1/2" 1/8 NPT 1/8 NPT

R410A

Model Dial Size Connection °F, °C, PSI, kg/cm2 °F, °C, PSI, kg/cm2 Scale Pressure 500 psi 800 psi Color Blue Red

Manifolds & Hoses

R-12/22/134a **Manifold Set**

R12/22/134a Manifold Set w/Sight Glass

R-410A **Manifold Set**

R-410A Manifold Set w/Sight Glass

R-410A **Hose Set**

R-12/22/134a **Ball Valve Hose Set**







2002-4400



2002-4300





2002-5000 Model # MS050

2002-4000

Model # MS040

- · Both models have a brass body with hook, hose holder and 2 hand wheels
- Includes 3 pieces 60" RYB hoses with 1/4" flare fittings. Hoses rated at 2500 psi. Burst / 500 psi Max W.P.
- 0-250 / 0-500 psi Gauges

Model # MS440 Model # MS430

- · Both models have a brass body with hook, hose holder and 2 hand wheels
- Includes 3 pieces 60" RYB hoses with 1/4" flare fittings. Hoses rated at 4000 psi Burst / 800 psi Max W.P.
- 0-500 / 0-800 psi Gauges

2002-4600

Model # HS460

- 3 pcs 60" RYB hoses with 1/4" flare fittings
- Hoses rated at 4000 psi Burst / 800 psi Max W.P.
- Hoses compatible with Manifold Set models MS050, MS040, MS440 and MS430

2002-0003

Model # BV3

- 3 pcs 6" RYB hoses with 1/4" flare fittings
- · Hoses rated at 2500 psi Burst / 500 psi Max W.P.
- Hoses compatible with Manifold Set models MS050 and MS040

Refrigeration Wrenches

•

Refrigeration Wrenches



2002-6000

straightening condenser or evaporator coil fins





Valve Core Removal Tool







2002-0122

Model #HTRW122 4 square openings

• 3/16", 1/4",5/16", and 3/8"

2002-0123

- Model #HTRW123 • 3/16" and 1/4" square openinas
- 1/2" and 9/16" hex openings

Fin Straightener

Model #HT351 Model #HT128

6-in-1 spacings of 8, 9, 10, 12,14 and 15 fins per inch For cleaning and

Cuts all types of capillary tubes without collapsing nor swaging the tubes

2002-8000

2002-0125

- Model #HTVCRT 1 double ended core removal tool
- For Standard VC-6400 small core and VC-6500 large core

Reamer



2002-6900 Model #HT208

- Made of Zinc alloy with red color painted finish
- · Reams both inside and outside edges of tubing
- 1/8" to 1 5/8" O.D.

Refrigeration & Hand Tools

Hand Tools

Telescopic Mirror Set



2002-0300

Model #HT31M

- Set of 4 mirrors
- · Circular lens 1 1/4" Dia., 4 3/4" to 19 1/2" extension
- · Circular lens 2" Dia., 8 1/2" to 18" extension
- Rectangular lens 2" x 3 1/2", 8 1/2" to 19 1/4" extension
- Oval lens 1" x 2", 4 3/4" to 20 1/4" extension

Tube Expander Kit



2002-6300

Model #HT1000

- Expander handle and 6 size expand heads-3/8", 1/2", 5/8", 3/4", 7/8", 1
- · Plastic Inner Outer Reamer 1/8"-1 1/2" O.D.
- Kit comes in a convenient steel molded case

Flaring & Cutting Kit



2002-6400

Model #HT1226

- 1/8"-1 1/8" Tube cutter
- Flaring tool 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8"
- · Kit comes in a convenient plastic molded case

Flaring, Swaging & Cutting Kit



2002-6500

Model #HT278

- 1/8"-1 1/8" Tube Cutter
- · Flaring Tool with 2 flares
- AC Ratchet Wrench w/ 3/16", 1/4", 5/16", 3/8" square sockets
- 5 Swaging heads sizes 3/16" to 3/4"
- Kit comes in a convenient plastic molded case

Flaring Tools Type P/N Description 7-Sizes 2002-7100 · For 3/16", 1/4", 5/16", 3/8", Flaring Tool 7/16", 1/2" & 5/8" O.D. tubing Heavy 2002-7000 • For 5/8" 3/4" 7/8" & Flaring Tool 1 1/8" O.D. tubing 6-Sizes · For 3/16", 1/4", 5/16", 3/8", 2002-6100 Flaring Tool 1/2" & 5/8" O.D. tubing Flaring & 2002-0525 · 3/16" to 5/8" **Burnishing Tool** O.D. tubing

Models Available 2002-7100 Model #HT195 2002-7000 Model #HT203 2002-6100 2002-0525 Model #HT500 Model #HT525

3 in 1 Tubing Bender 180



3 in 1 Tubing Bender 90°

2002-6700

2002-6800

Model #HT666

Model #HT368

• For 1/4", 5/16" and 3/8" O.D. Tubing

Tubing Cutters



2002-1818

Model #HT1818 • 1/8" to 1 1/8" O.D.

- · Aluminum alloy body with chrome-plated finish
- · Includes 1 spare cutter wheel
- · Additional spare cutter wheels available-P/N 2002-1871 (Model # HTRCW1)



Model #HT780 • 1/8" - 7/8" O.D.

- Zinc alloy body with red color painted finish
- Additional spare cutter wheels available-P/N 2002-1873 (Model # HTRCW3)



2002-1858 Model #HT1858

- 1/8" to 5/8" O.D.
- · Zinc alloy body with red color painted finish
- · Additional spare cutter wheels available-P/N 2002-1873



2002-1878

Model #HT1878 • 1/8" - 5/8" O.D.

- Zinc alloy body with
- zinc-plated finish and positive grip knob
- Additional spare cutter wheels available-P/N 2002-1872 (Model # HTRCW2)

PVC Pipe Cutter



2002-2120

Model #HT212

· Up to 1 5/8" capacity

Spring-Type **Tubing Benders**



Model #HT1434

- 6 per pack
- Sizes 1/4" x 10" long; 5/16" x 10"; 3/8" x 10"; 1/2" x 12"; 5/8" x 14"; 3/4" x 14"



Temperature / Air Flow / Humidity Meters

Infrared Thermometer



- Temperature: -4°F ~ 752°F $(-20^{\circ}C \sim 400^{\circ}C)$
- · Laser Pointer
- 8:1 Distance to Spot Ratio
- Resolution: 1°F / 1°C
- · Min/max hold function
- · Backlight LCD display
- · Includes soft carrying case and battery

2080-0000

Model # TH8000

Digital Pocket Thermometer

- Temperature: -58°F~302°F (-50°C~150°C) Switchable
- 1 1/4" dial, 5" stainless steel stem
- 2 push button (on/off)
- Battery power capacity display
- · Protector sheath with pocket clip



2002-0100

Model # THP100

Dual-Channel Digital Thermometer



- Temperature: -50°F \sim 1999°F $(-50^{\circ}C \sim 1300^{\circ}C)$
- 2 K-Type 39" Thermocouples
- T1-T2 differential measurement
- Resolution: 1°F / 1°C
- · Data-hold and max-hold functions
- · Includes protective boot and battery

2030-0000

Model # TH3000

Pocket Dial Thermometer

- Temperature: -40° F to $\sim 160^{\circ}$ F
- · 1" magnifying plastic dial cover
- 5" stainless steel stem
- · Protector sheath with pocket clip

2002-6600

Model # TH1005

Anemometer



- Ft/min: 10-8800
- · Also measures Km/hr, Knots, M/S
- Temperature: 32°F ~ 140°F $(0^{\circ}C \sim 60^{\circ}C)$
- · Data hold and low battery indication
- · Sensitive for low/high air velocity
- · Coiled Cable Vane Head
- · Includes soft carrying case and battery

2042-0000

Model # TH4200



- Temperature: -4°F \sim 140°F $(-20^{\circ}C \sim 60^{\circ}C)$
- Resolution: 0.1°C / 0.1°F / 0.1%RH
- · Wet bulb and dew point temp. readings
- · Data-hold and relative function
- Dual LCD display with bargraph indication
- · Includes soft carrying case and batteries

2002-1800

Model # TH1800

Global Distribution

Bacharach Sales/Service Center 7281 Garden Grove Blvd., Suite H Garden Grove, CA 92841

Phone: 714.895.0050 Fax: 714.895.7950

Email: CALSERVICE@bacharach-inc.com

Bacharach Sales/Service Center 8618 Louisiana Place Merrillville, IN 46410 Phone: 219.736.6178

Fax: 219.736.6269

Email: INDSERVICE@bacharach-inc.com

Bacharach Sales/Service Center 7300 Industrial Park Rte. 130, Bldg. 22 Pennsauken, NJ 08110 Phone: 856.665.6176

Fax: 856.665.6661

Email: NJSERVICE@bacharach-inc.com

Bacharach Sales/Service Center

621 Hunt Valley Circle

New Kensington, PA 15068-7074

Phone: 724.334.5000 Fax: 724.334.5001

Email: help@bacharach-inc.com

Bacharach Sales/Service Center 5151 Mitchelldale, B-4

Houston, TX 77092 Phone: 713.683.8141 Fax: 713.683.9437

Email: TXSERVICE@bacharach-inc.com

Bacharach of Canada 151 Bentley Street Unit #6 Markham, Ontario L3R 3X9 Phone: 905.470.8985 Fax: 905.470.8963

Toll Free in Canada: 800.328.5217

Email: bachcan@idirect.com

Bacharach Instruments International

P.O. Box 44 39 Lindegade

DK 6070 Christiansfeld Denmark

Phone: (+45) 74 56 31 71 Fax: (+45) 74 56 31 78 Email: mail@bacharach.dk

Bacharach UK 5 Anson Way Admirals Quay, Bridgewater

Somerset TA6 3TB England Phone: UK 44 1278 439 103 Fax: UK 44 1278 421 058

Phone: Malaysia 60 12 273.3057 Fax: Malaysia 60 12 273.3058

Email: martinrobbins@compuserve.com

Bacharach Mexico Bretana 178 BIS-12 Col. San Andres Tetepilco

Del. IXTAPALAPA

Mexico D.F. Mexico 09440 Phone: 011.525.532.3930 Fax: 011.525.674.7544

Email: bachmex@prodigy.net.mx

Bacharach Mercosal Rua de las Laranjeiras 498/704 Rio de Janeiro, RJ 22.240.002 Brazil

Phone: 55.21.9976.5088 Fax: 55.21.557.9937

Email: bacharach@samerica.com







ISO 9001



Value Testers www.valuetesters.com sales@valuetesters.com

Tel: 602-795-8292 Fax: 602-795-4624

