

Epson PowerLite[®] Presenter PORTABLE PROJECTOR / DVD PLAYER COMBO



Captivate any classroom with multimedia made easy.

The Epson PowerLite Presenter offers the ultimate experience in multimedia classroom presentations. Affordable and convenient, this portable projector/DVD player combo has it all, including WXGA resolution, two 10 W speakers with virtual Surround Sound, microphone support, and built-in closed captioning capabilities. Now, there's no need to fit a projector, DVD player and speakers all on a small classroom cart.

Larger-than-life lessons and presentations — native WXGA resolution (16:10 aspect ratio); ideal for widescreen computers and tablet notebooks

Bright enough for any classroom or conference room — 2500 lumens color light output, 2500 lumens white light output*



205 Westwood Ave, Long Branch NJ 07740 Phone: 866-94 BOARDS (26273) (732)-222-1511 Fax: (732)-222-7088 E-Mail: sales@touchboards.com Site: www.touchboards.com

Epson PowerLite[®] Presenter PORTABLE PROJECTOR / DVD PLAYER COMBO

The best-selling projectors in the world.

Epson understands education and has a solution no matter what your teaching scenario. Built with image guality and reliability in mind, Epson projectors enhance communication and inspire collaboration, while offering a low total cost of ownership. From long-throw projectors designed for traditional educational settings to ultra-short-throw and all-in one solutions built for the progressive classrooms, Epson has the model made for you.

3LCD technology — for quality and color that's beyond amazing


Innovative technology with proven reliability

- 3 chips for full-time, vibrant color
- 25% less electricity required per lumen of brightness when compared to 1-chip DLP projectors**
- Road-tested reliability from a company with over 20 years of experience



Energy-efficient E-TORL[®] lamp, exclusively from Epson

- Delivers more lumens per watt and lasts up to 5000 hours***
- Minimizes both light diffraction and light leakage, providing you the ultimate in lamp longevity





Portable projector with DVD player

Eco features

- Energy-efficient 3LCD light engine
- Energy-efficient E-TORL lamp
- Designed to be recycled****
- **RoHS** compliant

Amazing light output

 2500 lumens color light output and 2500 lumens white light output*



WXGA

Epson Projectors

in the wo

- High color light output for bright, balanced, colorful images
- Light output and performance to meet your expectations
- White light output that's measured using ISO 21118 (a more rigid standard than the outdated ANSI lumens rating used by competitive products)



High color light output

Low color light output

Actual photographs of images taken from two competing projectors run in default mode. Price, resolution and brightness (white light output) are the same for both projectors

Brilliant widescreen performance

With WXGA resolution (16:10 aspect ratio), the PowerLite Presenter is ideal for use with the latest-generation widescreen computers and for projecting high-definition content. It gives you:

- 30% more image area than a 4:3 image
- 10% more image area than a 16:9 image

XGA

The PowerLite Presenter still allows you to display 4:3 and 16:9 content without losing image quality.



needs



detail



1280 x 800 Offers the highest quality and is ideal for widescreen (16:10 aspect ratio) display

Better Products for a Better Future™

For more information on Epson's environmental programs, go to eco.epson.com

Convenient connectivity

USB Plug 'n Play instant setup

- No more pressing computer function keys or carrying bulky VGA cables
- Just plug in a standard USB cable and instantly project from your PC!
- This USB connection also enables you to maintain control over your presentation with the page up/page down function on the remote control



setup for PCs

PC-free slideshows

• You get an additional USB (Type A) connection for USB thumb drives, to display JPEG-formatted photo slideshows, with audio files - no computer needed!

Auto Color Mode

• Automatically selects the optimum settings, based on the lighting environment for easy setup and operation

Without Auto Color Mode (images simulated)

Theatre Mode - Lights Off

Theatre Mode – Lights On





For best results when the lights are on, the projector should be switched to Dynamic Mode.

With Auto Color Mode (images simulated)

Theatre Mode - Lights Off





Auto (Dynamic) Mode - Lights On

The projector automatically switches to the Dynamic Mode that best suits a "lights on" environment.

PowerLite Presenter Features

• Everything you need for engaging multimedia presentations with powerful sound - portable projector/DVD player combo includes two built-in 10 W speakers, with virtual surround sound

EVP III Dissue

- Larger-than-life lessons and presentations native WXGA resolution (16:10 aspect ratio); ideal for widescreen computers and tablet notebooks
- Bright enough for any classroom or conference room - 2500 lumens color light output, 2500 lumens white light output*
- Cutting-edge connectivity HDMI connectivity for amazing HD content; supports digital cameras, iPods, gaming consoles, and more
- Powerful communication features, no added cost - built-in closed captioning decoder
- PC-free JPEG slideshows share your presentation via a USB thumb drive; no computer required

Microphone input

- · Amplify the presenter's voice using the projector's powerful speakers
- · Works with wired or wireless dynamic microphones
- Adjust the volume using the projector remote control
- · Save both money and the presenter's voice by using the projector's speaker



EXCEED YOUR VISION

Epson PowerLite[®] Presenter

PORTABLE PROJECTOR / DVD PLAYER COMBO

Product Name PowerLite Presenter (U.S.) PowerLite Presenter (Canada) Replacement Lamp Replacement Air Filter Set

Specifications

Projection System Epson 3LCD, 3-chip optical engine **Projection Method** Front

Driving Method Epson Poly-silicon TFT Active Matrix

Pixel Number 1,024,000 dots (1280 x 800) White Light Output* 2500 lumens (ISO 21118 Standard)

Color Light Output*

2500 lumens **Aspect Ratio**

16:10 **Native Resolution** 1280 x 800 (WXGA)

Resize

640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (SXGA1), 1280 x 960 (SXGA2), 1280 x 1024 (SXGA3), 1280 x 768 (WXGA60-1), 1360 x 768 (WXGA60-2), 1440 x 900 (WXGA+), 1400 x 1050 (SXGA+), 1600 x 1200 (UXGA), 1680 x 1050 (WSXGA+)

Lamp Type 200 W UHE (E-TORL)

Lamp Life*** Up to 5000 hours (EC0 Mode) Up to 4000 hours (Normal Mode)

Throw Ratio Range 1.30 - 1.56 (16:10) 1.56 - 1.87(4:3)

Size (projected distance) 33" - 318" (2.75' - 26.5')

Keystone Correction Automatic Vertical: ± 11 degrees

Keystone Correction Manual Vertical: ± 30 degrees

Plug 'n Play Projector is Mac[®] compatible via DVI to HDMI or VGA adapter (not included) USB Plug 'n Play for Windows® 2000 or later **Contrast Ratio**

Up to 3000:1 **Color Reproduction**

16.77 million colors

Projection Lens

Туре Manual zoom/Manual focus F-number **Focal Length** 16.9 mm - 20.28 mm 1.58 - 1.72 Zoom Ratio Optical zoom 1.0 - 1.2

Product Code UPC V11H335120 0 10343 87486 2 V11H335120-F 0 10343 87493 0 V13H010L55 0 10343 87487 9 V13H134A26 0 10343 87488 6

Other

Display Performance NTSC: 480 lines PAL: 560 lines (Depends on observation of the multi-burst pattern)

Input Signal NTSC/NTSC4.43/PAL/M-PAL/N-PAL/ PAL60/SECAM

Interfaces

Computer: D-Sub 15 pin x 1 Component Video: RCA x 3 (Red/Green/Blue) Composite Video: RCA (Yellow) x 1 Audio in: RCA x 2 (White/Red) USB connector: Type B x 1, Type A x 1 (USB memory) HDMI port Microphone input Headphone output (stereo mini jack) Digital audio output (coaxial) Speaker

10 W x 2 (stereo) **Operating Temperature** 41 ° to 95 °F (5 ° to 35 °C)

Power Supply Voltage 100 - 240 V ±10%, 50/60 Hz

Power Consumption 310 W (Normal Mode), 0.3 W Standby **Fan Noise**

33 dB (Normal Mode) 29 dB (ECO Mode) Security

Kensington®- style lock provision, security cable hole, padlock

Dimensions (W x D x H)

Including feet: 13.2" x 9.4" x 5.4" Excluding feet: 13.2" x 9.4" x 5.0" Weight: 9.5 lb

Remote Control

Features

Source search selection, power, aspect, color mode, volume, A/V mute, menu, page up and down, keystone, mic input level, DVD control, eject, surround, aspect, zoom, user, visual setup, setup, return, mute, audio, subtitle, angle **Operating Angle**

Right/left: ± 30 degrees Upper/lower: ± 15 degrees **Operating Distance** 19

Support — The Epson ConnectionSM

Pre-sales support U.S. and Canada Internet website

Audio L/R

 $\mathbf{O} \mathbf{O} \mathbf{O}$

Microphone Power

Input

USB (Type B)

Composite Video Computer

Component

Video

HDMI

Speaker (10 W)

800-463-7766

Epson Road Service program, Epson PrivateLine® dedicated toll-free

What's In The Box

projector remote control, batteries, user manual CD, Quick Setup Sheet, PrivateLine support card and password protection sticker

Accessory Part Numbers

Component to VGA video cable	ELPKC19
S-video cable	ELPSV01
50" portable screen	ELPSC06
80" portable pop-up screen	ELPSC08
Duet [™] screen	ELPSC80
Epson DC-10s document camera	ELPDC10S
Epson DC-06 document camera (ELPDC06)	V12H321001
Kensington security lock	ELPSL01

Packaging Specifications

PowerLite Presenter

Dimensions 20.0" x 13.5" x 11.4" (W x D x H) Weight 14.8 lb

Replacement Lamp

Dimensions 6.3" x 5.6" x 5.6" (W x D x H) Weight 0.7 lb Master Carton Dimensions 28.4" x 13.1" x 6.8" (W x D x H) Weight 9.3 lb Units Per Master Carton 10

Replacement Air Filter Set

Dimensions 5.0" x 4.1" x 1.3" (W x D x H) Weight 0 1 lb Master Carton Dimensions 12.8" x 5.3" x 4.7" (W x D x H) Weight 1.3 lb Units Per Master Carton 10

* Light output varies depending on modes (color and white light output). White light output measured using ISO 21118 standard.

Data source: ProjectorCentral.com, Jan. 2009. Average of 796 shipping models, for which manufacturers provided lumens and total power data, all resolutions and brightness levels. *** Lamp life will vary depending upon mode selected, environmental conditions and usage. Lamp brightness decreases over time. **** See our website for convenient and reasonable recycling options at www.epson.com/recycle

Epson America, Inc.

3840 Kilroy Airport Way, Long Beach, CA 90806

Epson Canada, Ltd. 3771 Victoria Park Avenue, Toronto, Ontario M1W 3Z5

www.epson.com www.epson.ca

Epson and E-TORL are registered trademarks, Epson Exceed Your Vision is a registered logomark and Better Products for a Better Future is a trademark of Seiko Epson Corporation. PowerLite and PrivateLine are registered trademarks, Duet is a trademark and Epson Connection is a service mark of Epson America, Inc. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. CPD-31174 10/09

www.epson.com

USB (Type A)

Speaker (10 W)

Digital Audio Out

Service Programs

Two-year projector limited warranty, support and 90-day limited lamp warranty

Power cable, computer cable (VGA), soft protective case,