

Manual Supplement

Manual Title: 1745 Users
Part Number: 2560366
Print Date: April 2006
Revision/Date: 1, 7/06

Supplement Issue: 4
Issue Date: 2/11
Page Count: 3

This supplement contains information necessary to ensure the accuracy of the above manual.


Tequipment
|.NET



205 Westwood Ave
Long Branch, NJ 07740
1-877-742-TEST (8378)
Fax: (732) 222-7088
salesteam@Equipment.NET

Change #1

On page 4, add the following symbol to Table 1:

	Do not apply around or remove from the Hazardous Live conductors.
---	---

On page 7, replace Table 3 with the following:


Table 3. Optional Accessories

Description	Model or Part Number
i1A/10A CLAMP PQ4, 4-PHASE 1A/10A MINI CURRENT CLAMP SET FOR PQ	3024424
i5A/50A CLAMP PQ3, 3-PHASE 5A/50A MINI CURRENT CLAMP SET FOR PQ	3024436
i5A/50A CLAMP PQ4, 4-PHASE 5A/50A MINI CURRENT CLAMP SET FOR PQ	3024449
i20/200A CLAMP PQ3, 3-PHASE 20A/200A MINI CURRENT CLAMP SET FOR PQ	3024451
i20/200A CLAMP PQ4, 4-PHASE 20A/200A MINI CURRENT CLAMP SET FOR PQ	3024460
3000/6000A-TF-4, 3000A/6000A 4-PH 36-INCH THIN FLEXI SET	3889395
i1A/10A CLAMP PQ3, 3-PHASE 1A/10A MINI CURRENT CLAMP SET FOR PQ	3024413
1-PHASE 1A/10A MINI CURRENT CLAMP SET FOR PQ	3345753
1-PHASE 5A/50A MINI CURRENT CLAMP SET FOR PQ	3345766
FS17XX-1PH-TF, 3000A 1PH FLUKE 1735 & 174X THIN FLEXI	3889429
FS17XX IP65-TF, 3000A IP65 4-PH FLUKE 1743/4 THIN FLEXI SET	3889418
C435 Hardcase	2654865

Change #2

On page 16, under **Connecting the Logger** add the following text and Figure:

- **To avoid shock or personal injury, keep fingers behind the tactile barrier, see the figure.**



cab01f.eps

Using the Optional Microclamps

Change #3

On page 7, Table 2, change the following:

From:

Power Cord	2715492
------------	---------

To:

Power Cord	3007677
------------	---------

Change #4

On page 7, Table 2, change the following:

From:

Shielded 4 Phase Flexi Set (15 A/150 A/1500 A/3000 A)	FS17XX
---	--------

To:

FS17X5-TF, 3000A 4-PH FLUKE 1735 & 1745 THIN FLEXI SET	3889407
--	---------

Add the following to Table 2:

VL1735/45, Banana 4-Phase Voltage Lead Set for Fluke-1735/45	3276205
--	---------

		<p>205 Westwood Ave Long Branch, NJ 07740 1-877-742-TEST (8378) Fax: (732) 222-7088 salesteam@Tequipment.NET</p>
---	---	--