

IN3118HD

InFocus

Bright Ideas Made Brilliant

Finally! True High Definition 1080p Comes to The Office or Classroom

HD is moving out of the house and into a conference room or classroom near you. 1080p resolution is THE standard for high quality media and movies.

The InFocus IN3118HD 1080p projector displays today's true high definition content and its high resolution is the perfect match for today's 16:9 notebooks. It beams detailed content with 3600 lumens of brightness at work or school.

Why choose the IN3118HD?

- Native 1080p (1920 x 1080) resolution
- 3600 lumens and 3000:1 contrast ratio
- Two HDMI 1.3 inputs with audio
- RJ45 input for control and email alerts over the network
- Installable or portable (carry case is included)
- Low maintenance; no filters to clean or replace
- 5-year limited warranty, plus extended warranty options

1080p Leaves Home

The IN3118HD brings 1080p resolution from the home to the office and classroom. Now you can share HD content that was originally created for the home HD television in your conference room or classroom as it was intended. No scaling. No manual image adjustments. Just crisp, bright, vivid, HD content.

Brightness and Clarity with 3600 Lumens

The IN3118HD beams 3600 lumens of output for crisp, clear images in conference rooms or classrooms with high ambient light. So keep the lights on and the audience alert.

HDMI Connectivity and Beyond

Two HDMI 1.3 inputs on the IN3118HD provide the highest quality signals from today's digital devices. VGA, composite and S-video inputs are also included for when you need them.



MODEL
IN3118HD
1080P (1920 x 1080)
3600 lumens



Connectivity
HDMI 1.3 x 2
VGA
Composite video
S-Video
RJ45
RS232
3.5 mm audio in
RCA stereo audio in
3.5 mm audio out
Monitor out (VGA)

Stunning Image Quality

The latest InFocus BrilliantColor™ technology and 5-segment color wheel deliver incredible detail and life-like color in HD video, business graphics and classroom lessons.

Control and Manage Over Your Network

Its RJ45 port allows administrators to control and troubleshoot the IN3118HD over the network. The projector can also receive DMS messages (such as weather warnings) and send email alerts (such as when the lamp is nearing replacement).

Touchboards

205 Westwood Ave, Long Branch, NJ 07740
Phone: 866-94 BOARDS (26273) / (732)-222-1511
Fax: (732)-222-7088 | E-mail: sales@touchboards.com

Specifications* **IN3118HD**

Native Resolution	1080p (1920 x 1080)
Maximum Resolution	WUXGA (1920 x 1200)
Display Technology	.65" DLP by Texas Instruments with DDP3021 with BrilliantColor
Brightness	3600 lumens (3000 lumens Eco Mode)
Lamp Life	4000 hours Eco Mode (3000 hours Normal)
Lamp Power	280 W UHP (230 W Eco Mode)
Contrast Ratio	3000:1
Audible Noise	30 dB Eco Mode (35 dB Normal Mode)
Computer Compatibility	PC, Mac
Lens Type	Manual zoom and focus
Standard Lens - Throw Ratio	1.6 ~ 1.92:1
- Zoom Ratio	1.2:1
Image Offset	115%
Color Wheel	5 segment, 3x speed
Number of Colors	16.7 Million
Keystone Correction	+/- 30% (vertical)
Aspect Ratio (Native)	16:9
Aspect Ratio (Supported)	4:3, 16:10, 16:9, Auto
Synch - Horizontal Scan Freq	31 - 100 kHz
- Vertical Scan Freq	50 - 120 Hz
Video Compatibility	SDTV (NTSC, PAL, SECAM, 480i, 576i), ED/HDTV (480p, 576p, 720p, 1080i, 1080p)
Audio	5W mono
Connections (Input)	VGA, HDMI x 2, Composite video, S-Video, 3.5 mm stereo jack, RCA R&L stereo jacks, RJ45
Connections (Output)	Monitor out, Audio out, Screen trigger
Control	Projector keypad, IR remote, RS232, RJ45, USB Type B for mouse and firmware
Network	10 BASE-T, 100 BASE-TX
Product Weight	8.2 lbs / 3.7 kg
Product Dimensions - W x D x H	13.2 x 10.0 x 4.0 in / 335 x 254 x 102 mm
Shipping Weight	13.2 lbs / 6.0 kg
Shipping Dimensions - W x D x H	18.0 x 15.8 x 7.7 in / 456 x 400 x 196 mm
Power Consumption	355 watts (max), <1 watt (stand by)
Maximum Altitude	10,000 feet / 3,048 meters
Operating Temperature	41 - 95° F / 5 - 35° C
Warranty	5 year limited
Lamp Warranty	6 months
Accessories Warranty	90 days
Remote Control	Full function (no laser)
Ships with Accessories (Standard)	VGA cable, remote control, lens cap, carry case, power cord, documentation
Menu Languages	English, French, German, Italian, Norwegian, Portuguese, Simplified Chinese, Spanish, Korean, Russian, Traditional Chinese, Danish, Dutch, Finnish, Polish, Swedish, Turkish, Indonesian
Approvals	UL and c-UL (US/Canada), FCC (US/Canada), CE (Europe), CB, C-Tick, FCC, PCT, SABS, PSB, SASO, UL-S, CECP/ECO, TUV, KC, NOM

* Product specifications, terms, and offerings are subject to change at any time without notice.

** Actual lamp life may vary based on the ambient environment and projector usage. Conditions that may affect lamp life include temperature, altitude, and rapidly switching the projector on and off.

Optional Accessories

Replacement Lamp (SP-LAMP-072)
 Universal Ceiling Mount (PRJ-MNT-UNIV)
 10m HDMI Cable (SP-HDMI-10M-R)
 LiteShow III Wireless Adapter (INLITESHOW3)
 Mount for LiteShow (PRJ-MNT-LS3)
 Cables and adapters
 Screens
 Extended warranties

For more information, please visit:
www.infocus.com/Accessories



Carry case



205 Westwood Ave, Long Branch, NJ 07740
 Phone: 866-94 BOARDS (26273) / (732)-222-1511
 Fax: (732)-222-7088 | E-mail: sales@touchboards.com



Bright Ideas Made Brilliant

www.infocus.com

INFOCUS CORPORATE HEADQUARTERS
 13190 SW 68th Parkway
 Portland, Oregon 97223-8368, USA
 Phone: (1) 503-207-4700
 Toll Free: (1) 877-388-8385
 Fax: (1) 503-207-1937