



## testo 206-pH3

## Compact pH tester - To connect external probes

testo 206-pH3 is equipped with a BNC socket which makes it possible to connect all pH probes to the instrument. The temperature value supplied is automatically analysed if Testo pH probes are used with a built-in temperature sensor. The temperature can be adjusted manually in probes without a temperature sensor. Automatic recognition of a stable reading facilitates the measurement process. The instrument is ideal for outdoor use or use in tough industrial conditions thanks to the "TopSafe" protection case supplied.

- External pH probes can be connected
- Not affected by dirt particles thanks to the TopSafe protective case
- 2 line display
- Automatic full-scale recognition
- 1, 2 or 3 point calibration possible
- All probes on the market can be connected to the BNC adapter
- Testo probes with temperature measurement facilitate temperature compensation



External pH probe attachable



Easy exchange of probes with testo 205, testo 206-pH1/-pH2/-pH3



**testo 206-pH3 instrument set:**  
One-hand pH/°C measuring instrument, pH3 probe head with BNC interface, TopSafe and belt/wall holder

Part no.  
**0563 2063**



Set	Part no.	Technical data
testo 206 pH3 – Affordable Set : One-hand pH/°C measuring instrument, pH3 probe head with BNC interface, pH probe Type 01, storage cap with gel, calibration dosing bottles 250 ml pH 4+7, TopSafe, belt/wall holder and aluminium case	0563 2067	<b>Probe type</b> pH electrode / NTC <b>Meas. range</b> 0 to 14 pH 0 to 80 °C (depending on the pH probe used)
testo 206-pH3 Versatile Set: One-hand pH/°C measuring instrument, pH3 probe head with BNC interface, pH probe Type 14, storage cap with gel, calibration dosing bottles 250 ml pH 4+7, TopSafe, belt/wall holder and aluminium case	0563 2068	<b>Oper. temp.</b> 0 to +60 °C <b>Storage temp.</b> -20 to +70 °C <b>Battery life</b> 80 h (Auto Off 10 min) <b>Dimensions</b> 197 x 33 x 20 mm <b>Weight</b> 69 g <b>Display</b> LCD, 2 lines

Accessories	Part no.
<b>Additional accessories and spare parts</b>	
Spare probe Type 01 for testo 206-pH3, incl. gel storage cap	0650 2063
Type 14: indestructible plastic electrode with temperature sensor, gel electrolyte, therefore practically maintenance-free, with gel storage cap	0650 2064
Replacement Li-battery button cell type CR 2032	0515 0028
Gel storage cap for standard electrodes	0554 2053
pH buffer solution 4.01 in dosing bottle (250 ml) with DKD calibration certificate	0554 2061
pH buffer solution 4.01 in dosing bottle (3 x 250 ml per pack) with DKD calibration certificate	0554 2062
pH buffer solution 7.00 in dosing bottle (250 ml) with DKD calibration certificate	0554 2063
pH buffer solution 7.00 in dosing bottle (3 x 250 ml per pack) with DKD calibration certificate	0554 2064
pH buffer solution 10.01 in dosing bottle (250 ml) with DKD calibration certificate	0554 2065
pH buffer solution 10.01 in dosing bottle (3 x 250 ml per pack) with DKD calibration certificate	0554 2066

### testo 206-pH3 instrument set (Part no. 0563 2063)



One-hand pH/°C measuring instrument, pH3 probe head with BNC interface, TopSafe and belt/wall holder

### testo 206-pH3 Versatile Set (Part no. 0563 2068)



One-hand pH/°C measuring instrument, pH3 probe head with BNC interface, pH probe Type 14, storage cap with gel, calibration dosing bottles 250 ml pH 4+7, TopSafe, belt/wall holder and aluminium case

### testo 206 pH3 – Affordable Set (Part no. 0563 2067)



One-hand pH/°C measuring instrument, pH3 probe head with BNC interface, pH probe Type 01, storage cap with gel, calibration dosing bottles 250 ml pH 4+7, TopSafe, belt/wall holder and aluminium case