


**1** Make sure your PC features an NVidia Quadro FX graphics card or equivalent. The PC must have quad-buffered and Open GL 3D capability.

**2** Using VGA, connect the PC to the projector.  
 Note: Location of I/O ports and selection will vary depending on the projector



**3** Select source as "VGA" on the projector.  
 Note: Menu and source options will vary depending on the projector



**4** Use the projector as the only/solo display for the PC.

**5** Check the control panel settings on the video source and ensure:

- "Stereo Enable" is ON
- Resolution is set to "1024x768", "800x600" or "1280x720" @120Hz






205 Westwood Ave, Long Branch, NJ 07740  
 Phone: 866-94 BOARDS (26273) / (732)-222-1511  
 Fax: (732)-222-7088 | E-mail: sales@touchboards.com

**6** Check in the projector's menu to ensure the 3D function is on.

- Under "Installation II", select "Advanced"
- Select "3D"

- Make sure "DLP-Link" is selected for "3D"



**7** Make sure the source's 3D DLP Link compatible media player is set-up.

- Check to see "Stereoscopic" function is set for "Quad Buffered Open GL".

**9** View the 3D content with DLP Link Active Shutter glasses.  
 Note: XPand X102 DLP-Link 3D glasses are recommended



**8** Play the desired content via the media player.

VIVITEK PROJECTORS THAT ARE 3D-READY VIA DLP LINK | FOR PRODUCT INFORMATION, VISIT US AT [WWW.VIVITEKCORP.COM](http://WWW.VIVITEKCORP.COM)



D510, D511,  
 D512-3D, D513W,  
 D530, D535,  
 D536-3D, D537W,  
 D538W-3D



D791ST,  
 D795WT



D837



D851,  
 D853W,  
 D855ST,  
 D857WT  
 D859



D860,  
 D861



D5000



QUMI Q2

