

Touchboards

205 Westwood Ave, Long Branch, NJ 07740
Phone: 866-94 BOARDS (26273) / (732)-222-1511
Fax: (732)-222-7088 | E-mail: sales@touchboards.com

GOT SOUND ?

 WILLIAMS SOUND®



WIR TX900



- **SoundPlus® 4-Ch Infrared System.** Flexible, competitively priced infrared systems ideal for use in large facilities that have hearing assistance, language interpretation, or audio description needs. Four-channel operation provides multi-channel flexibility for independent or stereo operation. Everything you need for installation is in the box.
- Up to 11,000ft² coverage in four-channel mode with RX22-4 receiver · Supports additional emitters for additional coverage area · Resistant to high-efficiency lighting interference · Compatible with Dolby®, DTS® and Doremi® systems for audio description in cinema · Mic and line inputs · Audio indicator LED's and IR test LED · No radio license required · 5 year warranty*
- (1) WIR TX90 emitter / modulator, (1) BKT 024, (2) MOD 232 modulators, (2) WIR TX9 emitters, (2) TFP 010 pwr supplies, (2) TFP 016 pwr supplies, (4) WCA 013 RCA-to-RCA cables, (4) CNA 007 RCA-to-1/4" adapters, (1) WCA 079 50' pwr cable, (1) WCA 084 100' coax cable, (2) BKT 024 wall/ceiling mounts, (1) IDP 008 ADA wall plaque

WIR TX925



- **SoundPlus® 2-Ch Infrared System.** Flexible, competitively priced infrared systems ideal for use in large facilities that have hearing assistance, language interpretation, or audio description needs. Two-channel operation provides multi-channel flexibility for independent or stereo operation. Everything you need for installation is in the box.
- Up to 28,000ft² coverage in single-channel mode with RX22-4 receiver · Supports additional emitters for additional coverage area · Resistant to high efficiency lighting interference · Compatible with Dolby®, DTS® and Doremi® systems for audio description in cinema · Mic and line inputs · Audio indicator LED's and IR test LED · No radio license required · 5 year warranty*
- (1) MOD 232 modulator, (1) WIR TX9 emitter, (1) TFP 010 pwr supply, (1) TFP 016 pwr supply, (2) WCA 013 RCA-to-RCA cables, (2) CNA 007 RCA-to-1/4" adapters, (1) WCA 079 50' pwr cable, (1) WCA 084 100' coax cable, (1) BKT 024 wall/ceiling mount, (1) IDP 008 ADA wall plaque

EXPERIENCE PERFORMANCE.

SoundPlus® infrared listening systems deliver wireless audio throughout a cinema for hearing assistance, simultaneous language interpretation, audio description, or private listening applications. SoundPlus® systems operate on 2.3-3.8 MHz and meet ADA and DDA requirements for hearing assistance.




WIR TX90

- **SoundPlus® Integrated 2-Ch Infrared System.** The powerful TX90 transmitter combines modulator and emitter technology into a single operating unit — reducing operating costs and saving precious rack space. The TX90 features application preset controls for music, voice, or hearing assistance applications — no guess work required for audio configuration. Everything you need for installation is in the box.
- Up to 28,000ft² coverage in single-channel mode with RX22-4 receiver · Application preset controls for music, voice, or hearing assistance · Supports additional emitters for additional coverage area · Adjustable tone/volume controls · Resistant to high efficiency lighting interference · Compatible with Dolby®, DTS® and Doremi® systems for audio description in cinema · Line inputs · No radio license required · 5 year warranty*
- (1) WIR TX90 emitter / modulator, (1) TFP 010 pwr supply, (1) WCA 079 50' pwr cable, (1) BKT 024 wall/ceiling mount, (1) IDP 008 ADA wall plaque



WIR TX90
WHT

- **SoundPlus® Integrated 2-Ch Infrared System (same as WIR TX90 with white enclosure / clear lens).**
- Same as WIR TX90.
- (1) WIR TX90 WHT emitter / modulator, (1) TFP 010 pwr supply, (1) WCA 079 50' pwr cable, (1) BKT 024 wall/ceiling mount, (1) IDP 008 ADA wall plaque



WIR RX15-2

- **SoundPlus® 2-Ch Infrared Headset Receiver.** Designed for use with a transmitter operating on 2.3 / 2.8 MHz.
- Easy-to-operate · Stylish · Exceptional audio quality · Each earphone features individual volume control · Push button frequency selector · 1 year warranty



NEW

WIR RX 22-4

- **SoundPlus® 4-Ch Selectable Infrared Receiver.** 2.3/2.8/3.3/3.8 MHz · Operating range up to 28,000ft² (2,600 m²) in single-channel mode with TX925 or TX90
- Ultra-sensitive IR receptors · Exceptional audio quality · Low battery indicator · Use with earphones, headphones, or neckloop (lanyard included) · Uses alkaline or rechargeable batteries · 5 year warranty*



WIR RX18

- **SoundPlus® 2-Ch Selectable / Stereo Infrared Receiver.** 2.3 or 2.8 MHz or stereo · Operates 7 hours per charge · Range: Up to 10,000ft² (3,048m²) with TX925 or TX90 · BAT AP07D battery included
- Patented on/off control built into arms of unit — saves on battery life · Use with CHG 518 drop-in charger (sold separately) · Closed ear design, comfortable silicon eartips · Light, one-piece design · 5 year warranty*



*90 days on accessories

Note: WIR TX9, WIR TX90 and systems are available in White

Infrared Sound Technology for Hearing Assistance and Audio Description in the Cinema

*Participants can listen to the audio at their comfort
level anywhere in the seating area*

Exceptional sound quality

*SoundPlus system can be used in any number of
auditoriums with no cross-over*

Meets ADA and DDA accessibility requirements

Compatible with Dolby®, DTS® and Doremi®

Processors for audio description

*All installation components included,
nothing extra to order*

*5 year factory warranty
(the best in the business)*



WILLIAMS SOUND®

800.843.3544 • williamssound.com

Touchboards

205 Westwood Ave, Long Branch, NJ 07740
Phone: 866-94 BOARDS (26273) / (732)-222-1511
Fax: (732)-222-7088 | E-mail: sales@touchboards.com

BROM 009C