



Espree™ + Worksurface

pneumatic table bundle

Espree + Worksurface

pneumatic table bundle

Rectangle



Dimensions

48"w x 24"d

48"w x 30"d

60"w x 24"d

60"w x 30"d

Base model

2R4824-__-2ESP-C48-ADJ-SLV

2R4830-__-2ESP-C48-ADJ-SLV

2R6024-__-2ESP-C60-ADJ-SLV

2R6030-__-2ESP-C60-ADJ-SLV

Specify laminate code. See laminate guide for details.

Casters Model # CASTERKIT-2ESP



locking casters

Product specs


- Pneumatic height adjustment
- 38 lbs.–83 lbs. base lifting capacity (2ESP-C48-ADJ)
- 49 lbs.–94 lbs. base lifting capacity (2ESP-C60-ADJ)
- 19.6" height adjustment range
 - 26.2"–45.8" (low/high)
(excluding worksurface)
- Two stage adjustable legs
- Foot is adjustable got 22.0" or 28.0" (patented design)
- Fixed width frame
- Locking casters are available
- Table bases accommodate worksurfaces measuring 48.0" and 60.0" in width
- Counterbalanced columns provide smooth, synchronized height
- Warranty: 15 yr. structural / 7 yr. mechanical

Espree Features

foot at 28.0"



foot at 22.0"





esi



800.833.3746
esiergo.com

Espree + Worksurface

pneumatic table bundle



The base dimensions as shown are actual.



esi

800.833.3746
esiergo.com

© 2018 Fellowes, Inc.