

Specifications

Units:

Imperial

Metric

Minimum Torque (Ft.lbs)	418
Minimum Torque (Nm)	566
Maximum Operating Pressure (psi)	10,000
Hexagon Size S (in)	1 13/16
Nose Radius H (in)	1.56
Weight (lbs)	8.25

Dimensions

Units:

Imperial

Metric

Hexagon Size S (in)	1 13/16
Nose Radius H (in)	1.56
Dimension A (in)	5.35
Dimension B (in)	6.57
Dimension C (in)	7.01
Dimension D (in)	1.61
Dimension F (in)	0.79
Dimension G (in)	2.52
Height (in)	7.11
Length (in)	8.45
Width (in)	1.61

Specifications

Units:

Imperial

Metric

Minimum Torque (Ft.lbs)	418
Minimum Torque (Nm)	566
Hexagon Size S (mm)	46
Hexagon Size S (in)	1 13/16
Nose Radius H (mm)	39,5
Weight (kg)	3.7

Dimensions

Units:

Imperial

Metric

Hexagon Size S (mm)	46
Hexagon Size S (in)	1 13/16
Nose Radius H (mm)	39,5
Dimension A (mm)	136
Dimension B (mm)	167
Dimension C (mm)	178
Dimension D (mm)	41
Dimension E (mm)	33
Dimension F (mm)	20
Dimension G (mm)	64,0
Height (mm)	181
Length (mm)	215
Width (mm)	41

