

## Specifications

---

Units:

**Imperial**

Metric

Minimum Torque (Ft.lbs)	418
Minimum Torque (Nm)	566
Maximum Operating Pressure (psi)	10,000
Hexagon Size S (in)	2 3/16
Nose Radius H (in)	1.73
Weight (lbs)	8.42

## Dimensions

---

Units:

**Imperial**

Metric

Hexagon Size S (in)	2 3/16
Nose Radius H (in)	1.73
Dimension A (in)	5.35
Dimension B (in)	6.57
Dimension C (in)	7.01
Dimension D (in)	1.61
Dimension F (in)	0.79
Dimension G (in)	2.89
Height (in)	7.28
Length (in)	8.66
Width (in)	1.61

## Specifications

---

Units:

Imperial

**Metric**

Minimum Torque (Ft.lbs)	418
Minimum Torque (Nm)	566
Hexagon Size S (mm)	55
Hexagon Size S (in)	2 3/16
Nose Radius H (mm)	44,0
Weight (kg)	3.8

## Dimensions

---

Units:

Imperial

**Metric**

Hexagon Size S (mm)	55
Hexagon Size S (in)	2 3/16
Nose Radius H (mm)	44,0
Dimension A (mm)	136
Dimension B (mm)	167
Dimension C (mm)	178
Dimension D (mm)	41
Dimension E (mm)	33
Dimension F (mm)	20
Dimension G (mm)	73,4
Height (mm)	185
Length (mm)	220
Width (mm)	41

