

Specifications

Units: **Imperial** Metric

Minimum Torque (Ft.lbs)	418
Minimum Torque (Nm)	566
Maximum Operating Pressure (psi)	10,000
Hexagon Size S (in)	2 15/16
Nose Radius H (in)	2.18
Weight (lbs)	8.96

Dimensions

Units: **Imperial** Metric

Hexagon Size S (in)	2 15/16
Nose Radius H (in)	2.18
Dimension A (in)	5.35
Dimension B (in)	6.57
Dimension C (in)	7.01
Dimension D (in)	1.61
Dimension F (in)	0.79
Dimension G (in)	3.21
Height (in)	7.73
Length (in)	9.19
Width (in)	1.61

Specifications

Units:

Imperial

Metric

Minimum Torque (Ft.lbs)	418
Minimum Torque (Nm)	566
Hexagon Size S (mm)	75
Hexagon Size S (in)	2 15/16
Nose Radius H (mm)	55,3
Weight (kg)	4.1

Dimensions

Units:

Imperial

Metric

Hexagon Size S (mm)	75
Hexagon Size S (in)	2 15/16
Nose Radius H (mm)	55,3
Dimension A (mm)	136
Dimension B (mm)	167
Dimension C (mm)	178
Dimension D (mm)	41
Dimension E (mm)	33
Dimension F (mm)	20
Dimension G (mm)	81,6
Height (mm)	196
Length (mm)	233
Width (mm)	41

