



SPECIFICATION SHEET

PowerLite[®] 9x Series

97 XGA Resolution

98 XGA Resolution Ultra Bright

99W WXGA Resolution Ultra Bright



Network connectivity and control for today's classroom

3x Brighter Colors¹, and reliable performance — 3LCD, 3-chip technology

One measurement of brightness is not enough — look for both high color brightness and high white brightness. The PowerLite 97, 98 and 99W have:

Color Brightness – 2700 to 3000 lumens² White Brightness – 2700 to 3000 lumens²

 $\label{eq:second} \mbox{Impressive image quality} - \mbox{available in native XGA and WXGA (widescreen)} \\ \mbox{resolutions}$

Manage projectors and present remotely — easy network connectivity; software included

Moderator software - wirelessly control which personal devices are displayed

Wireless — project from your iPhone[®], iPad[®] and Android[™] mobile devices with the Epson iProjection[™] App³

HDMI digital connectivity - up to HD quality video and audio with just one cable

Easily engage your students — built-in 16 W speaker and microphone input; or, use external speakers, even in Standby Mode









Network connectivity and control for today's classroom

Featuring network connectivity and exceptional image quality, the PowerLite 97, 98 and 99W each present a smart choice for virtually any classroom. Offering 3x Brighter Colors¹ than competitive models, Epson 3LCD projectors ensure bright, vivid lessons. Reliable and easy to use, this PowerLite 9x Series includes options for XGA or widescreen WXGA resolutions. Project and control content from multiple devices and easily share students' work. It's the perfect way for everyone in the BYOD classroom to collaborate. These versatile projectors are even equipped with HDMI connectivity and premium audio features.



Specification Sheet | Page 2 of 6

Amazing image quality



PowerLite 98/99W

LUMENS

LUMENS



3x Brighter Colors with Epson¹

Brilliant image quality requires high color brightness (color light output), and Epson 3LCD projectors have 3x Brighter Colors than leading competitive projectors.¹

One brightness measurement (lumens) is not enough. A projector's specification needs to show both high color brightness and high white brightness. If color brightness is lower than white brightness, images may be dark, dull and lose detail. If not provided, be sure to ask for a projector's color brightness specification.









EPSON High color brightness and high white brightness





COMPETITOR Color brightness significantly lower than white brightness

Actual photographs of projected images from an identical signal source. Price, resolution and white brightness are similar for both projectors (Epson 3LCD and 1-chip DLP competitor). Both projectors are set to their brightest mode.

3LCD — The #1 projection technology in the world

- All 3LCD projectors have both high color brightness and high white brightness
- All 3LCD projectors have 3 chips
- 25% lower power consumption for lower energy costs⁴
- 20 years of road-tested reliability

Remarkable resolution for brilliant clarity and detail

Resolution defines the level of detail and depth you'll see in a projected image. It's measured as the number of pixels wide by the number of pixels high. The more pixels, the better the detail.







1.5x more

XGA (1024 x 768) Ensures sharper detail




WXGA (1280 x 800) Offers high-definition and is ideal for widescreen (16:10) displays





Classroom collaboration and connectivity



Supports BYOD classroom collaboration

Networking features that take teaching to the next level

- Manage up to 1024 Epson networked projectors using the included EasyMP[®] software or Crestron[®] RoomView[®] — saves time and money
- Send updates or announcements remotely to up to 1024 Epson networked projectors using the Message Broadcasting plug-in for EasyMP
- Connect your projector to an access point to share it with the entire class, without running more cables

Teaching tools

- Support BYOD classroom collaboration using Epson's Moderator software
 - Present up to four different device screens to the entire class
 - Connect up to 50 Windows®, Mac®, iOS or Android devices
 - Encourage and control classroom collaboration
- Change presenters wirelessly via Windows, Mac, iOS or Android devices

Share from your tablet or smartphone

Display from your iOS or Android mobile device with the free Epson iProjection App and any nearby wireless Epson projector.³

- · Control your presentation with just a touch of the screen
- Advance through PowerPoint® or Keynote presentations
- Zoom in and out of PDF, Excel® and Word® documents
- · Project Web pages and view brilliant, high-quality images



Free Epson iProjection App



Choose the function/connection that's right for you

	SINGLE CONNECTION Wireless Ad Hoc*	GOOD RJ-45 Hardwired	BETTER Wireless Infrastructure*	BEST Hardwired RJ-45 with Access Point	Epson Software Needed
Message Broadcast		~	~	~	Message Broadcasting Plug-In
Present Over the Network	* **	~	~	~	EasyMP Network Projection
Moderator Functionality		~	~	~	Moderator Function
iOS or Android Wireless Connection	/ **		~	~	Epson iProjection App for iOS or Android
Projector Monitor and Control		~	~	~	EasyMP Monitor Utility

*Optional wireless module required

**Internet access unavailable in Ad Hoc/Quick Connect mode. Not all Android devices are compatible. See owner's manual for capabilities.

Easy to use

Flexible positioning



horizontal keystone



Simple Setup Suite from Epson

Epson projectors offer a suite of innovative features that ensure flexible placement and fast, easy setup.

- HDMI connectivity Get both audio and brilliant video quality with just one cable. Compatible with the latest laptops, Blu-ray[®] and media players.
- **Convenient lens control** Optimize the image size whether your projector is close to the screen or far away, with the 1.6x optical zoom.
- Easy image adjustments Position your projector almost anywhere and still get a correctly proportioned image, with keystone correction and easy-slide controls.
- Quick Corner[®] This innovative feature allows you to move any of the four corners of an image independently, to adjust each corner for a perfectly rectangular picture.
- Advanced 3-in-1 USB Plug 'n Play instant setup Instantly project audio and video from a PC or Mac via a USB connection.
- Quick, convenient control Instant Off[®] means no cool-down time required; it's ready to shut down when you are.

CC

- Helps meet ADA 508 requirements for students with hearing impairments
- No need to pay for an additional decoder and its installation

Save energy and more





Energy-efficient, long-life lamp

Built-in closed captioning

- Epson lamps maximize viewing time while minimizing the total cost of ownership
- Epson's unique lamp design saves energy lamp lasts up to 6000 hours⁶
- · Replacement lamps available at a low cost

Easily conserve power

- ECO Mode operates the projector in a lower brightness setting
- Sleep Mode (A/V Mute) control your presentation; it's right at your fingertips
- Direct Power Off/On power the projector on/off with the flip of a wall switch
- Standby audio out continue to pass audio out to an external speaker and play your audio even when the projector is "off" (in Standby Mode)
- Standby microphones use a connected wired or wireless microphone, amplified through the built-in speakers, even while the projector is in Standby Mode
- Schedule function control the projector at non-networked venues; the embedded "clock" inside the projector enables it to schedule tasks without having the "Network Standby Mode" on



PowerLite 9x Series 3LCD Projectors 97/98/99W

Specifications

Projection System 3LCD, 3-chip technology Projection Method Front/rear/ceiling mount Driving Method Poly-silicon TFT Active Matrix Pixel Number

97/98: 786,432 dots (1024 x 768) x 3 99W: 1,024,000 dots (1280 x 800) x 3 Color Brightness² Color Light Output 97: 2700 lumens 98/99W: 3000 lumens

White Brightness² White Light Output 97: 2700 lumens 98/99W: 3000 lumens

Aspect Ratio 97/98: 4:3, 99W: 16:10 Native Resolution

97/98: 1024 x 768 (XGA) 99W: 1280 x 800 (WXGA)

Resize

640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA/99W only), 1280 x 800 (WXGA/ 97 and 98 only), 1280 x 960 (SXGA2), 1280 x 1024 (SXGA3), 1366 x 768 (WXGA60-3), 1400 x 1050 (SXGA+), 1440 x 900 (WXGA+), 1680 x 900 (WXGA++), 1600 x 1200 (UXGA60)

Lamp Type 200 W UHE

Lamp Life⁶ Up to 6000 hours (ECO Mode) Up to 5000 hours (Normal Mode)

Throw Ratio Range 97/98: 1.48 (Zoom:Wide), 1.77 (Zoom:Tele) 99W: 1.30 (Zoom:Wide), 1.56 (Zoom:Tele)

Size (projected distance) 97/98: 30" to 300" (0.7 to 7.6 m) 99W: 33" to 318" (0.8 to 8.0 m)

Keystone Correction Vertical: ± 30 degrees (Automatic) Horizontal: ± 30 degrees (Slider)

USB Plug 'n Play Projector is compatible with PC and Mac computers Contrast Ratio Up to 10,000:1 Color Reproduction Up to 1 billion colors

Projection Lens


 Type
 Optical zoom (Manual)/ Focus (Manual)

 F-number
 1.58 – 1.72

 Focal Length
 16.9 – 20.28 mm

 Zoom Ratio
 1.0 – 1.2

Interfaces



Other

Display Performance NTSC: 480 lines PAL: 576 lines (Depends on observation of the multi-burst pattern) Input Signal NTSC/NTSC4.43/PAL/M-PAL/N-PAL/PAL60/ SECAM

Speaker 16 W (mono) Operating Temperature 41 ° to 95 °F (5 ° to 35 °C)

Power Supply Voltage 100 - 240 V AC $\pm 10\%$, 50/60 Hz Power Consumption

294 W (Normal Mode)

245 W (ECO Mode) 2.9 W Standby (Communication On) 0.36 W Standby (Communication Off) Fan Noise

37 dB (Normal Mode) 29 dB (ECO Mode) Security Kensington®- style lock provision, padlock and security anchor bar

Dimensions (W x D x H)

Including feet 11.6" x 9.7" x 3.5" Excluding feet 11.6" x 9.6" x 3.4" Weight 6 lb (2.7 kg)

Remote Control

Features

Brightness, Contrast, Tint, Saturation, Sharpness, Input signal, Sync, Tracking, Position, Color temperature, Volume

Operating Angle Right/left: ± 30 degrees Upper/lower: ± 15 degrees Operating Distance 19.7' (6 m)

Eco Features

RoHS compliant Recyclable product⁷ Epson America, Inc. is a SmartWay[™] Transport Partner⁸

Support

The Epson ConnectionSM Pre-sales support (U.S. and Canada): 800-463-7766 Internet website: www.epson.com

Service Programs

Two-year projector limited warranty, Epson Road Service program, PrivateLine® dedicated toll-free support and 90-day lamp limited warranty

What's in The Box

PowerLite 97, 98 or 99W projector, power cord, computer cable (VGA), projector remote control, batteries, user manual CD, Quick Setup Sheet, warranty card, password protect sticker

Ordering Information

Product Name				
PowerLite 97 projector				
PowerLite 98 projector				
PowerLite 99W projector				
Accessories				

Genuine Epson lamp (ELPLP78) Replacement air filter (ELPAF32) Wireless LAN module (ELPAP07) Quick Connect USB key (ELPAP09) Product Code V13H010L78 V13H134A32 V12H418P12 V12H005M09

Product Code

V11H576020 V11H577020

V11H578020

1 Compared to leading 1-chip DLP business and education projectors based on NPD data, July 2011 through June 2012. Color brightness (color light output) measured in accordance with IDMS 15.4. Color brightness will vary depending on usage conditions.

2 Color brightness (color light output) and white brightness (white light output) will vary depending on usage conditions. Color light output measured in accordance with IDMS 15.4; white light output measured in accordance with ISO 21118.

3 Check your owner's manual to determine if a wireless LAN module must be purchased separately to enable wireless connection on your Epson projector. Epson projectors can be networked either through the Ethernet port on the projector (check model specifications for availability) or via a wireless connection. Not all Epson projectors are able to be networked. Availability varies depending on model.

the Ethernet port on the projector (check model specifications for availability) or via a wireless connection. Not all Epson projectors are able to be networked. Availability vares depending on model. 4 Data source: ProjectorCentral.com Jan. 2013. Average of 1128 shipping models for which the manufacturers provided lumens and total power data, all resolutions and brightness levels. Energy efficiency was measured as wattrage per lumen. It was measured for both 3LCD and 1-chip projectors in each of five brightness segments. 3LCD projectors averaged less required electricity per lumen in each of the

was measured as wattage per lument, it was measured to both SECD and 1-clinp projectors in each of the bightness segments. SECD projectors are aged less required electricity is five segments.

5 Among people who had a preference, 9 out of 10 preferred images from 3LCD projectors over leading 1-chip DLP business and education projectors. Leading projectors selected according to NPD data as of July 2013. Based on independent U.S. research conducted by Radius Research (July 2013).
 6 ECO Mode is up to 6000 hours. Normal Mode is up to 5000 hours. Lamp life will vary depending upon mode selected, environmental conditions

and usage. Lamp brightness decreases over time.

7 See our website for convenient and reasonable recycling options at www.epson.com/recycle

8 SmartWay is an innovative partnership of the U.S. Environmental Protection Agency that reduces greenhouse gases and other air pollutants and improves fuel efficiency.

Better Products for a Better Future eco.epson.com



205 Westwood Ave, Long Branch, NJ 07740 Phone: 866-94 BOARDS (26273) / (732)-222-1511 Fax: (732)-222-7088 | E-mail: sales@touchboards.com

Touchboa

υ

rojectors