

Compact Distribution Units

CDU50 - 50-Amp

Portable Jobsite Power



Standard Features:

- cETLus listed for use in U.S. and Canada
- NEMA 3R in-use - Outdoor Version
- NEMA 1 - Indoor Version
- Simplified One-Hand Carrying
- Reduced operational footprint
- Anti-nuisance tripping design
- Less maintenance vs traditional 50A PDU's
- Twice the electrical outlets of traditional PDU's
- Multiple panel configurations allow receptacle customization
- Stackable Design
- Patented enclosure design
- Patented open neutral protection
- Custom color and labeling available
- Product customization available upon request

Market Applications:

- Construction
- Rental
- Entertainment and Events
- Power Generation
- Maintenance
- Petrochemical
- Utility
- Emergency Power
- Ship Building and Maintenance



NEMA 3R In-Use Cover
Input and Feed-Thru on Same Side



UL943 5th Edition, Self-Testing
GFCI Receptacles
UL1640 Patented Open Neutral
Protection Relays



NEMA 1 Indoor Version
Without In-Use Covers and Legs

Compact Distribution Units

CDU30 - 30-Amp

Portable Jobsite Power



Standard Features:



- cETLus listed for use in U.S. and Canada
- NEMA 3R in-use - Outdoor Version
- NEMA 1 - Indoor Version
- Simplified handling, one hand carry
- Reduced operational footprint
- Anti-nuisance tripping design
- Less maintenance vs traditional 50A PDU's
- Stackable Design
- Patented enclosure design
- Patented open neutral protection
- Product customization available upon request

Market Applications:

- Construction
- Power Generation
- Maintenance
- Petrochemical
- Utility
- Emergency Power
- Ship Building
- Aviation
- Mining





Outdoor Version



CDU30-3R-A

Indoor Version



CDU30-1-A



Stackable Design
30 & 50-Amp Units

Selection Guide




Main Features

Part Number	Input Power	Environmental Rating	Input	Receptacles	Circuit Breakers	Open Neutral Protection	Daisy Chain Feed-thru
CDU50 50A Units							
CDU50-3R-A	50 Amp 125/250V	NEMA 3R	CS6375	(6) NEMA 5-20 GFCI Duplex, (1) L6-30	(6) 20A 1P, (1) 30A 2P	Yes	CS6369
CDU50-3R-B	50 Amp 125/250V	NEMA 3R	CS6375	(3) NEMA 5-20 GFCI Duplex, (1) L6-30, (3) NEMA 5-20 GFCI Duplex w/USB	(6) 20A 1P, (1) 30A 2P	Yes	CS6369
CDU50-3R-C	50 Amp 125/250V	NEMA 3R	CS6375	(4) NEMA 5-20 GFCI Duplex, (1) L6-30	(4) 20A 1P, (1) 30A 2P	Yes	CS6369
CDU50-3R-D	50 Amp 125/250V	NEMA 3R	CS6375	(4) NEMA L5-20 Single, (1) L6-30	(4) 20A 1P GFCI, (1) 30A 2P	Yes	CS6369
CDU50-3R-E	50 Amp 125/250V	NEMA 3R	CS6375	(6) NEMA 5-20 GFCI Duplex, (1) L6-30	(6) 20A 1P, (1) GFCI 30A 2P	Yes	CS6369
CDU50-1-A*	50 Amp 125/250V	NEMA 1	CS6375	(6) NEMA 5-20 GFCI Duplex, (1) L6-30	(6) 20A 1P, (1) 30A 2P	No	CS6369
CDU50-1-B*	50 Amp 125/250V	NEMA 1	CS6375	(3) NEMA 5-20 GFCI Duplex, (1) L6-30, (3) NEMA 5-20 GFCI Duplex w/USB	(6) 20A 1P, (1) 30A 2P	No	CS6369
CDU50-1-C*	50 Amp 125/250V	NEMA 1	CS6375	(4) NEMA 5-20 GFCI Duplex, (1) L6-30	(4) 20A 1P, (1) 30A 2P	No	CS6369
CDU30 30A Units							
CDU30-3R-A	30 Amp 125/250V	NEMA 3R	L14-30 Plug w/6' cable	(2) NEMA 5-20 Duplex Rcpts, Protected by (2) NEMA 5-20 GFCI Duplex Rcpts	(2) 20A 1P	Yes	N/A
CDU30-1-A*	30 Amp 125/250V	NEMA 1	L14-30 Plug w/6' cable	(2) NEMA 5-20 Duplex Rcpts, Protected by (2) NEMA 5-20 GFCI Duplex Rcpts	(2) 20A 1P	No	N/A


* Without legs. Indoor version does not require open neutral protection.

Dimensions - CDU50 & CDU30 Outdoor and Indoor Versions, with and without Legs.

Outdoor



Indoor



Accessories

Part Number	Description
20 Amp Cordsets	
123B	Commercial Grade 50ft of 12/3 SJTW Cable, Pri & Sec NEMA 5-15 Lighted
123D	Commercial Grade 100ft of 12/3 SJTW Cable, Pri & Sec NEMA 5-15 Lighted
123B-TT	Commercial Grade 50ft of 12/3 SJTW Cable, Pri & Sec NEMA 5-15 Lighted Tri-Tap
123D-TT	Commercial Grade 100ft of 12/3 SJTW Cable, Pri & Sec NEMA 5-15 Lighted Tri-Tap
30 & 50 Amp Cordsets	
104ASO	25FT of 10/4 SOOW Cable W/L14-30 Watertight Plug and Connector
104BSO	50FT of 10/4 SOOW Cable W/L14-30 Watertight Plug and Connector
104DSO	100FT of 10/4 SOOW Cable W/L14-30 Watertight Plug and Connector
2520P103A	25FT of 10/3 SOOW CABLE W/ L6-30 Industrial Grade Plug & Connector
2520P103B	50FT of 10/3 SOOW CABLE W/ L6-30 Industrial Grade Plug & Connector
63ASO	25FT of 6/3+8/1 SOW/SOOW Cable, 50A, CS6365-P & CS6364-C
63BSO	50FT of 6/3+8/1 SOW/SOOW Cable, 50A, CS6365-P & CS6364-C
63DSO	100FT of 6/3+8/1 SOW/SOOW Cable, 50A, CS6365-P & CS6364-C
30A & 50A Receptacle Assemblies	
SR30	30A, NEMA L14-30 Receptacle w/Metal Weatherproof Box and 21" #10 leads
SR50	50A, CS6369 Receptacle w/Metal Weatherproof Box and 21" #6 leads
50A Y Adapter	
63YSTW	50A Cordset Y Adapter
Cable and Hose Protection- TuffTraxx	
CP5-36-ID	5 Channel Tufftraxx, Industrial Duty, Cable & Hose Protectors



123B/123D



123B-TT/123D-TT



104ASO/104BSO/104DSO



2520P103A/2520P103B



63ASO/BSO/DSO



SR30/SR50



63YSTW



CP5-36-ID



ERICSON
SAFETY IS OUR STANDARD

Ericson Manufacturing Company
4323 Hamann Parkway
Willoughby, OH 44094, USA



1-800-374-2766
info@ericson.com
L1000854A

ericson.com