

Teessied MantiMicrobial

TECHNICAL DATA SHEET

Part#: 7250E

Cutters - Large Oval Head - Semi-Flush Designed for cutting large soft wire.

The 7250E large oval semi-flush cutter has a cutting capacity of .008" to .060" soft wire. It is made of carbon steel. It features a ergonomically molded antimicrobial Anti-Static grip $(10^{10} \text{ ohms/sq surface resistivity})$ with dual leaf springs.

Precision Level

Material

Surface Resistivity

Shape

• Type of Cut

Cutting Capacity

Blade Angle

• Blade Length

Body Width

• Body Height

• OAL

• Weight (OZ)

UPC

• Schedule B

ECCN

UNSPSC Code

Country of Origin

• Group

Carbon

10¹⁰ ohms/sq

Round Head

Semi-Flush

.008 - .060"

.525" (13.13mm)

4.65" (116.25mm)

3

662847013706

8203.20.60.60

EAR99

27111511

Italy







Teasing MantiMicrobial

TECHNICAL DATA SHEET

Part#: 7251E

Cutters - Large Oval Head - Optimum Flush Designed for cutting large soft wire.

The 7251E large oval optimum flush cutter has a cutting capacity of .008" to .060" soft wire. It is made of carbon steel. It features a ergonomically molded antimicrobial Anti-Static grip (10^{10} ohms/sq surface resistivity) with dual leaf springs.

Precision Level

Material

Surface Resistivity

Shape

Type of Cut

Cutting Capacity

Blade Angle

• Blade Length

Body Width

Body Width

• Body Height

OAL

Weight (OZ)

UPC

• Schedule B

ECCN

UNSPSC Code

• Country of Origin

• Group

Carbon

10¹⁰ ohms/sq

Round Head

Optimum Flush

.005 - .060"

.525" (13.13mm)

4.65" (116.25mm)

3

662847013720

8203.20.60.60

EAR99

27111511

Italy





TECHNICAL DATA SHEET

Part#: 7260E

Cutters - Very Large Oval Head - Semi-Flush Designed for cutting large soft wire.

The 7260E extra large oval semi flush cutter has a cutting capacity of .005" to .08" soft wire. It is made of carbon steel. It features a ergonomically molded antimicrobial Anti-Static grip (10¹⁰ ohms/sq surface resistivity) with dual leaf springs.

Precision Level

Material

Surface Resistivity

Shape

• Type of Cut

Cutting Capacity

Blade Angle

• Blade Length

Body Width

• Body Height

• OAL

• Weight (OZ)

• UPC

Schedule B

ECCN

• UNSPSC Code

Country of Origin

• Group

Carbon

10¹⁰ ohms/sq

Round Head

Semi-Flush

.008 - .080"

.638" (15.95mm)

5" (125mm)

3

662847013690

8203.20.60.60

EAR99

27111511

Italy









TECHNICAL DATA SHEET

Part#: 7261E

Cutters - Very Large Oval Head - Optimum Flush Designed for cutting large soft wire.

The 7261E extra large oval optimum flush cutter has a cutting capacity of .005" to .08" soft wire. It is made of carbon steel. It features a ergonomically molded antimicrobial Anti-Static grip (10¹⁰ ohms/sq surface resistivity) with dual leaf springs.

Precision Level

Material

Surface Resistivity

Shape

• Type of Cut

Cutting Capacity

Blade Angle

Blade Length

Body Width

• Body Height

• OAL

Weight (OZ)

UPC

Schedule B

ECCN

• UNSPSC Code

Country of Origin

• Group

Carbon

10¹⁰ ohms/sq

Round Head

Optimum Flush

.005" - .080"

.638" (15.95mm)

5" (125mm)

3

662847013713

8203.20.60.60

EAR99

27111511

Italy



