



TECHNICAL DATA SHEET

Part#: 9250SL

Cutters - Large Oval Head - Semi-Flush - Slim Line - Black Oxide Coated
Designed for cutting .060" soft wire

| | |
|-----------------------|--------------------------|
| • Precision Level | ★★★★ |
| • Material | Carbon |
| • Surface Resistivity | 10 ¹⁰ ohms/sq |
| • Shape | Oval Head |
| • Type of Cut | Semi-Flush |
| • Cutting Capacity | .008 - .060" |
| • Blade Angle | |
| • Blade Length | |
| • Body Width | |
| • Body Height | |
| • OAL | 4.5" (112.5mm) |
| • Weight (OZ) | 3 |
| • UPC | 662847015502 |
| • Schedule B | 8203.20.60.60 |
| • ECCN | EAR99 |
| • UNSPSC Code | 27111511 |
| • Country of Origin | USA |
| • Group | Large Head |



visit us @
excelta.com



TECHNICAL DATA SHEET

Part#: 9251SL

Cutters - Large Oval Head - Optimum Flush- Slim Line - Black Oxide Coated
Designed for cutting .050" soft wire

| | |
|-----------------------|--------------------------|
| • Precision Level | ★★★★ |
| • Material | Carbon |
| • Surface Resistivity | 10 ¹⁰ ohms/sq |
| • Shape | Oval Head |
| • Type of Cut | Optimum Flush |
| • Cutting Capacity | .005 - .060" |
| • Blade Angle | |
| • Blade Length | |
| • Body Width | |
| • Body Height | |
| • OAL | 4.5" (112.5mm) |
| • Weight (OZ) | 3 |
| • UPC | 662847015519 |
| • Schedule B | 8203.20.60.60 |
| • ECCN | EAR99 |
| • UNSPSC Code | 27111511 |
| • Country of Origin | USA |
| • Group | Large Head |



visit us @
excelta.com



TECHNICAL DATA SHEET

Part#: 9254SL

Cutters - Large Tapered Head - Optimum Flush - Slim Line - Black Oxide Coated

Designed for cutting .060" soft wire

| | |
|-----------------------|-------------------|
| • Precision Level | ★★★★ |
| • Material | Carbon |
| • Surface Resistivity | 10^{10} ohms/sq |
| • Shape | Taper Head |
| • Type of Cut | Optimum Flush |
| • Cutting Capacity | .005 - .060" |
| • Blade Angle | |
| • Blade Length | |
| • Body Width | |
| • Body Height | |
| • OAL | 4.5" (112.5mm) |
| • Weight (OZ) | 3 |
| • UPC | 662847015533 |
| • Schedule B | 8203.20.60.60 |
| • ECCN | EAR99 |
| • UNSPSC Code | 27111511 |
| • Country of Origin | USA |
| • Group | Large Head |



visit us @
excelta.com



TECHNICAL DATA SHEET

Part#: 9258SL

Cutters - Large Tapered Relieved Head - Laser Flush - Slim Line - Black Oxide

Coated

Designed for cutting .040" soft wire

| | |
|-----------------------|--------------------------|
| • Precision Level | ★★★★ |
| • Material | Carbon |
| • Surface Resistivity | 10 ¹⁰ ohms/sq |
| • Shape | Taper Relieved Head |
| • Type of Cut | Laser Flush |
| • Cutting Capacity | .008 - .040" |
| • Blade Angle | |
| • Blade Length | |
| • Body Width | |
| • Body Height | |
| • OAL | 4.5" (112.5mm) |
| • Weight (OZ) | 3 |
| • UPC | 662847015526 |
| • Schedule B | 8203.20.60.60 |
| • ECCN | EAR99 |
| • UNSPSC Code | 27111511 |
| • Country of Origin | USA |
| • Group | Large Head |



visit us @
excelta.com