

TECHNICAL DATA SHEET

Part#: CB-12

Vacuum Cup - .5"(12.5mm) dia. -★★★- Black Buna-n

This black Buna-N non-marring vacuum cup (-5 to 250°F) is .5" in diameter. It is for use on all our vacuum tools with the exception of the Roto-Pic® and the PV-500. The cups are ESD Safe (10^8 - 10^{12} ohms/sq.)

• Precision Level	★★★
• Material	Black Buna-n
• Surface Resistivity	10^8 - 10^{12} ohms/sq
• Shape	Round
• Group	Vacuum Tools
• Angle	n/a
• Body Width	n/a
• Body Height	n/a
• OAL	.30" (7.62mm)
• Weight (OZ)	0.25
• UPC	662847000171
• Schedule B	8414.90.90.00
• ECCN	EAR99
• UNSPSC Code	
• Country of Origin	USA



TECHNICAL DATA SHEET

Part#: CB-14

Vacuum Cup - .25"(6.25mm) dia. -★★★- Black Buna-n

This black Buna-N non-marring vacuum cup (-5 to 250°F) is .25" in diameter. It is for use on all our vacuum tools with the exception of the Roto-Pic® and the PV-500. The cups are ESD Safe (10^8 - 10^{12} ohms/sq.)

• Precision Level	★★★
• Material	Black Buna-n
• Surface Resistivity	10^8 - 10^{12} ohms/sq
• Shape	Round
• Group	Vacuum Tools
• Angle	n/a
• Body Width	n/a
• Body Height	n/a
• OAL	.20" (5.08mm)
• Weight (OZ)	0.25
• UPC	662847000188
• Schedule B	8414.90.90.00
• ECCN	EAR99
• UNSPSC Code	
• Country of Origin	USA




TECHNICAL DATA SHEET

Part#: CB-18

Vacuum Cup - .13" (3.25mm) dia. -★★★- Black Buna-n

This black Buna-N non-marring vacuum cup (-5 to 250°F) is .13" in diameter. It is for use on all our vacuum tools with the exception of the Roto-Pic® and the PV-500. The cups are ESD Safe (10^8 - 10^{12} ohms/sq.)

• Precision Level	★★★
• Material	Black Buna-n
• Surface Resistivity	10^8 - 10^{12} ohms/sq
• Shape	Round
• Group	Vacuum Tools
• Angle	n/a
• Body Width	n/a
• Body Height	n/a
• OAL	.20" (5.08mm)
• Weight (OZ)	0.25
• UPC	662847000195
• Schedule B	8414.90.90.00
• ECCN	EAR99
• UNSPSC Code	
• Country of Origin	USA



TECHNICAL DATA SHEET

Part#: CB-34

Vacuum Cup - .75"(18.75mm) dia. -★★★- Black Buna-n

This black Buna-N non-marring vacuum cup (-5 to 250°F) is .75" in diameter. It is for use on all our vacuum tools with the exception of the Roto-Pic® and the PV-500. The cups are ESD Safe (10^8 - 10^{12} ohms/sq.)

• Precision Level	★★★
• Material	Black Buna-n
• Surface Resistivity	10^8 - 10^{12} ohms/sq
• Shape	Round
• Group	Vacuum Tools
• Angle	n/a
• Body Width	n/a
• Body Height	n/a
• OAL	.32" (8.13mm)
• Weight (OZ)	0.25
• UPC	662847000201
• Schedule B	8414.90.90.00
• ECCN	EAR99
• UNSPSC Code	
• Country of Origin	USA



TECHNICAL DATA SHEET

Part#: CB-38

Vacuum Cup - .38"(9.5mm) dia. -★★★- Black Buna-n

This black Buna-N non-marring vacuum cup (-5° to 250°F) is .38" in diameter. It is for use on all our vacuum tools with the exception of the Roto-Pic® and the PV-500. The cups are ESD Safe (10^8 - 10^{12} ohms/sq.)

• Precision Level	★★★
• Material	Black Buna-n
• Surface Resistivity	10^8 - 10^{12} ohms/sq
• Shape	Round
• Group	Vacuum Tools
• Angle	n/a
• Body Width	n/a
• Body Height	n/a
• OAL	.25" (6.35mm)
• Weight (OZ)	0.25
• UPC	662847000218
• Schedule B	8414.90.90.00
• ECCN	EAR99
• UNSPSC Code	
• Country of Origin	USA



TECHNICAL DATA SHEET

Part#: CB-58

Vacuum Cup - .63"(15.75mm) dia. -★★★- Black Buna-n

This black Buna-N non-marring vacuum cup (-5° to 250°F) is .63" in diameter. It is for use on all our vacuum tools with the exception of the Roto-Pic® and the PV-500. The cups are ESD Safe (10^8 - 10^{12} ohms/sq.)

• Precision Level	★★★
• Material	Black Buna-n
• Surface Resistivity	10^8 - 10^{12} ohms/sq
• Shape	Round
• Group	Vacuum Tools
• Angle	n/a
• Body Width	n/a
• Body Height	n/a
• OAL	.315" (8mm)
• Weight (OZ)	0.25
• UPC	662847000225
• Schedule B	8414.90.90.00
• ECCN	EAR99
• UNSPSC Code	
• Country of Origin	USA



TECHNICAL DATA SHEET

Part#: CB-316

Vacuum Cup - .188"(4.76mm) dia. -★★★- Black Buna-n

This black Buna-N non-marring vacuum cup (-5 to 250°F) is .19" in diameter. It is for use on all our vacuum tools with the exception of the Roto-Pic® and the PV-500. The cups are ESD Safe (10^8 - 10^{12} ohms/sq.)

• Precision Level	★★★
• Material	Black Buna-n
• Surface Resistivity	10^8 - 10^{12} ohms/sq
• Shape	Round
• Group	Vacuum Tools
• Angle	n/a
• Body Width	n/a
• Body Height	n/a
• OAL	.20" (5.08mm)
• Weight (OZ)	0.25
• UPC	662847000232
• Schedule B	8414.90.90.00
• ECCN	EAR99
• UNSPSC Code	
• Country of Origin	USA



TECHNICAL DATA SHEET

Part#: CB-332

Vacuum Cup - .094"(2.38mm) dia. -★★★- Black Buna-n

This black Buna-N non-marring vacuum cup (-5 to 250°F) is .10" in diameter. It is for use on all our vacuum tools with the exception of the Roto-Pic® and the PV-500. The cups are ESD Safe (10^8 - 10^{12} ohms/sq.)

• Precision Level	★★★
• Material	Black Buna-n
• Surface Resistivity	10^8 - 10^{12} ohms/sq
• Shape	Round
• Group	Vacuum Tools
• Angle	n/a
• Body Width	n/a
• Body Height	n/a
• OAL	.16" (4mm)
• Weight (OZ)	0.25
• UPC	662847000249
• Schedule B	8414.90.90.00
• ECCN	EAR99
• UNSPSC Code	
• Country of Origin	USA

