

TECHNICAL DATA SHEET

Part#: M-159F-RT

Tweezers - Mini Replaceable Carbon Fiber .08" x .05" Tip - Straight

The M-159F-RT is a straight soft replaceable tip tweezer with a tip size of .08" x .05". These miniature straight soft replaceable tip tweezers have very high rigidity, excellent tensile and flexural strength, fatigue and creep resistance, and temperature resistant to 249°F. Carbofib™ is a polymer based material with 30% carbon fibers added (conductive 10² ohms/sq). The bodies are made of anti-magnetic Neverust® stainless steel (AISI 316L). They are excellent for handling delicate items.

• Precision Level	★★★
• Material	Carbon Fiber Tips
• Surface Resistivity	10 ² ohms/sq
• Shape	Straight
• Group	Replaceable Tip Tweezers
• Weight (OZ)	1
• Tip Size (CTM)	.08" x .05" (2mm x 1.25mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	.393" (9.83mm)
• Body Height One Leg	.06 (1.5mm)
• OAL	4.45" (111.25mm)
• Country of Origin	Italy
• UPC	662847014765
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: M-159B-RT

Tweezers - Mini Replaceable Carbon Fiber .04" x .038" Tip - Straight

The M-159B-RT is a straight soft replaceable tip 4.45" long tweezer with a tip size of .04" x .038". These miniature straight soft replaceable tip tweezers have very high rigidity, excellent tensile and flexural strength, fatigue and creep resistance, and temperature resistant to 249°F. Carbofib™ is a polymer based material with 30% carbon fibers added (conductive 10² ohms/sq). The bodies are made of anti-magnetic Neverust® stainless steel (AISI 316L). They are excellent for handling delicate items.

• Precision Level	★★★
• Material	Carbon Fiber Tips
• Surface Resistivity	10 ² ohms/sq
• Shape	Straight
• Group	Replaceable Tip Tweezers
• Weight (OZ)	1
• Tip Size (CTM)	.04" x .038" (1mm x .95mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	.393" (9.83mm)
• Body Height One Leg	.06 (1.5mm)
• OAL	4.45" (111.25mm)
• Country of Origin	Italy
• UPC	662847014727
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: M-159D-RT

Tweezers - Mini Replaceable Carbon Fiber .06" x .015" Tip - Straight

The M-159D-RT is a straight soft replaceable tip 4.45" long tweezer with a tip size of .06" x .015". These miniature straight soft replaceable tip tweezers have very high rigidity, excellent tensile and flexural strength, fatigue and creep resistance, and temperature resistant to 249°F. Carbofib™ is a polymer based material with 30% carbon fibers added (conductive 10² ohms/sq). The bodies are made of anti-magnetic Neverust® stainless steel (AISI 316L). They are excellent for handling delicate items.

• Precision Level	★★★
• Material	Carbon Fiber Tips
• Surface Resistivity	10 ² ohms/sq
• Shape	Straight
• Group	Replaceable Tip Tweezers
• Weight (OZ)	1
• Tip Size (CTM)	.06" x .015" (1.5mm x .38mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	.393" (9.83mm)
• Body Height One Leg	.06 (1.5mm)
• OAL	4.45" (111.25mm)
• Country of Origin	Italy
• UPC	662847014741
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: M-159A-RT

Tweezers - Mini Replaceable Carbon Fiber .02" x .015" Tip - Straight

The M-159A-RT is a straight soft replaceable tip 4.45" long tweezer with a tip size of .025" x .015". These miniature straight soft replaceable tip tweezers have very high rigidity, excellent tensile and flexural strength, fatigue and creep resistance, and temperature resistant to 249°F. Carbofib™ is a polymer based material with 30% carbon fibers added (conductive 10² ohms/sq). The bodies are made of anti-magnetic Neverust® stainless steel (AISI 316L). They are excellent for handling delicate items.

• Precision Level	★★★
• Material	Carbon Fiber Tips
• Surface Resistivity	10 ² ohms/sq
• Shape	Straight
• Group	Replaceable Tip Tweezers
• Weight (OZ)	1
• Tip Size (CTM)	.02" x .015" (.5mm x .38mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	.393" (9.83mm)
• Body Height One Leg	.06 (1.5mm)
• OAL	4.45" (111.25mm)
• Country of Origin	Italy
• UPC	662847014710
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: M-759-RT

Tweezers - Mini Replaceable Carbon Fiber .005" x .025" Tip - Curved

The M-759-RT has a tip size of .005" X .025". These miniature 40° curved soft replaceable tip 4.08" long tweezers have very high rigidity, excellent tensile and flexural strength, fatigue and creep resistance, and temperature resistant to 249°F. Carbofib™ is a polymer based material with 30% carbon fibers added (conductive 10² ohms/sq). The bodies are made of anti-magnetic Neverust® stainless steel (AISI 316L). They are excellent for handling delicate items.

• Precision Level	★★★
• Material	Carbon Fiber Tips
• Surface Resistivity	Insulative
• Shape	Curved
• Group	Miniature Tweezers
• Weight (OZ)	1
• Tip Size (CTM)	.005" x .025" (.125mm x .625mm)
• Tip Angle	40°
• Tip Length	
• Body Width	.393" (9.83mm)
• Body Height One Leg	.06 (1.5mm)
• OAL	4.08" (102mm)
• Country of Origin	Italy
• UPC	662847014895
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105

TECHNICAL DATA SHEET

Part#: M-159C-RT

Tweezers - Mini Replaceable Carbon Fiber .08" x .055" Tip - Straight

The M-159C-RT is a straight soft replaceable tip 4.45" long tweezer with a tip size of .08" x .055". These miniature straight soft replaceable tip tweezers have very high rigidity, excellent tensile and flexural strength, fatigue and creep resistance, and temperature resistant to 249°F. Carbofib™ is a polymer based material with 30% carbon fibers added (conductive 10² ohms/sq). The bodies are made of anti-magnetic Neverust® stainless steel (AISI 316L). They are excellent for handling delicate items.

• Precision Level	★★★
• Material	Carbon Fiber Tips
• Surface Resistivity	10 ² ohms/sq
• Shape	Straight
• Group	Replaceable Tip Tweezers
• Weight (OZ)	1
• Tip Size (CTM)	.08" x .055" (2mm x 1.38mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	.393" (9.83mm)
• Body Height One Leg	.06 (1.5mm)
• OAL	4.45" (111.25mm)
• Country of Origin	Italy
• UPC	662847014734
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: M-159-RT

Tweezers - Mini Replaceable Carbon Fiber .012" x .008" Tip - Straight

The M-159-RT is a straight soft replaceable tip 4.45" long tweezer with a tip size of .012" x .018". These miniature straight soft replaceable tip tweezers have very high rigidity, excellent tensile and flexural strength, fatigue and creep resistance, and temperature resistant to 249°F. Carbofib™ is a polymer based material with 30% carbon fibers added (conductive 10² ohms/sq). The bodies are made of anti-magnetic Neverust® stainless steel (AISI 316L). They are excellent for handling delicate items.

• Precision Level	★★★
• Material	Carbon Fiber Tips
• Surface Resistivity	10 ² ohms/sq
• Shape	Straight
• Group	Replaceable Tip Tweezers
• Weight (OZ)	1
• Tip Size (CTM)	.012" x .008" (.3mm x .2mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	.393" (9.83mm)
• Body Height One Leg	.06 (1.5mm)
• OAL	4.45" (111.25mm)
• Country of Origin	Italy
• UPC	662847014703
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: M-159E-RT

Tweezers - Mini Replaceable Carbon Fiber .12" x .038" Tip - Straight

The M-159E-RT is a straight soft replaceable tip 4.45" long tweezer with a tip size of .12" x .038". These miniature straight soft replaceable tip tweezers have very high rigidity, excellent tensile and flexural strength, fatigue and creep resistance, and temperature resistant to 249°F. Carbofib™ is a polymer based material with 30% carbon fibers added (conductive 10² ohms/sq). The bodies are made of anti-magnetic Neverust® stainless steel (AISI 316L). They are excellent for handling delicate items.

• Precision Level	★★★
• Material	Carbon Fiber Tips
• Surface Resistivity	10 ² ohms/sq
• Shape	Straight
• Group	Replaceable Tip Tweezers
• Weight (OZ)	1
• Tip Size (CTM)	.12" x .038" (3mm x .95mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	.393" (9.83mm)
• Body Height One Leg	.06 (1.5mm)
• OAL	4.45" (111.25mm)
• Country of Origin	Italy
• UPC	662847014758
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: M-159G-RT

Tweezers - Mini Replaceable Carbon Fiber .005" x .025" Tip - Straight

The M-159G-RT is a straight soft replaceable tip 4.45" long tweezer with a tip size of .005" x .025". These miniature straight soft replaceable tip tweezers have very high rigidity, excellent tensile and flexural strength, fatigue and creep resistance, and temperature resistant to 249°F. Carbofib™ is a polymer based material with 30% carbon fibers added (conductive 10² ohms/sq). The bodies are made of anti-magnetic Neverust® stainless steel (AISI 316L). They are excellent for handling delicate items.

• Precision Level	★★★
• Material	Carbon Fiber Tips
• Surface Resistivity	10 ² ohms/sq
• Shape	Straight
• Group	Replaceable Tip Tweezers
• Weight (OZ)	1
• Tip Size (CTM)	.005" x .025" (.125mm x .625mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	.393" (9.83mm)
• Body Height One Leg	.06 (1.5mm)
• OAL	4.45" (111.25mm)
• Country of Origin	Italy
• UPC	662847014772
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105



TECHNICAL DATA SHEET

Part#: M-759D-RT

Tweezers - Mini Replaceable Carbon Fiber .06" x .018" Tip - Curved

The M-759D-RT has a tip size of .06" X .018". These miniature 40° curved soft replaceable tip 4.4" long tweezers have very high rigidity, excellent tensile and flexural strength, fatigue and creep resistance, and temperature resistant to 249°F. Carbofib™ is a polymer based material with 30% carbon fibers added (conductive 10² ohms/sq). The bodies are made of anti-magnetic Neverust® stainless steel (AISI 316L). They are excellent for handling delicate items.

• Precision Level	★★★
• Material	Carbon Fiber Tips
• Surface Resistivity	10 ² ohms/sq
• Shape	Curved
• Group	Miniature Tweezers
• Weight (OZ)	1
• Tip Size (CTM)	.06" x .018" (1.5mm x .45mm)
• Tip Angle	40°
• Tip Length	
• Body Width	.393" (9.83mm)
• Body Height One Leg	.06 (1.5mm)
• OAL	4.40" (110mm)
• Country of Origin	Italy
• UPC	662847014673
• Schedule B	8203.20.20.00
• Harmonization Code	8203.20.20
• ECCN	EAR99
• UNSPSC Code	27112105

